

# LIPORT GAGE

## PROFESSIONAL PRECISION MEASURING INSTRUMENTS



Power that works.

2026 CATALOG

**Dongguan Dayou Precision Tools Co., Ltd.**


Liport-Gage is a brand under Dongguan Dayou Precision Tools Co., Ltd., a professional manufacturer of precision measuring gauges with more than 25 years of production experience.

We boast a comprehensive product range, including gauge blocks, pin gauges, concentricity gauges, master check standards, plain plug & ring gauges, ball gauges and ceramic dial gauge stands, alongside a full lineup of standard thread gauges for diverse industrial applications.

Our in-house precision inspection laboratory operates in strict accordance with ISO and other international standards. Gauges can be supplied with CNAS calibration certificates recognized under the ILAC-MRA.

Beyond standard measuring tools, we provide professional customized services to meet customers' special dimensional requirements. Supported by consistent precision, cost-effective pricing and fast lead times, we deliver complete measuring solutions to clients across the global machinery, electronics and laboratory industries.

## COMPANY PROFILE




# CONTENTS


	Gauge Block	1-8
	Pin Gauge	9-17
	Plug Gauge Handle	18-19
	Concentricity Gauge	20-22
	Check Masters	23-24
	Metric Thread Plug Gauge	25-33
	Metric Thread Ring Gauge	34-42
	UN Thread Plug Gauge	43-46
	UN Thread Ring Gauge	47-50
	NPT/RC/PT/BSPT/NPTF Thread Plug Gauge	51
	NPT/RC/PT/BSPT/NPTF Thread Ring Gauge	52
	NPSM/BSPP/PSP/G/NPSL/PF/PG/NPS Thread Plug Gauge	53
	RP/BSW/Tyre Valve/Optical/Bicycle Thread Plug Gauge	54
	NPSM/BSPP/PSP/G/NPSL/PF/PG/NPS Thread Ring Gauge	55
	RP/BSW/Tyre Valve/Optical/Bicycle Thread Ring Gauge	56
	Plain Plug Gauge	57-59
	Plain Ring Gauge	60-65
	Ceramic Dial Gauge Base	66
	Ball Gauge	67
	Calibration Certificate Service	68
	Custom Gauge Service	69



## Ceramic Gage Block Set




Dimension		
Size(L)	W	H
0.5 ≤ L ≤ 10mm	9mm	30mm
L > 10mm	9mm	35mm




Blocks per set	Gage blocks included in set			Code		
	Size(mm)	Step (mm)	Quantity	Grade K	Grade 0	Grade 1
32	1.005	/	1	531-032-0KX	531-032-00X	531-032-01X
	1.01---1.09	0.01	9			
	1.1---1.9	0.1	9			
	1.0---9.0	1	9			
	10---30	10	3			
	50	/	1			
38	1	/	1	531-038-0KX	531-038-00X	531-038-01X
	1.005	/	1			
	1.01---1.09	0.01	9			
	1.1---1.9	0.1	9			
	2.0---9.0	1	8			
	10---100	10	10			
47	1.005	/	1	531-047-0KX	531-047-00X	531-047-01X
	1.01---1.20	0.01	20			
	1.3---1.9	0.1	7			
	1.0---9.0	1	9			
	10---100	10	10			
83	0.5	/	1	531-083-0KX	531-083-00X	531-083-01X
	1	/	1			
	1.005	/	1			
	1.5---1.9	0.1	5			
	2.0---9.5	0.5	16			
	10---100	10	10			

Blocks per set	Gage blocks included in set			Code		
	Size(mm)	Step (mm)	Quantity	Grade K	Grade 0	Grade 1
87	1.001---1.009	0.001	9	531-087-0KX	531-087-00X	531-087-01X
	1.01---1.49	0.01	49			
	0.5---9.5	0.5	19			
	10---100	10	10			
103	1.005	/	1	531-103-0KX	531-103-00X	531-103-01X
	1.0---1.49	0.01	49			
	0.5---24.5	0.5	49			
	25---100	25	4			
112	0.5	/	1	531-112-0KX	531-112-00X	531-112-01X
	1	/	1			
	1.0005	/	1			
	1.001---1.009	0.001	9			
	1.01---1.49	0.01	49			
	1.5---25	0.5	48			
122	50---100	25	3	531-122-0KX	531-122-00X	531-122-01X
	0.5	/	1			
	1	/	1			
	1.0005	/	1			
	1.001---1.009	0.001	9			
	1.01---1.49	0.01	49			
	1.5---1.9	0.1	5			
	2---25	0.5	47			
	30---70	10	5			
	75	/	1			
80---100	10	3				

# Ceramic Gage Block Set



Dimension		
Size(L)	W	H
0.5 ≤ L ≤ 10mm	9mm	30mm
L > 10mm	9mm	35mm




Quantity	Gage blocks included in set (mm)	Applicable caliper	Code		
			Grade K	Grade 0	Grade 1
6	10, 20, 20, 41.2, 81.5, 121.8	0-100, 0-150	532-001-0KX	532-001-00X	532-001-01X
6	10, 20, 20, 51.2, 121.5, 191.8	0-200	532-002-0KX	532-002-00X	532-002-01X

Quantity	Gage blocks included in set (mm)	Applicable micrometer	Code		
			Grade K	Grade 0	Grade 1
10	2.5, 5.1, 7.7, 10.3, 12.9, 15, 17.6, 20.2, 22.8, 25	0-25	533-001-0KX	533-001-00X	533-001-01X
11	25, 27.5, 30.1, 32.7, 35.3, 37.9, 40, 42.6, 45.2, 47.8, 50	25-50	533-002-0KX	533-002-00X	533-002-01X
11	50, 52.5, 55.1, 57.7, 60.3, 62.965, 67.6, 70.2, 72.8, 75	50-75	533-003-0KX	533-003-00X	533-003-01X
11	75, 77.5, 80.1, 82.7, 85.3, 87.9, 90, 92.6, 95.2, 97.8, 100	75-100	533-004-0KX	533-004-00X	533-004-01X
20	5.12, 10.24, 15.36, 21.5, 25, 30.12, 35.24, 40.36, 46.5, 50 55.12, 60.24, 65.36, 71.5, 75, 80.12, 85.24, 90.36, 96.5, 100	0-25, 25-50 50-75, 75-100	533-005-0KX	533-005-00X	533-005-01X

Quantity	Gage blocks included in set (mm)	Code		
		Grade K	Grade 0	Grade 1
8 Pcs	25, 50, 75, 100, 125, 150, 175, 200	534-001-0KX	534-001-00X	534-001-01X
10 Pcs	10, 20, 30, 40, 50, 60, 70, 80, 90, 100	534-002-0KX	534-002-00X	534-002-01X


# Imperial Ceramic Gage Block Set



Dimension		
Size(L)	W	H
0.5 ≤ L ≤ 10mm	9mm	30mm
L > 10mm	9mm	35mm

Blocks per set	Gage blocks included in set			Code		
	Size (inch)	Step (inch)	Quantity	Grade K	Grade 0	Grade AS-1
81	.1001"---.1009"	.0001"	9	535-081-0KX	535-081-00X	535-081-01X
	.101"---.149"	.001"	49			
	.050"---.950"	.050"	19			
	1"---4"	1"	4			
36	.050"	-	1	535-036-0KX	535-036-00X	535-036-01X
	.1001"---.1009"	.0001"	9			
	.101"---.109"	.001"	9			
	.110"---.190"	.01"	9			
	.100"---.500"	.10"	5			
	1",2",4"	-	3			

## Carbide Gage Block Set




Dimension		
Size(L)	W	H
0.5 ≤ L ≤ 10mm	9mm	30mm
L > 10mm	9mm	35mm

Blocks per set	Gage blocks included in set			Code		
	Size(mm)	Step (mm)	Quantity	Grade 0	Grade 1	Grade 2
32	1.005	/	1	521-032-00X	521-032-01X	521-032-02X
	1.01---1.09	0.01	9			
	1.1---1.9	0.1	9			
	1.0---9.0	1	9			
	10---30	10	3			
	50	/	1			
38	1	/	1	521-038-00X	521-038-01X	521-038-02X
	1.005	/	1			
	1.01---1.09	0.01	9			
	1.1---1.9	0.1	9			
	2.0---9.0	1	8			
	10---100	10	10			
47	1.005	/	1	521-047-00X	521-047-01X	521-047-02X
	1.01---1.20	0.01	20			
	1.3---1.9	0.1	7			
	1.0---9.0	1	9			
	10---100	10	10			
83	0.5	/	1	521-083-00X	521-083-01X	521-083-02X
	1	/	1			
	1.005	/	1			
	1.5---1.9	0.1	5			
	2.0---9.5	0.5	16			
	10---100	10	10			

Blocks per set	Gage blocks included in set			Code		
	Size(mm)	Step (mm)	Quantity	Grade 0	Grade 1	Grade 2
87	1.001---1.009	0.001	9	521-087-00X	521-087-01X	521-087-02X
	1.01---1.49	0.01	49			
	0.5---9.5	0.5	19			
	10---100	10	10			
103	1.005	/	1	521-103-00X	521-103-01X	521-103-02X
	1.0---1.49	0.01	49			
	0.5---24.5	0.5	49			
	25---100	25	4			
112	0.5	/	1	521-112-00X	521-112-01X	521-112-02X
	1	/	1			
	1.0005	/	1			
	1.001---1.009	0.001	9			
	1.01---1.49	0.01	49			
	1.5---25	0.5	48			
50---100	25	3				
122	0.5	/	1	521-122-00X	521-122-01X	521-122-02X
	1	/	1			
	1.0005	/	1			
	1.001---1.009	0.001	9			
	1.01---1.49	0.01	49			
	1.5---1.9	0.1	5			
	2---25	0.5	47			
	30---70	10	5			
	75	/	1			
	80---100	10	3			

## HSS Gage Block Set




Dimension		
Size(L)	W	H
0.5 ≤ L ≤ 10mm	9mm	30mm
L > 10mm	9mm	35mm

Blocks per set	Gage blocks included in set			Code		
	Size(mm)	Step (mm)	Quantity	Grade 0	Grade 1	Grade 2
32	1.005	/	1	511-032-00X	511-032-01X	511-032-02X
	1.01---1.09	0.01	9			
	1.1---1.9	0.1	9			
	1.0---9.0	1	9			
	10---30	10	3			
	50	/	1			
38	1	/	1	511-038-00X	511-038-01X	511-038-02X
	1.005	/	1			
	1.01---1.09	0.01	9			
	1.1---1.9	0.1	9			
	2.0---9.0	1	8			
	10---100	10	10			
47	1.005	/	1	511-047-00X	511-047-01X	511-047-02X
	1.01---1.20	0.01	20			
	1.3---1.9	0.1	7			
	1.0---9.0	1	9			
	10---100	10	10			
83	0.5	/	1	511-083-00X	511-083-01X	511-083-02X
	1	/	1			
	1.005	/	1			
	1.5---1.9	0.1	5			
	2.0---9.5	0.5	16			
	10---100	10	10			

Blocks per set	Gage blocks included in set			Code		
	Size(mm)	Step (mm)	Quantity	Grade 0	Grade 1	Grade 2
87	1.001---1.009	0.001	9	511-087-00X	511-087-01X	511-087-02X
	1.01---1.49	0.01	49			
	0.5---9.5	0.5	19			
	10---100	10	10			
	1.005	/	1			
103	1.0---1.49	0.01	49	511-103-00X	511-103-01X	511-103-02X
	0.5---24.5	0.5	49			
	25---100	25	4			
	0.5	/	1			
112	1	/	1	511-112-00X	511-112-01X	511-112-02X
	1.0005	/	1			
	1.001---1.009	0.001	9			
	1.01---1.49	0.01	49			
	1.5---25	0.5	48			
	50---100	25	3			
122	0.5	/	1	511-122-00X	511-122-01X	511-122-02X
	1	/	1			
	1.0005	/	1			
	1.001---1.009	0.001	9			
	1.01---1.49	0.01	49			
	1.5---1.9	0.1	5			
	2---25	0.5	47			
	30---70	10	5			
	75	/	1			
	80---100	10	3			

# HSS Gage Block Set




Dimension		
Size(L)	W	H
0.5 ≤ L ≤ 10mm	9mm	30mm
L > 10mm	9mm	35mm

Quantity	Gage blocks included in set (mm)	Applicable caliper	Code		
			Grade 0	Grade 1	Grade 2
6	10, 20, 20, 41.2, 81.5, 121.8	0-100, 0-150	512-001-00X	512-001-01X	512-001-02X
6	10, 20, 20, 51.2, 121.5, 191.8	0-200	512-002-00X	512-002-01X	512-002-02X
3	101.2, 201.5, 291.8	0-300	512-003-00X	512-003-01X	512-003-02X
12	10, 20, 20, 41.2, 51.2, 81.5, 101.2, 121.5, 121.8, 191.8, 201.5, 291.8	0-100, 0-150 0-200, 0-300	512-004-00X	512-004-01X	512-004-02X

Quantity	Gage blocks included in set (mm)	Applicable micrometer	Code		
			Grade 0	Grade 1	Grade 2
10	2.5, 5.1, 7.7, 10.3, 12.9, 15, 17.6, 20.2, 22.8, 25	0-25	513-001-00X	513-001-01X	513-001-02X
11	25, 27.5, 30.1, 32.7, 35.3, 37.9, 40, 42.6, 45.2, 47.8, 50	25-50	513-002-00X	513-002-01X	513-002-02X
11	50, 52.5, 55.1, 57.7, 60.3, 62.965, 67.6, 70.2, 72.8, 75	50-75	513-003-00X	513-003-01X	513-003-02X
11	75, 77.5, 80.1, 82.7, 85.3, 87.9, 90, 92.6, 95.2, 97.8, 100	75-100	513-004-00X	513-004-01X	513-004-02X
20	5.12, 10.24, 15.36, 21.5, 25, 30.12, 35.24, 40.36, 46.5, 50, 55.12, 60.24, 65.36, 71.5, 75, 80.12, 85.24, 90.36, 96.5, 100	0-25, 25-50 50-75, 75-100	513-005-00X	513-005-01X	513-005-02X

Quantity	Gage blocks included in set (mm)	Code		
		Grade 0	Grade 1	Grade 2
8 Pcs	25, 50, 75, 100, 125, 150, 175, 200	514-001-00X	514-001-01X	514-001-02X
8 Pcs	125, 150, 175, 200, 250, 300, 400, 500	514-002-00X	514-002-01X	514-002-02X
5 Pcs	600, 700, 800, 900, 1000	514-003-00X	514-003-01X	514-003-02X
10 Pcs	10, 20, 30, 40, 50, 60, 70, 80, 90, 100	514-004-00X	514-004-01X	514-004-02X


# Imperial HSS Gage Block Set



Dimension		
Size(L)	W	H
0.5 ≤ L ≤ 10mm	9mm	30mm
L > 10mm	9mm	35mm

Blocks per set	Gage blocks included in set			Code		
	Size (inch)	Step (inch)	Quantity	Grade 0	Grade AS-1	Grade AS-2
81	.1001"---.1009"	.0001"	9	515-081-00X	515-081-01X	515-081-02X
	.101"---.149"	.001"	49			
	.050"---.950"	.050"	19			
	1"---4"	1"	4			
36	.050"	-	1	515-036-00X	515-036-01X	515-036-02X
	.1001"---.1009"	.0001"	9			
	.101"---.109"	.001"	9			
	.110"---.190"	.01"	9			
	.100"---.500"	.10"	5			
	1",2",4"	-	3			

# Individual Gage Block



Dimension		
Size(L)	W	H
0.5 ≤ L ≤ 10mm	9mm	30mm
L > 10mm	9mm	35mm

Size L(mm)	Material			Code				Size L(mm)	Material			Code			
	Ceramic	Carbide	HSS	Grade K	Grade 0	Grade 1	Grade 2		Ceramic	Carbide	HSS	Grade K	Grade 0	Grade 1	Grade 2
0.5	○	○	○					25	○	○	○				
1	○	○	○					30	○	○	○				
2	○	○	○					40	○	○	○				
3	○	○	○					50	○	○	○				
4	○	○	○					60	○	○	○				
5	○	○	○					70	○	○	○				
6	○	○	○					75	○	○	○				
7	○	○	○					80	○	○	○				
8	○	○	○					90	○	○	○				
9	○	○	○					100	○	○	○				
10	○	○	○					125	○	○	○				
11	○	○	○					150	○	○	○				
12	○	○	○					175	○	○	○				
13	○	○	○					200	○	○	○				
14	○	○	○					250	○	○	○				
15	○	○	○					300	○	○	○				
16	○	○	○					400	○	○	○				
17	○	○	○					500	○	○	○				
18	○	○	○					600	○	○	○				
19	○	○	○					700	○	○	○				
20	○	○	○					800	○	○	○				
21	○	○	○					900	○	○	○				
22	○	○	○					1000	○	○	○				
23	○	○	○												
24	○	○	○												


Ceramic available in Grade K, 0, 1  
Carbide available in Grade 0, 1, 2  
HSS available in Grade 0, 1, 2

Code: 500-  
500-010-CE-00X  
(Ceramic 10mm Grade 0)

Ceramic available in Grade K, 0, 1  
Carbide available in Grade 0, 1, 2  
HSS available in Grade 0, 1, 2

Code: 500-  
500-200-HSS-01X  
(HSS 200mm Grade 1)

# Ceramic Pin Gauge Set



Material	Pin Gauges included in set			Code			
	Range(mm)	Step (mm)	Quantity (pcs)	Grade K Tolerance: $\pm 0.25\mu\text{m}$	Grade 0 Tolerance: $\pm 0.5\mu\text{m}$	Grade 1 Tolerance: $\pm 1.0\mu\text{m}$	Grade 2 Tolerance: $\pm 2.0\mu\text{m}$
Industrial Ceramic	0.30, 0.31.....0.99, 1.00	0.01	71	CPG-001-0KX	CPG-001-00X	CPG-001-01X	/
Industrial Ceramic	1.00, 1.01.....1.99, 2.00	0.01	101	CPG-002-0KX	CPG-002-00X	CPG-002-01X	/
Industrial Ceramic	2.00, 2.01.....2.99, 3.00	0.01	101	CPG-003-0KX	CPG-003-00X	CPG-003-01X	/
Industrial Ceramic	3.00, 3.01.....3.99, 4.00	0.01	101	CPG-004-0KX	CPG-004-00X	CPG-004-01X	/
Industrial Ceramic	4.00, 4.01.....4.99, 5.00	0.01	101	CPG-005-0KX	CPG-005-00X	CPG-005-01X	/
Industrial Ceramic	5.00, 5.01.....5.99, 6.00	0.01	101	CPG-006-0KX	CPG-006-00X	CPG-006-01X	/
Industrial Ceramic	6.00, 6.01.....6.99, 7.00	0.01	101	CPG-007-0KX	CPG-007-00X	CPG-007-01X	/
Industrial Ceramic	7.00, 7.01.....7.99, 8.00	0.01	101	CPG-008-0KX	CPG-008-00X	CPG-008-01X	/
Industrial Ceramic	8.00, 8.01.....8.99, 9.00	0.01	101	CPG-009-0KX	CPG-009-00X	CPG-009-01X	/
Industrial Ceramic	9.00, 9.01.....9.99, 10.00	0.01	101	CPG-010-0KX	CPG-010-00X	CPG-010-01X	/
Industrial Ceramic	10.00, 10.01.....10.49, 10.50	0.01	51	/	CPG-011A-00X	CPG-011A-01X	/
Industrial Ceramic	10.50, 10.51.....10.99, 11.00	0.01	51	/	CPG-011B-00X	CPG-011B-01X	/
Industrial Ceramic	11.00, 11.01.....11.49, 11.50	0.01	51	/	CPG-012A-00X	CPG-012A-01X	/
Industrial Ceramic	11.50, 11.51.....11.99, 12.00	0.01	51	/	CPG-012B-00X	CPG-012B-01X	/
Industrial Ceramic	12.00, 12.01.....12.49, 12.50	0.01	51	/	CPG-013A-00X	CPG-013A-01X	/
Industrial Ceramic	12.50, 12.51.....12.99, 13.00	0.01	51	/	CPG-013B-00X	CPG-013B-01X	/
Industrial Ceramic	13.00, 13.01.....13.49, 13.50	0.01	51	/	CPG-014A-00X	CPG-014A-01X	/
Industrial Ceramic	13.50, 13.51.....13.99, 14.00	0.01	51	/	CPG-014B-00X	CPG-014B-01X	/

# Ceramic Pin Gauge Set



Material	Pin Gauges included in set			Code			
	Range(mm)	Step (mm)	Quantity (pcs)	Grade K Tolerance: ±0.25µm	Grade 0 Tolerance: ±0.5µm	Grade 1 Tolerance: ±1.0µm	Grade 2 Tolerance: ±2.0µm
Industrial Ceramic	14.00, 14.01.....14.49, 14.50	0.01	51	/	CPG-015A-00X	CPG-015A-01X	/
Industrial Ceramic	14.50, 14.51.....14.99, 15.00	0.01	51	/	CPG-015B-00X	CPG-015B-01X	/
Industrial Ceramic	15.00, 15.01.....15.49, 15.50	0.01	51	/	CPG-016A-00X	CPG-016A-01X	/
Industrial Ceramic	15.50, 15.51.....15.99, 16.00	0.01	51	/	CPG-016B-00X	CPG-016B-01X	/
Industrial Ceramic	0.30, 0.35.....4.95, 5.00	0.05	95	CPG-035-0KX	CPG-035-00X	CPG-035-01X	/
Industrial Ceramic	5.00, 5.05.....9.95, 10.00	0.05	101	CPG-510-0KX	CPG-510-00X	CPG-510-01X	/
Industrial Ceramic	10.00, 10.05.....14.95, 15.00	0.05	101	/	CPG-1015A-00X	CPG-1015A-01X	/
Industrial Ceramic	0.30, 0.40.....9.90, 10.00	0.1	98	CPG-0310-0KX	CPG-0310-00X	CPG-0310-01X	/
Industrial Ceramic	10.00, 10.10.....14.90, 15.00	0.1	51	/	CPG-1015B-00X	CPG-1015B-01X	/

Material	Individual Pin Gauge		Code			
	Range(mm)	Step (mm)	Grade K Tolerance: ±0.25µm	Grade 0 Tolerance: ±0.5µm	Grade 1 Tolerance: ±1.0µm	Grade 2 Tolerance: ±2.0µm
Industrial Ceramic	0.30-10.00	0.001mm	ICPG-5.012-0KX e.g 5.012mm,Grade K	ICPG-5.012-00X e.g 5.012mm,Grade 0	ICPG-5.012-01X e.g 5.012mm,Grade 1	/
Industrial Ceramic	10.00-30.00	0.001mm	/	ICPG-15.012-00X e.g 15.012mm,Grade 0	ICPG-15.012-01X e.g 15.012mm,Grade 1	/
Industrial Ceramic	30.00-200.00	0.001mm	/		ICPG-55.000-01X e.g 55.000mm,Grade 1	ICPG-55.000-02X e.g 55.000mm,Grade 2

## Imperial Ceramic Pin Gauge Set



Material	Pin Gauges included in set			Code				
	Range(in)	Step (in)	Quantity (pcs)	Grade XX Tolerance(µin)	Grade X Tolerance(µin)	Grade Y Tolerance(µin)	Grade Z Tolerance(µin)	Grade ZZ Tolerance(µin)
Industrial Ceramic	.012", .013" ---- .059", .060"	0.001"	49	IMCPG-XX-M0+ 0~+20(µin)	IMCPG-X-M0+ 0~+40(µin)	IMCPG-Y-M0+ 0~+70(µin)	IMCPG-Z-M0+ 0~+100(µin)	IMCPG-ZZ-M0+ 0~+200(µin)
Industrial Ceramic	.012", .013" ---- .059", .060"	0.001"	49	IMCPG-XX-M0- -20~0(µin)	IMCPG-X-M0- -40~0(µin)	IMCPG-Y-M0- -70~0(µin)	IMCPG-Z-M0- -100~0(µin)	IMCPG-ZZ-M0- -200~0(µin)
Industrial Ceramic	.0125", .0135" ---- .0595", .0605"	0.001"	49	IMCPG-XX-M05+ 0~+20(µin)	IMCPG-X-M05+ 0~+40(µin)	IMCPG-Y-M05+ 0~+70(µin)	IMCPG-Z-M05+ 0~+100(µin)	IMCPG-ZZ-M05+ 0~+200(µin)
Industrial Ceramic	.0125", .0135" ---- .0595", .0605"	0.001"	49	IMCPG-XX-M05- -20~0(µin)	IMCPG-X-M05- -40~0(µin)	IMCPG-Y-M05- -70~0(µin)	IMCPG-Z-M05- -100~0(µin)	IMCPG-ZZ-M05- -200~0(µin)
Industrial Ceramic	.061", .062" ---- .249", .250"	0.001"	190	IMCPG-XX-M1+ 0~+20(µin)	IMCPG-X-M1+ 0~+40(µin)	IMCPG-Y-M1+ 0~+70(µin)	IMCPG-Z-M1+ 0~+100(µin)	IMCPG-ZZ-M1+ 0~+200(µin)
Industrial Ceramic	.061", .062" ---- .249", .250"	0.001"	190	IMCPG-XX-M1- -20~0(µin)	IMCPG-X-M1- -40~0(µin)	IMCPG-Y-M1- -70~0(µin)	IMCPG-Z-M1- -100~0(µin)	IMCPG-ZZ-M1- -200~0(µin)
Industrial Ceramic	.0615", .0625" ---- .2495", .2505"	0.001"	190	IMCPG-XX-M15+ 0~+20(µin)	IMCPG-X-M15+ 0~+40(µin)	IMCPG-Y-M15+ 0~+70(µin)	IMCPG-Z-M15+ 0~+100(µin)	IMCPG-ZZ-M15+ 0~+200(µin)
Industrial Ceramic	.0615", .0625" ---- .2495", .2505"	0.001"	190	IMCPG-XX-M15- -20~0(µin)	IMCPG-X-M15- -40~0(µin)	IMCPG-Y-M15- -70~0(µin)	IMCPG-Z-M15- -100~0(µin)	IMCPG-ZZ-M15- -200~0(µin)
Industrial Ceramic	.251", .252" ---- .499", .500"	0.001"	250	IMCPG-XX-M2+ 0~+20(µin)	IMCPG-X-M2+ 0~+40(µin)	IMCPG-Y-M2+ 0~+70(µin)	IMCPG-Z-M2+ 0~+100(µin)	IMCPG-ZZ-M2+ 0~+200(µin)
Industrial Ceramic	.251", .252" ---- .499", .500"	0.001"	250	IMCPG-XX-M2- -20~0(µin)	IMCPG-X-M2- -40~0(µin)	IMCPG-Y-M2- -70~0(µin)	IMCPG-Z-M2- -100~0(µin)	IMCPG-ZZ-M2- -200~0(µin)
Industrial Ceramic	.2515", .2525" ---- .4995", .5005"	0.001"	250	IMCPG-XX-M25+ 0~+20(µin)	IMCPG-X-M25+ 0~+40(µin)	IMCPG-Y-M25+ 0~+70(µin)	IMCPG-Z-M25+ 0~+100(µin)	IMCPG-ZZ-M25+ 0~+200(µin)
Industrial Ceramic	.2515", .2525" ---- .4995", .5005"	0.001"	250	IMCPG-XX-M25- -20~0(µin)	IMCPG-X-M25- -40~0(µin)	IMCPG-Y-M25- -70~0(µin)	IMCPG-Z-M25- -100~0(µin)	IMCPG-ZZ-M25- -200~0(µin)
Industrial Ceramic	.501", .502" ---- .624", .625"	0.001"	125	/	IMCPG-X-M3+ 0~+40(µin)	IMCPG-Y-M3+ 0~+70(µin)	IMCPG-Z-M3+ 0~+100(µin)	IMCPG-ZZ-M3+ 0~+200(µin)
Industrial Ceramic	.501", .502" ---- .624", .625"	0.001"	125	/	IMCPG-X-M3- -40~0(µin)	IMCPG-Y-M3- -70~0(µin)	IMCPG-Z-M3- -100~0(µin)	IMCPG-ZZ-M3- -200~0(µin)
Industrial Ceramic	.5015", .5025" ---- .6245", .6255"	0.001"	125	/	IMCPG-X-M35+ 0~+40(µin)	IMCPG-Y-M35+ 0~+70(µin)	IMCPG-Z-M35+ 0~+100(µin)	IMCPG-ZZ-M35+ 0~+200(µin)
Industrial Ceramic	.5015", .5025" ---- .6245", .6255"	0.001"	125	/	IMCPG-X-M35- -40~0(µin)	IMCPG-Y-M35- -70~0(µin)	IMCPG-Z-M35- -100~0(µin)	IMCPG-ZZ-M35- -200~0(µin)

# Imperial Ceramic Pin Gauge Set



Material	Pin Gauges included in set			Code				
	Range(in)	Step (in)	Quantity (pcs)	Grade XX Tolerance(µin)	Grade X Tolerance(µin)	Grade Y Tolerance(µin)	Grade Z Tolerance(µin)	Grade ZZ Tolerance(µin)
Industrial Ceramic	.626", .627" ---- .749", .750"	0.001"	125	/	IMCPG-X-M4+ 0~+40(µin)	IMCPG-Y-M4+ 0~+70(µin)	IMCPG-Z-M4+ 0~+100(µin)	IMCPG-ZZ-M4+ 0~+200(µin)
Industrial Ceramic	.626", .627" ---- .749", .750"	0.001"	125	/	IMCPG-X-M4- -40~0(µin)	IMCPG-Y-M4- -70~0(µin)	IMCPG-Z-M4- -100~0(µin)	IMCPG-ZZ-M4- -200~0(µin)
Industrial Ceramic	.6265", .6275" ---- .7495", .7505"	0.001"	125	/	IMCPG-X-M45+ 0~+40(µin)	IMCPG-Y-M45+ 0~+70(µin)	IMCPG-Z-M45+ 0~+100(µin)	IMCPG-ZZ-M45+ 0~+200(µin)
Industrial Ceramic	.6265", .6275" ---- .7495", .7505"	0.001"	125	/	IMCPG-X-M45- -40~0(µin)	IMCPG-Y-M45- -70~0(µin)	IMCPG-Z-M45- -100~0(µin)	IMCPG-ZZ-M45- -200~0(µin)
Industrial Ceramic	.751", .752" ---- .831", .832"	0.001"	82	/	IMCPG-X-M5+ 0~+40(µin)	IMCPG-Y-M5+ 0~+70(µin)	IMCPG-Z-M5+ 0~+100(µin)	IMCPG-ZZ-M5+ 0~+200(µin)
Industrial Ceramic	.751", .752" ---- .831", .832"	0.001"	82	/	IMCPG-X-M5- -40~0(µin)	IMCPG-Y-M5- -70~0(µin)	IMCPG-Z-M5- -100~0(µin)	IMCPG-ZZ-M5- -200~0(µin)
Industrial Ceramic	.7515", .7525" ---- .8315", .8325"	0.001"	82	/	IMCPG-X-M55+ 0~+40(µin)	IMCPG-Y-M55+ 0~+70(µin)	IMCPG-Z-M55+ 0~+100(µin)	IMCPG-ZZ-M55+ 0~+200(µin)
Industrial Ceramic	.7515", .7525" ---- .8315", .8325"	0.001"	82	/	IMCPG-X-M55- -40~0(µin)	IMCPG-Y-M55- -70~0(µin)	IMCPG-Z-M55- -100~0(µin)	IMCPG-ZZ-M55- -200~0(µin)
Industrial Ceramic	.833", .834" ---- .915", .916"	0.001"	84	/	/	IMCPG-Y-M6+ 0~+90(µin)	IMCPG-Z-M6+ 0~+120(µin)	IMCPG-ZZ-M6+ 0~+240(µin)
Industrial Ceramic	.833", .834" ---- .915", .916"	0.001"	84	/	/	IMCPG-Y-M6- -90~0(µin)	IMCPG-Z-M6- -120~0(µin)	IMCPG-ZZ-M6- -240~0(µin)
Industrial Ceramic	.8335", .8345" ---- .9155", .9165"	0.001"	84	/	/	IMCPG-Y-M65+ 0~+90(µin)	IMCPG-Z-M65+ 0~+120(µin)	IMCPG-ZZ-M65+ 0~+240(µin)
Industrial Ceramic	.8335", .8345" ---- .9155", .9165"	0.001"	84	/	/	IMCPG-Y-M65- -90~0(µin)	IMCPG-Z-M65- -120~0(µin)	IMCPG-ZZ-M65- -240~0(µin)
Industrial Ceramic	.917", .918" ---- .999", .1000"	0.001"	84	/	/	IMCPG-Y-M7+ 0~+90(µin)	IMCPG-Z-M7+ 0~+120(µin)	IMCPG-ZZ-M7+ 0~+240(µin)
Industrial Ceramic	.917", .918" ---- .999", .1000"	0.001"	84	/	/	IMCPG-Y-M7- -90~0(µin)	IMCPG-Z-M7- -120~0(µin)	IMCPG-ZZ-M7- -240~0(µin)
Industrial Ceramic	.9175", .9185" ---- .9995", .10005"	0.001"	84	/	/	IMCPG-Y-M75+ 0~+90(µin)	IMCPG-Z-M75+ 0~+120(µin)	IMCPG-ZZ-M75+ 0~+240(µin)
Industrial Ceramic	.9175", .9185" ---- .9995", .10005"	0.001"	84	/	/	IMCPG-Y-M75- -90~0(µin)	IMCPG-Z-M75- -120~0(µin)	IMCPG-ZZ-M75- -240~0(µin)

## Single Piece Imperial Ceramic Pin Gauge



Material	Individual Pin Gauge		Code				
	Range(in)	Step (in)	Grade XX Tolerance(µin)	Grade X Tolerance(µin)	Grade Y Tolerance(µin)	Grade Z Tolerance(µin)	Grade ZZ Tolerance(µin)
Industrial Ceramic	.012" - .500"	0.001" / 0.0001"	IIMCPG-XX-.200+ e.g .200"+,Grade XX 0~+20(µin)	IIMCPG-X-.200+ e.g .200"+,Grade X 0~+40(µin)	IIMCPG-Y-.200+ e.g .200"+,Grade Y 0~+70(µin)	IIMCPG-Z-.200+ e.g .200"+,Grade Z 0~+100(µin)	IIMCPG-ZZ-.200+ e.g .200"+,Grade ZZ 0~+200(µin)
Industrial Ceramic	.501" - .832"	0.001" / 0.0001"	/	IIMCPG-X-.600+ e.g .600"+,Grade X 0~+40(µin)	IIMCPG-Y-.600+ e.g .600"+,Grade Y 0~+70(µin)	IIMCPG-Z-.600+ e.g .600"+,Grade Z 0~+100(µin)	IIMCPG-ZZ-.600+ e.g .600"+,Grade ZZ 0~+200(µin)
Industrial Ceramic	.833" - 1.510"	0.001" / 0.0001"	/	/	IIMCPG-Y-1.000+ e.g 1.000"+,Grade Y 0~+90(µin)	IIMCPG-Z-1.000+ e.g 1.000"+,Grade Z 0~+120(µin)	IIMCPG-ZZ-1.000+ e.g 1.000"+,Grade ZZ 0~+240(µin)
Industrial Ceramic	1.511" - .2.510"	0.001" / 0.0001"	/	/	IIMCPG-Y-2.000+ e.g 2.000"+,Grade Y 0~+120(µin)	IIMCPG-Z-2.000+ e.g 2.000"+,Grade Z 0~+160(µin)	IIMCPG-ZZ-2.000+ e.g 2.000"+,Grade ZZ 0~+320(µin)
Industrial Ceramic	2.511" - 8.000"	0.001" / 0.0001"	/	/	IIMCPG-Y-3.000+ e.g 3.000"+,Grade Y 0~+150(µin)	IIMCPG-Z-3.000+ e.g 3.000"+,Grade Z 0~+200(µin)	IIMCPG-ZZ-3.000+ e.g 2.000"+,Grade ZZ 0~+400(µin)

**Tolerance Direction: minus, plus, master(bilateral), optional**

# Bearing Steel Pin Gauge Set



Material	Pin Gauges included in set			Code	
	Range(mm)	Step (mm)	Quantity (pcs)	Tolerance: $\pm 1.0\mu\text{m}$	Tolerance: $\pm 2.0\mu\text{m}$
Bearing Steel	0.10, 0.11.....0.99, 1.00	0.01	91	/	BPG-001-02X
Bearing Steel	1.00, 1.01.....1.99, 2.00	0.01	101	/	BPG-002-02X
Bearing Steel	2.00, 2.01.....2.99, 3.00	0.01	101	/	BPG-003-02X
Bearing Steel	3.00, 3.01.....3.99, 4.00	0.01	101	/	BPG-004-02X
Bearing Steel	4.00, 4.01.....4.99, 5.00	0.01	101	/	BPG-005-02X
Bearing Steel	5.00, 5.01.....5.99, 6.00	0.01	101	/	BPG-006-02X
Bearing Steel	6.00, 6.01.....6.99, 7.00	0.01	101	/	BPG-007-02X
Bearing Steel	7.00, 7.01.....7.99, 8.00	0.01	101	/	BPG-008-02X
Bearing Steel	8.00, 8.01.....8.99, 9.00	0.01	101	/	BPG-009-02X
Bearing Steel	9.00, 9.01.....9.99, 10.00	0.01	101	/	BPG-010-02X
Bearing Steel	10.00, 10.01.....10.49, 10.50	0.01	51	/	BPG-011A-02X
Bearing Steel	10.50, 10.51.....10.99, 11.00	0.01	51	/	BPG-011B-02X
Bearing Steel	11.00, 11.01.....11.49, 11.50	0.01	51	/	BPG-012A-02X
Bearing Steel	11.50, 11.51.....11.99, 12.00	0.01	51	/	BPG-012B-02X
Bearing Steel	12.00, 12.01.....12.49, 12.50	0.01	51	/	BPG-013A-02X
Bearing Steel	12.50, 12.51.....12.99, 13.00	0.01	51	/	BPG-013B-02X
Bearing Steel	13.00, 13.01.....13.49, 13.50	0.01	51	/	BPG-014A-02X
Bearing Steel	13.50, 13.51.....13.99, 14.00	0.01	51	/	BPG-014B-02X

# Bearing Steel Pin Gauge



Material	Pin Gauges included in set			Code	
	Range(mm)	Step (mm)	Quantity (pcs)	Tolerance: $\pm 1.0\mu\text{m}$	Tolerance: $\pm 2.0\mu\text{m}$
Bearing Steel	14.00, 14.01.....14.49, 14.50	0.01	51	/	BPG-015A-02X
Bearing Steel	14.50, 14.51.....14.99, 15.00	0.01	51	/	BPG-015B-02X
Bearing Steel	15.00, 15.01.....15.49, 15.50	0.01	51	/	BPG-016A-02X
Bearing Steel	15.50, 15.51.....15.99, 16.00	0.01	51	/	BPG-016B-02X
Bearing Steel	16.00, 16.01.....16.49, 16.50	0.01	51	/	BPG-017A-02X
Bearing Steel	16.50, 16.51.....16.99, 17.00	0.01	51	/	BPG-017B-02X
Bearing Steel	0.10, 0.15.....4.95, 5.00	0.05	99	/	BPG-015-02X
Bearing Steel	5.00, 5.05.....9.95, 10.00	0.05	101	/	BPG-510-02X
Bearing Steel	10.00, 10.05.....14.95, 15.00	0.05	101	/	BPG-1015A-02X
Bearing Steel	0.10, 0.20.....9.90, 10.00	0.1	100	/	BPG-0110-02X
Bearing Steel	10.00, 10.10.....14.90, 15.00	0.1	51	/	BPG-1015B-02X
Material	Individual Pin Gauge		Code		
	Range(mm)	Step (mm)	Tolerance: $\pm 1.0\mu\text{m}$	Tolerance: $\pm 2.0\mu\text{m}$	
Bearing Steel	0.06-200.00	0.001mm	/	IBPG-12.000-02X e.g 12.000mm, $\pm 2.0\mu\text{m}$	

# Tungsten Carbide Pin Gauge Set




Material	Pin Gauges included in set			Code	
	Range(mm)	Step (mm)	Quantity (pcs)	Tolerance: $\pm 1.0\mu\text{m}$	Tolerance: $\pm 2.0\mu\text{m}$
Tungsten Carbide	0.10, 0.11.....0.99, 1.00	0.01	91	TPG-001-01X	TPG-001-02X
Tungsten Carbide	1.00, 1.01.....1.99, 2.00	0.01	101	TPG-002-01X	TPG-002-02X
Tungsten Carbide	2.00, 2.01.....2.99, 3.00	0.01	101	TPG-003-01X	TPG-003-02X
Tungsten Carbide	3.00, 3.01.....3.99, 4.00	0.01	101	TPG-004-01X	TPG-004-02X
Tungsten Carbide	4.00, 4.01.....4.99, 5.00	0.01	101	TPG-005-01X	TPG-005-02X
Tungsten Carbide	5.00, 5.01.....5.99, 6.00	0.01	101	TPG-006-01X	TPG-006-02X
Tungsten Carbide	6.00, 6.01.....6.99, 7.00	0.01	101	TPG-007-01X	TPG-007-02X
Tungsten Carbide	7.00, 7.01.....7.99, 8.00	0.01	101	TPG-008-01X	TPG-008-02X
Tungsten Carbide	8.00, 8.01.....8.99, 9.00	0.01	101	TPG-009-01X	TPG-009-02X
Tungsten Carbide	9.00, 9.01.....9.99, 10.00	0.01	101	TPG-010-01X	TPG-010-02X
Tungsten Carbide	10.00, 10.01.....10.49, 10.50	0.01	51	TPG-011A-01X	TPG-011A-02X
Tungsten Carbide	10.50, 10.51.....10.99, 11.00	0.01	51	TPG-011B-01X	TPG-011B-02X
Tungsten Carbide	11.00, 11.01.....11.49, 11.50	0.01	51	TPG-012A-01X	TPG-012A-02X
Tungsten Carbide	11.50, 11.51.....11.99, 12.00	0.01	51	TPG-012B-01X	TPG-012B-02X
Tungsten Carbide	12.00, 12.01.....12.49, 12.50	0.01	51	TPG-013A-01X	TPG-013A-02X
Tungsten Carbide	12.50, 12.51.....12.99, 13.00	0.01	51	TPG-013B-01X	TPG-013B-02X
Tungsten Carbide	13.00, 13.01.....13.49, 13.50	0.01	51	TPG-014A-01X	TPG-014A-02X
Tungsten Carbide	13.50, 13.51.....13.99, 14.00	0.01	51	TPG-014B-01X	TPG-014B-02X

## Tungsten Carbide Pin Gauge




Material	Pin Gauges included in set			Code	
	Range(mm)	Step (mm)	Quantity (pcs)	Tolerance: $\pm 1.0\mu\text{m}$	Tolerance: $\pm 2.0\mu\text{m}$
Tungsten Carbide	14.00, 14.01.....14.49, 14.50	0.01	51	TPG-015A-01X	TPG-015A-02X
Tungsten Carbide	14.50, 14.51.....14.99, 15.00	0.01	51	TPG-015B-01X	TPG-015B-02X
Tungsten Carbide	0.10, 0.15.....4.95, 5.00	0.05	99	TPG-015-01X	TPG-015-02X
Tungsten Carbide	5.00, 5.05.....9.95, 10.00	0.05	101	TPG-510-01X	TPG-510-02X
Tungsten Carbide	10.00, 10.05.....14.95, 15.00	0.05	101	TPG-1015A-01X	TPG-1015A-02X
Tungsten Carbide	0.10, 0.20.....9.90, 10.00	0.1	100	TPG-0110-01X	TPG-0110-02X
Tungsten Carbide	10.00, 10.10.....14.90, 15.00	0.1	51	TPG-1015B-01X	TPG-1015B-02X
Material	Individual Pin Gauge		Code		
	Range(mm)	Step (mm)	Tolerance: $\pm 1.0\mu\text{m}$	Tolerance: $\pm 2.0\mu\text{m}$	
Tungsten Carbide	0.06-15.00	0.001mm	ITPG-5.012-01X e.g 5.012mm, $\pm 1.0\mu\text{m}$	ITPG-5.012-02X e.g 5.012mm, $\pm 2.0\mu\text{m}$	
Tungsten Carbide	15.00-50.00	0.001mm	/	ITPG-30.000-02X e.g 30.000mm, $\pm 2.0\mu\text{m}$	

## Plug Gauge Handle



Code	Double-End Size (Clamping Range)	L(mm)	D(mm)	Code	Double-End Size (Clamping Range)	L(mm)	D(mm)
441-001-011	0.10mm-1.00mm	58	9	441-001-1011	10.00mm-11.00mm	90	17
441-001-0515	0.50mm-1.50mm	58	9	441-001-105115	10.50mm-11.50mm	90	17
441-001-12	1.00mm-2.00mm	58	9	441-001-1112	11.00mm-12.00mm	90	17
441-001-1525	1.50mm-2.50mm	58	9	441-001-115125	11.50mm-12.50mm	90	17
441-001-23	2.00mm-3.00mm	58	9	441-001-1213	12.00mm-13.00mm	90	19
441-001-2535	2.50mm-3.50mm	58	9	441-001-1314	13.00mm-14.00mm	90	19
441-001-34	3.00mm-4.00mm	58	9	441-001-1415	14.00mm-15.00mm	90	21
441-001-3545	3.50mm-4.50mm	58	9	441-001-1516	15.00mm-16.00mm	90	21
441-001-45	4.00mm-5.00mm	80	12	441-001-1617	16.00mm-17.00mm	90	24
441-001-4555	4.50mm-5.50mm	80	12	441-001-1718	17.00mm-18.00mm	90	24
441-001-56	5.00mm-6.00mm	80	12	441-001-1819	18.00mm-19.00mm	90	26
441-001-5565	5.50mm-6.50mm	80	12	441-001-1920	19.00mm-20.00mm	90	26
441-001-67	6.00mm-7.00mm	88	14	441-001-2021	20.00mm-21.00mm	100	30
441-001-6575	6.50mm-7.50mm	88	14	441-001-2122	21.00mm-22.00mm	100	30
441-001-78	7.00mm-8.00mm	88	14	441-001-2223	22.00mm-23.00mm	100	30
441-001-7585	7.50mm-8.50mm	88	14	441-001-2324	23.00mm-24.00mm	120	32
441-001-89	8.00mm-9.00mm	90	16	441-001-2425	24.00mm-25.00mm	120	35
441-001-8595	8.50mm-9.50mm	90	16	441-001-2526	25.00mm-26.00mm	125	35
441-001-910	9.00mm-10.00mm	90	16	441-001-2627	26.00mm-27.00mm	130	38
441-001-95105	9.50mm-10.50mm	90	16	441-001-2728	27.00mm-28.00mm	130	38

## Plug Gauge Handle



Code	Single-End Size (Clamping Range)	L(mm)	D(mm)	Code	Single-End Size (Clamping Range)	L(mm)	D(mm)
441-001-011S	0.10mm-1.00mm	46	9	441-001-1819S	18.00mm-19.00mm	90	26
441-001-12S	1.00mm-2.00mm	46	9	441-001-1920S	19.00mm-20.00mm	90	26
441-001-23S	2.00mm-3.00mm	46	9	441-001-2021S	20.00mm-21.00mm	90	30
441-001-34S	3.00mm-4.00mm	46	9	441-001-2122S	21.00mm-22.00mm	90	30
441-001-45S	4.00mm-5.00mm	55	12	441-001-2223S	22.00mm-23.00mm	90	30
441-001-56S	5.00mm-6.00mm	55	12	441-001-2324S	23.00mm-24.00mm	90	32
441-001-67S	6.00mm-7.00mm	70	14	441-001-2425S	24.00mm-25.00mm	90	35
441-001-78S	7.00mm-8.00mm	70	14	441-001-2526S	25.00mm-26.00mm	90	35
441-001-89S	8.00mm-9.00mm	76	16				
441-001-910S	9.00mm-10.00mm	76	16				
441-001-1011S	10.00mm-11.00mm	80	17				
441-001-1112S	11.00mm-12.00mm	80	17				
441-001-1213S	12.00mm-13.00mm	80	19				
441-001-1314S	13.00mm-14.00mm	80	19				
441-001-1415S	14.00mm-15.00mm	80	21				
441-001-1516S	15.00mm-16.00mm	80	21				
441-001-1617S	16.00mm-17.00mm	90	24				
441-001-1718S	17.00mm-18.00mm	90	24				

## Concentricity Gage








A



B



C

Code	Model Type	Part Diameter	Part Length	Accuracy	Indicator quantity	Roller-Styles	Description
700-LP-130		1mm-30mm (0.04"-1.18")	10mm-110mm (0.4"-4.33")	≤2μm	2	B	/
700-LP-130B		1mm-30mm (0.04"-1.18")	10mm-110mm (0.4"-4.33")	≤2μm	2	B	/
700-LP-330A		3mm-30mm (0.12"-1.18")	10mm-110mm (0.4"-4.33")	≤2μm	2	A	/
700-LP-330B		3mm-30mm (0.12"-1.18")	10mm-110mm (0.4"-4.33")	≤2μm	1	A	/
700-LP-20100		20mm-100mm (0.8"-4")	10mm-110mm (0.4"-4.33")	≤2μm	2	A	/

## Concentricity Gage








A



B



C

Code	Model Type	Part Diameter	Part Length	Accuracy	Indicator quantity	Roller-Styles	Description
700-LP-0350		3mm-50mm (0.12"-2")	10mm-110mm (0.4"-4.33")	≤2μm	2	A	/
700-LP-330C		3mm-30mm (0.12"-1.18")	10mm-110mm (0.4"-4.33")	≤2μm	2	A	/
700-LP-0350B		3mm-50mm (0.12"-2")	10mm-110mm (0.4"-4.33")	≤2μm	2	A	The indicator holder is rotatable
700-LP-150		1mm-50mm (0.04"-2")	10mm-300mm (0.4"-11.81")	≤2μm	2	B	/
700-LP-0150350		1mm-50mm (0.04"-2")	10mm-300mm (0.4"-11.81")	≤2μm	2	B	/

## Concentricity Gage







A



B




C


Code	Model Type	Part Diameter	Part Length	Accuracy	Indicator quantity	Roller-Styles	Description
700-LP-1160300		1mm-160mm (0.04"-6.3")	1mm-300mm (0.04"-11.81")	≤2μm	2	/	/
700-LP-0350550		3mm-50mm (0.12"-2")	10mm-550mm (0.4"-21.65")	≤2μm	1	A	/
700-LP-12120600		12mm-120mm (0.47"-4.7")	30mm-600mm (1.18"-23.62")	≤2μm	2	/	V-shaped frame
700-LP-00530		0.5mm-30mm (0.02"-1.18")	10mm-110mm (0.4"-4.33")	≤2μm	2	C	/

Roller styles A, B and C are optional


## Check Masters



Point position for measuring parallelism




Parallelism I: Parallelism of each working surface and Origin Working Surface A




Parallelism II: Parallelism of each working surface and Surface A of inspection surface plate

Measuring Range ( L )	Grade 1		Grade 0	
	Maximum Permissible Dimension Error	parallelism	Maximum Permissible Dimension Error	parallelism
$\leq 100\text{mm}$	$\pm 2.0\mu\text{m}$	$1.0\mu\text{m}$	$\pm 1.0\mu\text{m}$	$0.5\mu\text{m}$
$100 < L \leq 200\text{mm}$	$\pm 2.2\mu\text{m}$	$1.1\mu\text{m}$	$\pm 1.1\mu\text{m}$	$0.5\mu\text{m}$
$200 < L \leq 300\text{mm}$	$\pm 2.6\mu\text{m}$	$1.3\mu\text{m}$	$\pm 1.3\mu\text{m}$	$0.6\mu\text{m}$
$300 < L \leq 400\text{mm}$	$\pm 3.2\mu\text{m}$	$1.4\mu\text{m}$	$\pm 1.6\mu\text{m}$	$0.7\mu\text{m}$
$400 < L \leq 500\text{mm}$	$\pm 4.0\mu\text{m}$	$1.5\mu\text{m}$	$\pm 2.0\mu\text{m}$	$0.8\mu\text{m}$
$500 < L \leq 600\text{mm}$	$\pm 5.0\mu\text{m}$	$1.6\mu\text{m}$	$\pm 2.5\mu\text{m}$	$1.0\mu\text{m}$
$600 < L \leq 800\text{mm}$	$\pm 6.0\mu\text{m}$	$2.0\mu\text{m}$	$\pm 3.0\mu\text{m}$	$1.4\mu\text{m}$
$800 < L \leq 1000\text{mm}$	$\pm 8.0\mu\text{m}$	$2.5\mu\text{m}$	$\pm 4.0\mu\text{m}$	$1.8\mu\text{m}$

## Check Masters





Measuring Range



Code	Measuring Range	General Increment ( t )	Grade	Code	Measuring Range	General Increment ( t )	Grade
800-300-101	300mm	10mm	1	800-600-101	600mm	10mm	1
800-300-201	300mm	20mm	1	800-600-201	600mm	20mm	1
800-300-100	300mm	10mm	0	800-600-100	600mm	10mm	0
800-300-200	300mm	20mm	0	800-600-200	600mm	20mm	0
800-400-101	400mm	10mm	1	800-800-101	800mm	10mm	1
800-400-201	400mm	20mm	1	800-800-201	800mm	20mm	1
800-400-100	400mm	10mm	0	800-800-100	800mm	10mm	0
800-400-200	400mm	20mm	0	800-800-200	800mm	20mm	0
800-500-101	500mm	10mm	1	800-1000-101	1000mm	10mm	1
800-500-201	500mm	20mm	1	800-1000-201	1000mm	20mm	1
800-500-100	500mm	10mm	0	800-1000-100	1000mm	10mm	0
800-500-200	500mm	20mm	0	800-1000-200	1000mm	20mm	0



# Metric Thread Plug Gauge



Other Classes Available:  
6G/5H/7H/7G/+0.03/ST/Left-Hand, etc.

Code	Size	Class	Code	Size	Class	Code	Size	Class	Code	Size	Class
MTP-1017001	M0.8*0.2	6H	MTP-1017023	M2*0.4	6H	MTP-1017045	M6*0.75	6H	MTP-1017067	M11*0.5	6H
MTP-1017002	M0.9*0.225	6H	MTP-1017024	M2*0.25	6H	MTP-1017046	M6*0.5	6H	MTP-1017068	M12*1.75	6H
MTP-1017003	M1.0	6H	MTP-1017025	M2.2*0.45	6H	MTP-1017047	M7*1	6H	MTP-1017069	M12*1.5	6H
MTP-1017004	M1*0.2	6H	MTP-1017026	M2.2*0.25	6H	MTP-1017048	M7*0.75	6H	MTP-1017070	M12*1.25	6H
MTP-1017005	M1.1*0.25	6H	MTP-1017027	M2.3*0.4	6H	MTP-1017049	M7*0.5	6H	MTP-1017071	M12*1	6H
MTP-1017006	M1.2	6H	MTP-1017028	M2.3*0.35	6H	MTP-1017050	M8*1.25	6H	MTP-1017072	M12*0.75	6H
MTP-1017007	M1.2*0.2	6H	MTP-1017029	M2.5*0.45	6H	MTP-1017051	M8*1	6H	MTP-1017073	M12*0.5	6H
MTP-1017008	M1.3*0.3	6H	MTP-1017030	M2.5*0.35	6H	MTP-1017052	M8*0.75	6H	MTP-1017074	M13*1.5	6H
MTP-1017009	M1.4	6H	MTP-1017031	M2.5*0.25	6H	MTP-1017053	M8*0.5	6H	MTP-1017075	M13*1.25	6H
MTP-1017010	M1.4*0.25	6H	MTP-1017032	M3*0.5	6H	MTP-1017054	M9*1.25	6H	MTP-1017076	M13*1	6H
MTP-1017011	M1.4*0.2	6H	MTP-1017033	M3*0.35	6H	MTP-1017055	M9*1	6H	MTP-1017077	M13*0.75	6H
MTP-1017012	M1.5*0.35	6H	MTP-1017034	M3*0.3	6H	MTP-1017056	M9*0.75	6H	MTP-1017078	M13*0.5	6H
MTP-1017013	M1.5*0.3	6H	MTP-1017035	M3*0.25	6H	MTP-1017057	M9*0.5	6H	MTP-1017079	M14*2	6H
MTP-1017014	M1.6	6H	MTP-1017036	M3*0.2	6H	MTP-1017058	M10*1.5	6H	MTP-1017080	M14*1.5	6H
MTP-1017015	M1.6*0.25	6H	MTP-1017037	M3.5*0.6	6H	MTP-1017059	M10*1.25	6H	MTP-1017081	M14*1.25	6H
MTP-1017016	M1.6*0.2	6H	MTP-1017038	M3.5*0.35	6H	MTP-1017060	M10*1	6H	MTP-1017082	M14*1	6H
MTP-1017017	M1.7	6H	MTP-1017039	M4*0.7	6H	MTP-1017061	M10*0.75	6H	MTP-1017083	M14*0.75	6H
MTP-1017018	M1.7*0.25	6H	MTP-1017040	M4*0.75	6H	MTP-1017062	M10*0.5	6H	MTP-1017084	M14*0.5	6H
MTP-1017019	M1.7*0.2	6H	MTP-1017041	M4*0.5	6H	MTP-1017063	M11*1.5	6H	MTP-1017085	M15*1.5	6H
MTP-1017020	M1.8	6H	MTP-1017042	M5*0.8	6H	MTP-1017064	M11*1.25	6H	MTP-1017086	M15*1.25	6H
MTP-1017021	M1.8*0.25	6H	MTP-1017043	M5*0.5	6H	MTP-1017065	M11*1	6H	MTP-1017087	M15*1	6H
MTP-1017022	M1.8*0.2	6H	MTP-1017044	M6*1	6H	MTP-1017066	M11*0.75	6H	MTP-1017088	M15*0.75	6H



# Metric Thread Plug Gauge



Other Classes Available:  
6G/5H/7H/7G/+0.03/ST/Left-Hand, etc.

Code	Size	Class	Code	Size	Class	Code	Size	Class	Code	Size	Class
MTP-1017089	M15*0.5	6H	MTP-1017111	M19*0.75	6H	MTP-1017133	M23*2	6H	MTP-1017155	M26*1.5	6H
MTP-1017090	M16*2	6H	MTP-1017112	M19*0.5	6H	MTP-1017134	M23*1.5	6H	MTP-1017156	M26*1.25	6H
MTP-1017091	M16*1.5	6H	MTP-1017113	M20*2.5	6H	MTP-1017135	M23*1.25	6H	MTP-1017157	M26*1.0	6H
MTP-1017092	M16*1.25	6H	MTP-1017114	M20*2	6H	MTP-1017136	M23*1	6H	MTP-1017158	M26*0.75	6H
MTP-1017093	M16*1	6H	MTP-1017115	M20*1.5	6H	MTP-1017137	M23*0.75	6H	MTP-1017159	M26*0.5	6H
MTP-1017094	M16*0.75	6H	MTP-1017116	M20*1.25	6H	MTP-1017138	M23*0.5	6H	MTP-1017160	M27*3.0	6H
MTP-1017095	M16*0.5	6H	MTP-1017117	M20*1	6H	MTP-1017139	M24*3	6H	MTP-1017161	M27*2.0	6H
MTP-1017096	M17*1.5	6H	MTP-1017118	M20*0.75	6H	MTP-1017140	M24*2	6H	MTP-1017162	M27*1.5	6H
MTP-1017097	M17*1.25	6H	MTP-1017119	M20*0.5	6H	MTP-1017141	M24*1.5	6H	MTP-1017163	M27*1.25	6H
MTP-1017098	M17*1	6H	MTP-1017120	M21*2	6H	MTP-1017142	M24*1.25	6H	MTP-1017164	M27*1.0	6H
MTP-1017099	M17*0.75	6H	MTP-1017121	M21*1.5	6H	MTP-1017143	M24*1	6H	MTP-1017165	M27*0.75	6H
MTP-1017100	M17*0.5	6H	MTP-1017122	M21*1.25	6H	MTP-1017144	M24*0.75	6H	MTP-1017166	M27*0.5	6H
MTP-1017101	M18*2.5	6H	MTP-1017123	M21*1	6H	MTP-1017145	M24*0.5	6H	MTP-1017167	M28*3.0	6H
MTP-1017102	M18*2	6H	MTP-1017124	M21*0.75	6H	MTP-1017146	M25*3.0	6H	MTP-1017168	M28*2.0	6H
MTP-1017103	M18*1.5	6H	MTP-1017125	M21*0.5	6H	MTP-1017147	M25*2.0	6H	MTP-1017169	M28*1.5	6H
MTP-1017104	M18*1.25	6H	MTP-1017126	M22*2.5	6H	MTP-1017148	M25*1.5	6H	MTP-1017170	M28*1.25	6H
MTP-1017105	M18*1	6H	MTP-1017127	M22*2	6H	MTP-1017149	M25*1.25	6H	MTP-1017171	M28*1.0	6H
MTP-1017106	M18*0.75	6H	MTP-1017128	M22*1.5	6H	MTP-1017150	M25*1.0	6H	MTP-1017172	M28*0.75	6H
MTP-1017107	M18*0.5	6H	MTP-1017129	M22*1.25	6H	MTP-1017151	M25*0.75	6H	MTP-1017173	M28*0.5	6H
MTP-1017108	M19*1.5	6H	MTP-1017130	M22*1	6H	MTP-1017152	M25*0.5	6H	MTP-1017174	M29*3.0	6H
MTP-1017109	M19*1.25	6H	MTP-1017131	M22*0.75	6H	MTP-1017153	M26*3.0	6H	MTP-1017175	M29*2.0	6H
MTP-1017110	M19*1	6H	MTP-1017132	M22*0.5	6H	MTP-1017154	M26*2.0	6H	MTP-1017176	M29*1.5	6H



# Metric Thread Plug Gauge



Other Classes Available:  
6G/5H/7H/7G/+0.03/ST/Left-Hand, etc.

Code	Size	Class	Code	Size	Class	Code	Size	Class	Code	Size	Class
MTP-1017177	M29*1.25	6H	MTP-1017199	M32*1.25	6H	MTP-1017221	M35*1.25	6H	MTP-1017243	M38*1.25	6H
MTP-1017178	M29*1.0	6H	MTP-1017200	M32*1.0	6H	MTP-1017222	M35*1.0	6H	MTP-1017244	M38*1.0	6H
MTP-1017179	M29*0.75	6H	MTP-1017201	M32*0.75	6H	MTP-1017223	M35*0.75	6H	MTP-1017245	M38*0.75	6H
MTP-1017180	M29*0.5	6H	MTP-1017202	M32*0.5	6H	MTP-1017224	M35*0.5	6H	MTP-1017246	M38*0.5	6H
MTP-1017181	M30*3.5	6H	MTP-1017203	M33*3.5	6H	MTP-1017225	M36*4.0	6H	MTP-1017247	M39*4.0	6H
MTP-1017182	M30*3.0	6H	MTP-1017204	M33*3.0	6H	MTP-1017226	M36*3.0	6H	MTP-1017248	M39*3.0	6H
MTP-1017183	M30*2.0	6H	MTP-1017205	M33*2.0	6H	MTP-1017227	M36*2.0	6H	MTP-1017249	M39*2.0	6H
MTP-1017184	M30*1.5	6H	MTP-1017206	M33*1.5	6H	MTP-1017228	M36*1.5	6H	MTP-1017250	M39*1.5	6H
MTP-1017185	M30*1.25	6H	MTP-1017207	M33*1.25	6H	MTP-1017229	M36*1.25	6H	MTP-1017251	M39*1.25	6H
MTP-1017186	M30*1.0	6H	MTP-1017208	M33*1.0	6H	MTP-1017230	M36*1.0	6H	MTP-1017252	M39*1.0	6H
MTP-1017187	M30*0.75	6H	MTP-1017209	M33*0.75	6H	MTP-1017231	M36*0.75	6H	MTP-1017253	M39*0.75	6H
MTP-1017188	M30*0.5	6H	MTP-1017210	M33*0.5	6H	MTP-1017232	M36*0.5	6H	MTP-1017254	M39*0.5	6H
MTP-1017189	M31*3.0	6H	MTP-1017211	M34*3.0	6H	MTP-1017233	M37*3.0	6H	MTP-1017255	M40*3.0	6H
MTP-1017190	M31*2.0	6H	MTP-1017212	M34*2.0	6H	MTP-1017234	M37*2.0	6H	MTP-1017256	M40*2.0	6H
MTP-1017191	M31*1.5	6H	MTP-1017213	M34*1.5	6H	MTP-1017235	M37*1.5	6H	MTP-1017257	M40*1.5	6H
MTP-1017192	M31*1.25	6H	MTP-1017214	M34*1.25	6H	MTP-1017236	M37*1.25	6H	MTP-1017258	M40*1.25	6H
MTP-1017193	M31*1.0	6H	MTP-1017215	M34*1.0	6H	MTP-1017237	M37*1.0	6H	MTP-1017259	M40*1.0	6H
MTP-1017194	M31*0.75	6H	MTP-1017216	M34*0.75	6H	MTP-1017238	M37*0.75	6H	MTP-1017260	M40*0.75	6H
MTP-1017195	M31*0.5	6H	MTP-1017217	M34*0.5	6H	MTP-1017239	M37*0.5	6H	MTP-1017261	M40*0.5	6H
MTP-1017196	M32*3.0	6H	MTP-1017218	M35*3.0	6H	MTP-1017240	M38*3.0	6H	MTP-1017262	M41*3.0	6H
MTP-1017197	M32*2.0	6H	MTP-1017219	M35*2.0	6H	MTP-1017241	M38*2.0	6H	MTP-1017263	M41*2.0	6H
MTP-1017198	M32*1.5	6H	MTP-1017220	M35*1.5	6H	MTP-1017242	M38*1.5	6H	MTP-1017264	M41*1.5	6H



# Metric Thread Plug Gauge



Other Classes Available:  
6G/5H/7H/7G/+0.03/ST/Left-Hand, etc.

Code	Size	Class	Code	Size	Class	Code	Size	Class	Code	Size	Class
MTP-1017265	M41*1.25	6H	MTP-1017287	M44*1.5	6H	MTP-1017309	M47*2.0	6H	MTP-1017331	M50*3.0	6H
MTP-1017266	M41*1.0	6H	MTP-1017288	M44*1.25	6H	MTP-1017310	M47*1.5	6H	MTP-1017332	M50*2.0	6H
MTP-1017267	M41*0.75	6H	MTP-1017289	M44*1.0	6H	MTP-1017311	M47*1.25	6H	MTP-1017333	M50*1.5	6H
MTP-1017268	M41*0.5	6H	MTP-1017290	M44*0.75	6H	MTP-1017312	M47*1.0	6H	MTP-1017334	M50*1.25	6H
MTP-1017269	M42*4.5	6H	MTP-1017291	M44*0.5	6H	MTP-1017313	M47*0.75	6H	MTP-1017335	M50*1.0	6H
MTP-1017270	M42*4.0	6H	MTP-1017292	M45*4.5	6H	MTP-1017314	M47*0.5	6H	MTP-1017336	M50*0.75	6H
MTP-1017271	M42*3.0	6H	MTP-1017293	M45*4.0	6H	MTP-1017315	M48*5.0	6H	MTP-1017337	M50*0.5	6H
MTP-1017272	M42*2.0	6H	MTP-1017294	M45*3.0	6H	MTP-1017316	M48*4.0	6H	MTP-1017338	M51*3.0	6H
MTP-1017273	M42*1.5	6H	MTP-1017295	M45*2.0	6H	MTP-1017317	M48*3.0	6H	MTP-1017339	M51*2.0	6H
MTP-1017274	M42*1.25	6H	MTP-1017296	M45*1.5	6H	MTP-1017318	M48*2.0	6H	MTP-1017340	M51*1.5	6H
MTP-1017275	M42*1.0	6H	MTP-1017297	M45*1.25	6H	MTP-1017319	M48*1.5	6H	MTP-1017341	M51*1.25	6H
MTP-1017276	M42*0.75	6H	MTP-1017298	M45*1.0	6H	MTP-1017320	M48*1.25	6H	MTP-1017342	M51*1.0	6H
MTP-1017277	M42*0.5	6H	MTP-1017299	M45*0.75	6H	MTP-1017321	M48*1.0	6H	MTP-1017343	M51*0.75	6H
MTP-1017278	M43*3.0	6H	MTP-1017300	M45*0.5	6H	MTP-1017322	M48*0.75	6H	MTP-1017344	M51*0.5	6H
MTP-1017279	M43*2.0	6H	MTP-1017301	M46*3.0	6H	MTP-1017323	M48*0.5	6H	MTP-1017345	M52*5.0	6H
MTP-1017280	M43*1.5	6H	MTP-1017302	M46*2.0	6H	MTP-1017324	M49*3.0	6H	MTP-1017346	M52*4.0	6H
MTP-1017281	M43*1.25	6H	MTP-1017303	M46*1.5	6H	MTP-1017325	M49*2.0	6H	MTP-1017347	M52*3.0	6H
MTP-1017282	M43*1.0	6H	MTP-1017304	M46*1.25	6H	MTP-1017326	M49*1.5	6H	MTP-1017348	M52*2.0	6H
MTP-1017283	M43*0.75	6H	MTP-1017305	M46*1.0	6H	MTP-1017327	M49*1.25	6H	MTP-1017349	M52*1.5	6H
MTP-1017284	M43*0.5	6H	MTP-1017306	M46*0.75	6H	MTP-1017328	M49*1.0	6H	MTP-1017350	M52*1.25	6H
MTP-1017285	M44*3.0	6H	MTP-1017307	M46*0.5	6H	MTP-1017329	M49*0.75	6H	MTP-1017351	M52*1.0	6H
MTP-1017286	M44*2.0	6H	MTP-1017308	M47*3.0	6H	MTP-1017330	M49*0.5	6H	MTP-1017352	M52*0.75	6H



# Metric Thread Plug Gauge



Other Classes Available:  
6G/5H/7H/7G/+0.03/ST/Left-Hand, etc.

Code	Size	Class	Code	Size	Class	Code	Size	Class	Code	Size	Class
MTP-1017353	M52*0.5	6H	MTP-1017375	M56*5.5	6H	MTP-1017397	M58*0.5	6H	MTP-1017419	M61*0.5	6H
MTP-1017354	M53*3.0	6H	MTP-1017376	M56*4.0	6H	MTP-1017398	M59*3.0	6H	MTP-1017420	M62*3.0	6H
MTP-1017355	M53*2.0	6H	MTP-1017377	M56*3.0	6H	MTP-1017399	M59*2.0	6H	MTP-1017421	M62*2.0	6H
MTP-1017356	M53*1.5	6H	MTP-1017378	M56*2.0	6H	MTP-1017400	M59*1.5	6H	MTP-1017422	M62*1.5	6H
MTP-1017357	M53*1.25	6H	MTP-1017379	M56*1.5	6H	MTP-1017401	M59*1.25	6H	MTP-1017423	M62*1.0	6H
MTP-1017358	M53*1.0	6H	MTP-1017380	M56*1.25	6H	MTP-1017402	M59*1.0	6H	MTP-1017424	M62*0.75	6H
MTP-1017359	M53*0.75	6H	MTP-1017381	M56*1.0	6H	MTP-1017403	M59*0.75	6H	MTP-1017425	M62*0.5	6H
MTP-1017360	M53*0.5	6H	MTP-1017382	M56*0.75	6H	MTP-1017404	M59*0.5	6H	MTP-1017426	M63*3.0	6H
MTP-1017361	M54*3.0	6H	MTP-1017383	M56*0.5	6H	MTP-1017405	M60*5.5	6H	MTP-1017427	M63*2.0	6H
MTP-1017362	M54*2.0	6H	MTP-1017384	M57*3.0	6H	MTP-1017406	M60*4.0	6H	MTP-1017428	M63*1.5	6H
MTP-1017363	M54*1.5	6H	MTP-1017385	M57*2.0	6H	MTP-1017407	M60*3.0	6H	MTP-1017429	M63*1.0	6H
MTP-1017364	M54*1.25	6H	MTP-1017386	M57*1.5	6H	MTP-1017408	M60*2.0	6H	MTP-1017430	M63*0.75	6H
MTP-1017365	M54*1.0	6H	MTP-1017387	M57*1.25	6H	MTP-1017409	M60*1.5	6H	MTP-1017431	M63*0.5	6H
MTP-1017366	M54*0.75	6H	MTP-1017388	M57*1.0	6H	MTP-1017410	M60*1.25	6H	MTP-1017432	M64*6.0	6H
MTP-1017367	M54*0.5	6H	MTP-1017389	M57*0.75	6H	MTP-1017411	M60*1.0	6H	MTP-1017433	M64*4.0	6H
MTP-1017368	M55*3.0	6H	MTP-1017390	M57*0.5	6H	MTP-1017412	M60*0.75	6H	MTP-1017434	M64*3.0	6H
MTP-1017369	M55*2.0	6H	MTP-1017391	M58*3.0	6H	MTP-1017413	M60*0.5	6H	MTP-1017435	M64*2.0	6H
MTP-1017370	M55*1.5	6H	MTP-1017392	M58*2.0	6H	MTP-1017414	M61*3.0	6H	MTP-1017436	M64*1.5	6H
MTP-1017371	M55*1.25	6H	MTP-1017393	M58*1.5	6H	MTP-1017415	M61*2.0	6H	MTP-1017437	M64*1.0	6H
MTP-1017372	M55*1.0	6H	MTP-1017394	M58*1.25	6H	MTP-1017416	M61*1.5	6H	MTP-1017438	M64*0.75	6H
MTP-1017373	M55*0.75	6H	MTP-1017395	M58*1.0	6H	MTP-1017417	M61*1.0	6H	MTP-1017439	M64*0.5	6H
MTP-1017374	M55*0.5	6H	MTP-1017396	M58*0.75	6H	MTP-1017418	M61*0.75	6H	MTP-1017440	M65*3.0	6H



# Metric Thread Plug Gauge



Other Classes Available:  
6G/5H/7H/7G/+0.03/ST/Left-Hand, etc.

Code	Size	Class	Code	Size	Class	Code	Size	Class	Code	Size	Class
MTP-1017441	M65*2.0	6H	MTP-1017463	M68*1.0	6H	MTP-1017485	M72*4.0	6H	MTP-1017507	M75*1.0	6H
MTP-1017442	M65*1.5	6H	MTP-1017464	M68*0.75	6H	MTP-1017486	M72*3.0	6H	MTP-1017508	M75*0.75	6H
MTP-1017443	M65*1.0	6H	MTP-1017465	M68*0.5	6H	MTP-1017487	M72*2.0	6H	MTP-1017509	M75*0.5	6H
MTP-1017444	M65*0.75	6H	MTP-1017466	M69*3.0	6H	MTP-1017488	M72*1.5	6H	MTP-1017510	M76*6.0	6H
MTP-1017445	M65*0.5	6H	MTP-1017467	M69*2.0	6H	MTP-1017489	M72*1.0	6H	MTP-1017511	M76*4.0	6H
MTP-1017446	M66*3.0	6H	MTP-1017468	M69*1.5	6H	MTP-1017490	M72*0.75	6H	MTP-1017512	M76*3.0	6H
MTP-1017447	M66*2.0	6H	MTP-1017469	M69*1.0	6H	MTP-1017491	M72*0.5	6H	MTP-1017513	M76*2.0	6H
MTP-1017448	M66*1.5	6H	MTP-1017470	M69*0.75	6H	MTP-1017492	M73*3.0	6H	MTP-1017514	M76*1.5	6H
MTP-1017449	M66*1.0	6H	MTP-1017471	M69*0.5	6H	MTP-1017493	M73*2.0	6H	MTP-1017515	M76*1.0	6H
MTP-1017450	M66*0.75	6H	MTP-1017472	M70*3.0	6H	MTP-1017494	M73*1.5	6H	MTP-1017516	M76*0.75	6H
MTP-1017451	M66*0.5	6H	MTP-1017473	M70*2.0	6H	MTP-1017495	M73*1.0	6H	MTP-1017517	M76*0.5	6H
MTP-1017452	M67*3.0	6H	MTP-1017474	M70*1.5	6H	MTP-1017496	M73*0.75	6H	MTP-1017518	M77*3.0	6H
MTP-1017453	M67*2.0	6H	MTP-1017475	M70*1.0	6H	MTP-1017497	M73*0.5	6H	MTP-1017519	M77*2.0	6H
MTP-1017454	M67*1.5	6H	MTP-1017476	M70*0.75	6H	MTP-1017498	M74*3.0	6H	MTP-1017520	M77*1.5	6H
MTP-1017455	M67*1.0	6H	MTP-1017477	M70*0.5	6H	MTP-1017499	M74*2.0	6H	MTP-1017521	M77*1.0	6H
MTP-1017456	M67*0.75	6H	MTP-1017478	M71*3.0	6H	MTP-1017500	M74*1.5	6H	MTP-1017522	M77*0.75	6H
MTP-1017457	M67*0.5	6H	MTP-1017479	M71*2.0	6H	MTP-1017501	M74*1.0	6H	MTP-1017523	M77*0.5	6H
MTP-1017458	M68*6.0	6H	MTP-1017480	M71*1.5	6H	MTP-1017502	M74*0.75	6H	MTP-1017524	M78*3.0	6H
MTP-1017459	M68*4.0	6H	MTP-1017481	M71*1.0	6H	MTP-1017503	M74*0.5	6H	MTP-1017525	M78*2.0	6H
MTP-1017460	M68*3.0	6H	MTP-1017482	M71*0.75	6H	MTP-1017504	M75*3.0	6H	MTP-1017526	M78*1.5	6H
MTP-1017461	M68*2.0	6H	MTP-1017483	M71*0.5	6H	MTP-1017505	M75*2.0	6H	MTP-1017527	M78*1.0	6H
MTP-1017462	M68*1.5	6H	MTP-1017484	M72*6.0	6H	MTP-1017506	M75*1.5	6H	MTP-1017528	M78*0.75	6H


# Metric Thread Plug Gauge



Other Classes Available:  
6G/5H/7H/7G/+0.03/ST/Left-Hand, etc.

Code	Size	Class	Code	Size	Class	Code	Size	Class	Code	Size	Class
MTP-1017529	M78*0.5	6H	MTP-1017551	M82*2.0	6H	MTP-1017573	M85*1.0	6H	MTP-1017595	M89*2.0	6H
MTP-1017530	M79*3.0	6H	MTP-1017552	M82*1.5	6H	MTP-1017574	M85*0.75	6H	MTP-1017596	M89*1.5	6H
MTP-1017531	M79*2.0	6H	MTP-1017553	M82*1.0	6H	MTP-1017575	M85*0.5	6H	MTP-1017597	M89*1.0	6H
MTP-1017532	M79*1.5	6H	MTP-1017554	M82*0.75	6H	MTP-1017576	M86*3.0	6H	MTP-1017598	M89*0.75	6H
MTP-1017533	M79*1.0	6H	MTP-1017555	M82*0.5	6H	MTP-1017577	M86*2.0	6H	MTP-1017599	M89*0.5	6H
MTP-1017534	M79*0.75	6H	MTP-1017556	M83*3.0	6H	MTP-1017578	M86*1.5	6H	MTP-1017600	M90*6.0	6H
MTP-1017535	M79*0.5	6H	MTP-1017557	M83*2.0	6H	MTP-1017579	M86*1.0	6H	MTP-1017601	M90*4.0	6H
MTP-1017536	M80*6.0	6H	MTP-1017558	M83*1.5	6H	MTP-1017580	M86*0.75	6H	MTP-1017602	M90*3.0	6H
MTP-1017537	M80*4.0	6H	MTP-1017559	M83*1.0	6H	MTP-1017581	M86*0.5	6H	MTP-1017603	M90*2.0	6H
MTP-1017538	M80*3.0	6H	MTP-1017560	M83*0.75	6H	MTP-1017582	M87*3.0	6H	MTP-1017604	M90*1.5	6H
MTP-1017539	M80*2.0	6H	MTP-1017561	M83*0.5	6H	MTP-1017583	M87*2.0	6H	MTP-1017605	M90*1.0	6H
MTP-1017540	M80*1.5	6H	MTP-1017562	M84*3.0	6H	MTP-1017584	M87*1.5	6H	MTP-1017606	M90*0.75	6H
MTP-1017541	M80*1.0	6H	MTP-1017563	M84*2.0	6H	MTP-1017585	M87*1.0	6H	MTP-1017607	M90*0.5	6H
MTP-1017542	M80*0.75	6H	MTP-1017564	M84*1.5	6H	MTP-1017586	M87*0.75	6H	MTP-1017608	M91*3.0	6H
MTP-1017543	M80*0.5	6H	MTP-1017565	M84*1.0	6H	MTP-1017587	M87*0.5	6H	MTP-1017609	M91*2.0	6H
MTP-1017544	M81*3.0	6H	MTP-1017566	M84*0.75	6H	MTP-1017588	M88*3.0	6H	MTP-1017610	M91*1.5	6H
MTP-1017545	M81*2.0	6H	MTP-1017567	M84*0.5	6H	MTP-1017589	M88*2.0	6H	MTP-1017611	M91*1.0	6H
MTP-1017546	M81*1.5	6H	MTP-1017568	M85*6.0	6H	MTP-1017590	M88*1.5	6H	MTP-1017612	M91*0.75	6H
MTP-1017547	M81*1.0	6H	MTP-1017569	M85*4.0	6H	MTP-1017591	M88*1.0	6H	MTP-1017613	M91*0.5	6H
MTP-1017548	M81*0.75	6H	MTP-1017570	M85*3.0	6H	MTP-1017592	M88*0.75	6H	MTP-1017614	M92*3.0	6H
MTP-1017549	M81*0.5	6H	MTP-1017571	M85*2.0	6H	MTP-1017593	M88*0.5	6H	MTP-1017615	M92*2.0	6H
MTP-1017550	M82*3.0	6H	MTP-1017572	M85*1.5	6H	MTP-1017594	M89*3.0	6H	MTP-1017616	M92*1.5	6H



# Metric Thread Plug Gauge



Other Classes Available:  
6G/5H/7H/7G/+0.03/ST/Left-Hand, etc.

Code	Size	Class	Code	Size	Class	Code	Size	Class	Code	Size	Class
MTP-1017617	M92*1.0	6H	MTP-1017639	M95*0.5	6H	MTP-1017661	M99*1.0	6H	MTP-1017683	M115*4	6H
MTP-1017618	M92*0.75	6H	MTP-1017640	M96*3.0	6H	MTP-1017662	M99*0.75	6H	MTP-1017684	M115*3	6H
MTP-1017619	M92*0.5	6H	MTP-1017641	M96*2.0	6H	MTP-1017663	M99*0.5	6H	MTP-1017685	M115*2	6H
MTP-1017620	M93*3.0	6H	MTP-1017642	M96*1.5	6H	MTP-1017664	M100*6.0	6H	MTP-1017686	M115*1.5	6H
MTP-1017621	M93*2.0	6H	MTP-1017643	M96*1.0	6H	MTP-1017665	M100*4.0	6H	MTP-1017687	M120*6	6H
MTP-1017622	M93*1.5	6H	MTP-1017644	M96*0.75	6H	MTP-1017666	M100*3.0	6H	MTP-1017688	M120*4	6H
MTP-1017623	M93*1.0	6H	MTP-1017645	M96*0.5	6H	MTP-1017667	M100*2.0	6H	MTP-1017689	M120*3	6H
MTP-1017624	M93*0.75	6H	MTP-1017646	M97*3.0	6H	MTP-1017668	M100*1.5	6H	MTP-1017690	M120*2	6H
MTP-1017625	M93*0.5	6H	MTP-1017647	M97*2.0	6H	MTP-1017669	M100*1.0	6H	MTP-1017691	M120*1.5	6H
MTP-1017626	M94*3.0	6H	MTP-1017648	M97*1.5	6H	MTP-1017670	M100*0.75	6H	MTP-1017692	M125*6	6H
MTP-1017627	M94*2.0	6H	MTP-1017649	M97*1.0	6H	MTP-1017671	M100*0.5	6H	MTP-1017693	M125*4	6H
MTP-1017628	M94*1.5	6H	MTP-1017650	M97*0.75	6H	MTP-1017672	M105*6	6H	MTP-1017694	M125*3	6H
MTP-1017629	M94*1.0	6H	MTP-1017651	M97*0.5	6H	MTP-1017673	M105*4	6H	MTP-1017695	M125*2	6H
MTP-1017630	M94*0.75	6H	MTP-1017652	M98*3.0	6H	MTP-1017674	M105*3	6H	MTP-1017696	M125*1.5	6H
MTP-1017631	M94*0.5	6H	MTP-1017653	M98*2.0	6H	MTP-1017675	M105*2	6H	MTP-1017697	M130*6	6H
MTP-1017632	M95*6.0	6H	MTP-1017654	M98*1.5	6H	MTP-1017676	M105*1.5	6H	MTP-1017698	M130*4	6H
MTP-1017633	M95*4.0	6H	MTP-1017655	M98*1.0	6H	MTP-1017677	M110*6	6H	MTP-1017699	M130*3	6H
MTP-1017634	M95*3.0	6H	MTP-1017656	M98*0.75	6H	MTP-1017678	M110*4	6H	MTP-1017700	M130*2	6H
MTP-1017635	M95*2.0	6H	MTP-1017657	M98*0.5	6H	MTP-1017679	M110*3	6H	MTP-1017701	M130*1.5	6H
MTP-1017636	M95*1.5	6H	MTP-1017658	M99*3.0	6H	MTP-1017680	M110*2	6H	MTP-1017702	M135*6	6H
MTP-1017637	M95*1.0	6H	MTP-1017659	M99*2.0	6H	MTP-1017681	M110*1.5	6H	MTP-1017703	M135*4	6H
MTP-1017638	M95*0.75	6H	MTP-1017660	M99*1.5	6H	MTP-1017682	M115*6	6H	MTP-1017704	M135*3	6H


# Metric Thread Plug Gauge



Other Classes Available:  
6G/5H/7H/7G/+0.03/ST/Left-Hand, etc.

Code	Size	Class	Code	Size	Class	Code	Size	Class			
MTP-1017705	M135*2	6H	MTP-1017727	M160*6	6H	MTP-1017749	M180*3	6H			
MTP-1017706	M135*1.5	6H	MTP-1017728	M160*4	6H	MTP-1017750	M180*2	6H			
MTP-1017707	M140*6	6H	MTP-1017729	M160*3	6H	MTP-1017751	M180*1.5	6H			
MTP-1017708	M140*4	6H	MTP-1017730	M160*2	6H	MTP-1017752	M190	6H			
MTP-1017709	M140*3	6H	MTP-1017731	M160*1.5	6H	MTP-1017753	M200	6H			
MTP-1017710	M140*2	6H	MTP-1017732	M165*6	6H						
MTP-1017711	M140*1.5	6H	MTP-1017733	M165*4	6H						
MTP-1017712	M145*6	6H	MTP-1017734	M165*3	6H						
MTP-1017713	M145*4	6H	MTP-1017735	M165*2	6H						
MTP-1017714	M145*3	6H	MTP-1017736	M165*1.5	6H						
MTP-1017715	M145*2	6H	MTP-1017737	M170*6	6H						
MTP-1017716	M145*1.5	6H	MTP-1017738	M170*4	6H						
MTP-1017717	M150*6	6H	MTP-1017739	M170*3	6H						
MTP-1017718	M150*4	6H	MTP-1017740	M170*2	6H						
MTP-1017719	M150*3	6H	MTP-1017741	M170*1.5	6H						
MTP-1017720	M150*2	6H	MTP-1017742	M175*6	6H						
MTP-1017721	M150*1.5	6H	MTP-1017743	M175*4	6H						
MTP-1017722	M155*6	6H	MTP-1017744	M175*3	6H						
MTP-1017723	M155*4	6H	MTP-1017745	M175*2	6H						
MTP-1017724	M155*3	6H	MTP-1017746	M175*1.5	6H						
MTP-1017725	M155*2	6H	MTP-1017747	M180*6	6H						
MTP-1017726	M155*1.5	6H	MTP-1017748	M180*4	6H						


# Metric Thread Ring Gauge



Other Classes Available:  
6h/-0.03/Left-Hand, etc.

Code	Size	Class	Code	Size	Class	Code	Size	Class	Code	Size	Class
MTR-1018001	M0.8*0.2	6g	MTR-1018023	M2*0.4	6g	MTR-1018045	M6*0.75	6g	MTR-1018067	M11*0.5	6g
MTR-1018002	M0.9*0.225	6g	MTR-1018024	M2*0.25	6g	MTR-1018046	M6*0.5	6g	MTR-1018068	M12*1.75	6g
MTR-1018003	M1.0	6g	MTR-1018025	M2.2*0.45	6g	MTR-1018047	M7*1	6g	MTR-1018069	M12*1.5	6g
MTR-1018004	M1*0.2	6g	MTR-1018026	M2.2*0.25	6g	MTR-1018048	M7*0.75	6g	MTR-1018070	M12*1.25	6g
MTR-1018005	M1.1*0.25	6g	MTR-1018027	M2.3*0.4	6g	MTR-1018049	M7*0.5	6g	MTR-1018071	M12*1	6g
MTR-1018006	M1.2	6g	MTR-1018028	M2.3*0.35	6g	MTR-1018050	M8*1.25	6g	MTR-1018072	M12*0.75	6g
MTR-1018007	M1.2*0.2	6g	MTR-1018029	M2.5*0.45	6g	MTR-1018051	M8*1	6g	MTR-1018073	M12*0.5	6g
MTR-1018008	M1.3*0.3	6g	MTR-1018030	M2.5*0.35	6g	MTR-1018052	M8*0.75	6g	MTR-1018074	M13*1.5	6g
MTR-1018009	M1.4	6g	MTR-1018031	M2.5*0.25	6g	MTR-1018053	M8*0.5	6g	MTR-1018075	M13*1.25	6g
MTR-1018010	M1.4*0.25	6g	MTR-1018032	M3*0.5	6g	MTR-1018054	M9*1.25	6g	MTR-1018076	M13*1	6g
MTR-1018011	M1.4*0.2	6g	MTR-1018033	M3*0.35	6g	MTR-1018055	M9*1	6g	MTR-1018077	M13*0.75	6g
MTR-1018012	M1.5*0.35	6g	MTR-1018034	M3*0.3	6g	MTR-1018056	M9*0.75	6g	MTR-1018078	M13*0.5	6g
MTR-1018013	M1.5*0.3	6g	MTR-1018035	M3*0.25	6g	MTR-1018057	M9*0.5	6g	MTR-1018079	M14*2	6g
MTR-1018014	M1.6	6g	MTR-1018036	M3*0.2	6g	MTR-1018058	M10*1.5	6g	MTR-1018080	M14*1.5	6g
MTR-1018015	M1.6*0.25	6g	MTR-1018037	M3.5*0.6	6g	MTR-1018059	M10*1.25	6g	MTR-1018081	M14*1.25	6g
MTR-1018016	M1.6*0.2	6g	MTR-1018038	M3.5*0.35	6g	MTR-1018060	M10*1	6g	MTR-1018082	M14*1	6g
MTR-1018017	M1.7	6g	MTR-1018039	M4*0.7	6g	MTR-1018061	M10*0.75	6g	MTR-1018083	M14*0.75	6g
MTR-1018018	M1.7*0.25	6g	MTR-1018040	M4*0.75	6g	MTR-1018062	M10*0.5	6g	MTR-1018084	M14*0.5	6g
MTR-1018019	M1.7*0.2	6g	MTR-1018041	M4*0.5	6g	MTR-1018063	M11*1.5	6g	MTR-1018085	M15*1.5	6g
MTR-1018020	M1.8	6g	MTR-1018042	M5*0.8	6g	MTR-1018064	M11*1.25	6g	MTR-1018086	M15*1.25	6g
MTR-1018021	M1.8*0.25	6g	MTR-1018043	M5*0.5	6g	MTR-1018065	M11*1	6g	MTR-1018087	M15*1	6g
MTR-1018022	M1.8*0.2	6g	MTR-1018044	M6*1	6g	MTR-1018066	M11*0.75	6g	MTR-1018088	M15*0.75	6g


## Metric Thread Ring Gauge



Other Classes Available:  
6h/-0.03/Left-Hand, etc.

Code	Size	Class	Code	Size	Class	Code	Size	Class	Code	Size	Class
MTR-1018089	M15*0.5	6g	MTR-1018111	M19*0.75	6g	MTR-1018133	M23*2	6g	MTR-1018155	M26*1.5	6g
MTR-1018090	M16*2	6g	MTR-1018112	M19*0.5	6g	MTR-1018134	M23*1.5	6g	MTR-1018156	M26*1.25	6g
MTR-1018091	M16*1.5	6g	MTR-1018113	M20*2.5	6g	MTR-1018135	M23*1.25	6g	MTR-1018157	M26*1.0	6g
MTR-1018092	M16*1.25	6g	MTR-1018114	M20*2	6g	MTR-1018136	M23*1	6g	MTR-1018158	M26*0.75	6g
MTR-1018093	M16*1	6g	MTR-1018115	M20*1.5	6g	MTR-1018137	M23*0.75	6g	MTR-1018159	M26*0.5	6g
MTR-1018094	M16*0.75	6g	MTR-1018116	M20*1.25	6g	MTR-1018138	M23*0.5	6g	MTR-1018160	M27*3.0	6g
MTR-1018095	M16*0.5	6g	MTR-1018117	M20*1	6g	MTR-1018139	M24*3	6g	MTR-1018161	M27*2.0	6g
MTR-1018096	M17*1.5	6g	MTR-1018118	M20*0.75	6g	MTR-1018140	M24*2	6g	MTR-1018162	M27*1.5	6g
MTR-1018097	M17*1.25	6g	MTR-1018119	M20*0.5	6g	MTR-1018141	M24*1.5	6g	MTR-1018163	M27*1.25	6g
MTR-1018098	M17*1	6g	MTR-1018120	M21*2	6g	MTR-1018142	M24*1.25	6g	MTR-1018164	M27*1.0	6g
MTR-1018099	M17*0.75	6g	MTR-1018121	M21*1.5	6g	MTR-1018143	M24*1	6g	MTR-1018165	M27*0.75	6g
MTR-1018100	M17*0.5	6g	MTR-1018122	M21*1.25	6g	MTR-1018144	M24*0.75	6g	MTR-1018166	M27*0.5	6g
MTR-1018101	M18*2.5	6g	MTR-1018123	M21*1	6g	MTR-1018145	M24*0.5	6g	MTR-1018167	M28*3.0	6g
MTR-1018102	M18*2	6g	MTR-1018124	M21*0.75	6g	MTR-1018146	M25*3.0	6g	MTR-1018168	M28*2.0	6g
MTR-1018103	M18*1.5	6g	MTR-1018125	M21*0.5	6g	MTR-1018147	M25*2.0	6g	MTR-1018169	M28*1.5	6g
MTR-1018104	M18*1.25	6g	MTR-1018126	M22*2.5	6g	MTR-1018148	M25*1.5	6g	MTR-1018170	M28*1.25	6g
MTR-1018105	M18*1	6g	MTR-1018127	M22*2	6g	MTR-1018149	M25*1.25	6g	MTR-1018171	M28*1.0	6g
MTR-1018106	M18*0.75	6g	MTR-1018128	M22*1.5	6g	MTR-1018150	M25*1.0	6g	MTR-1018172	M28*0.75	6g
MTR-1018107	M18*0.5	6g	MTR-1018129	M22*1.25	6g	MTR-1018151	M25*0.75	6g	MTR-1018173	M28*0.5	6g
MTR-1018108	M19*1.5	6g	MTR-1018130	M22*1	6g	MTR-1018152	M25*0.5	6g	MTR-1018174	M29*3.0	6g
MTR-1018109	M19*1.25	6g	MTR-1018131	M22*0.75	6g	MTR-1018153	M26*3.0	6g	MTR-1018175	M29*2.0	6g
MTR-1018110	M19*1	6g	MTR-1018132	M22*0.5	6g	MTR-1018154	M26*2.0	6g	MTR-1018176	M29*1.5	6g


# Metric Thread Ring Gauge



Other Classes Available:  
6h/-0.03/Left-Hand, etc.

Code	Size	Class	Code	Size	Class	Code	Size	Class	Code	Size	Class
MTR-1018177	M29*1.25	6g	MTR-1018199	M32*1.25	6g	MTR-1018221	M35*1.25	6g	MTR-1018243	M38*1.25	6g
MTR-1018178	M29*1.0	6g	MTR-1018200	M32*1.0	6g	MTR-1018222	M35*1.0	6g	MTR-1018244	M38*1.0	6g
MTR-1018179	M29*0.75	6g	MTR-1018201	M32*0.75	6g	MTR-1018223	M35*0.75	6g	MTR-1018245	M38*0.75	6g
MTR-1018180	M29*0.5	6g	MTR-1018202	M32*0.5	6g	MTR-1018224	M35*0.5	6g	MTR-1018246	M38*0.5	6g
MTR-1018181	M30*3.5	6g	MTR-1018203	M33*3.5	6g	MTR-1018225	M36*4.0	6g	MTR-1018247	M39*4.0	6g
MTR-1018182	M30*3.0	6g	MTR-1018204	M33*3.0	6g	MTR-1018226	M36*3.0	6g	MTR-1018248	M39*3.0	6g
MTR-1018183	M30*2.0	6g	MTR-1018205	M33*2.0	6g	MTR-1018227	M36*2.0	6g	MTR-1018249	M39*2.0	6g
MTR-1018184	M30*1.5	6g	MTR-1018206	M33*1.5	6g	MTR-1018228	M36*1.5	6g	MTR-1018250	M39*1.5	6g
MTR-1018185	M30*1.25	6g	MTR-1018207	M33*1.25	6g	MTR-1018229	M36*1.25	6g	MTR-1018251	M39*1.25	6g
MTR-1018186	M30*1.0	6g	MTR-1018208	M33*1.0	6g	MTR-1018230	M36*1.0	6g	MTR-1018252	M39*1.0	6g
MTR-1018187	M30*0.75	6g	MTR-1018209	M33*0.75	6g	MTR-1018231	M36*0.75	6g	MTR-1018253	M39*0.75	6g
MTR-1018188	M30*0.5	6g	MTR-1018210	M33*0.5	6g	MTR-1018232	M36*0.5	6g	MTR-1018254	M39*0.5	6g
MTR-1018189	M31*3.0	6g	MTR-1018211	M34*3.0	6g	MTR-1018233	M37*3.0	6g	MTR-1018255	M40*3.0	6g
MTR-1018190	M31*2.0	6g	MTR-1018212	M34*2.0	6g	MTR-1018234	M37*2.0	6g	MTR-1018256	M40*2.0	6g
MTR-1018191	M31*1.5	6g	MTR-1018213	M34*1.5	6g	MTR-1018235	M37*1.5	6g	MTR-1018257	M40*1.5	6g
MTR-1018192	M31*1.25	6g	MTR-1018214	M34*1.25	6g	MTR-1018236	M37*1.25	6g	MTR-1018258	M40*1.25	6g
MTR-1018193	M31*1.0	6g	MTR-1018215	M34*1.0	6g	MTR-1018237	M37*1.0	6g	MTR-1018259	M40*1.0	6g
MTR-1018194	M31*0.75	6g	MTR-1018216	M34*0.75	6g	MTR-1018238	M37*0.75	6g	MTR-1018260	M40*0.75	6g
MTR-1018195	M31*0.5	6g	MTR-1018217	M34*0.5	6g	MTR-1018239	M37*0.5	6g	MTR-1018261	M40*0.5	6g
MTR-1018196	M32*3.0	6g	MTR-1018218	M35*3.0	6g	MTR-1018240	M38*3.0	6g	MTR-1018262	M41*3.0	6g
MTR-1018197	M32*2.0	6g	MTR-1018219	M35*2.0	6g	MTR-1018241	M38*2.0	6g	MTR-1018263	M41*2.0	6g
MTR-1018198	M32*1.5	6g	MTR-1018220	M35*1.5	6g	MTR-1018242	M38*1.5	6g	MTR-1018264	M41*1.5	6g


## Metric Thread Ring Gauge



Other Classes Available:  
6h/-0.03/Left-Hand, etc.

Code	Size	Class	Code	Size	Class	Code	Size	Class	Code	Size	Class
MTR-1018265	M41*1.25	6g	MTR-1018287	M44*1.5	6g	MTR-1018309	M47*2.0	6g	MTR-1018331	M50*3.0	6g
MTR-1018266	M41*1.0	6g	MTR-1018288	M44*1.25	6g	MTR-1018310	M47*1.5	6g	MTR-1018332	M50*2.0	6g
MTR-1018267	M41*0.75	6g	MTR-1018289	M44*1.0	6g	MTR-1018311	M47*1.25	6g	MTR-1018333	M50*1.5	6g
MTR-1018268	M41*0.5	6g	MTR-1018290	M44*0.75	6g	MTR-1018312	M47*1.0	6g	MTR-1018334	M50*1.25	6g
MTR-1018269	M42*4.5	6g	MTR-1018291	M44*0.5	6g	MTR-1018313	M47*0.75	6g	MTR-1018335	M50*1.0	6g
MTR-1018270	M42*4.0	6g	MTR-1018292	M45*4.5	6g	MTR-1018314	M47*0.5	6g	MTR-1018336	M50*0.75	6g
MTR-1018271	M42*3.0	6g	MTR-1018293	M45*4.0	6g	MTR-1018315	M48*5.0	6g	MTR-1018337	M50*0.5	6g
MTR-1018272	M42*2.0	6g	MTR-1018294	M45*3.0	6g	MTR-1018316	M48*4.0	6g	MTR-1018338	M51*3.0	6g
MTR-1018273	M42*1.5	6g	MTR-1018295	M45*2.0	6g	MTR-1018317	M48*3.0	6g	MTR-1018339	M51*2.0	6g
MTR-1018274	M42*1.25	6g	MTR-1018296	M45*1.5	6g	MTR-1018318	M48*2.0	6g	MTR-1018340	M51*1.5	6g
MTR-1018275	M42*1.0	6g	MTR-1018297	M45*1.25	6g	MTR-1018319	M48*1.5	6g	MTR-1018341	M51*1.25	6g
MTR-1018276	M42*0.75	6g	MTR-1018298	M45*1.0	6g	MTR-1018320	M48*1.25	6g	MTR-1018342	M51*1.0	6g
MTR-1018277	M42*0.5	6g	MTR-1018299	M45*0.75	6g	MTR-1018321	M48*1.0	6g	MTR-1018343	M51*0.75	6g
MTR-1018278	M43*3.0	6g	MTR-1018300	M45*0.5	6g	MTR-1018322	M48*0.75	6g	MTR-1018344	M51*0.5	6g
MTR-1018279	M43*2.0	6g	MTR-1018301	M46*3.0	6g	MTR-1018323	M48*0.5	6g	MTR-1018345	M52*5.0	6g
MTR-1018280	M43*1.5	6g	MTR-1018302	M46*2.0	6g	MTR-1018324	M49*3.0	6g	MTR-1018346	M52*4.0	6g
MTR-1018281	M43*1.25	6g	MTR-1018303	M46*1.5	6g	MTR-1018325	M49*2.0	6g	MTR-1018347	M52*3.0	6g
MTR-1018282	M43*1.0	6g	MTR-1018304	M46*1.25	6g	MTR-1018326	M49*1.5	6g	MTR-1018348	M52*2.0	6g
MTR-1018283	M43*0.75	6g	MTR-1018305	M46*1.0	6g	MTR-1018327	M49*1.25	6g	MTR-1018349	M52*1.5	6g
MTR-1018284	M43*0.5	6g	MTR-1018306	M46*0.75	6g	MTR-1018328	M49*1.0	6g	MTR-1018350	M52*1.25	6g
MTR-1018285	M44*3.0	6g	MTR-1018307	M46*0.5	6g	MTR-1018329	M49*0.75	6g	MTR-1018351	M52*1.0	6g
MTR-1018286	M44*2.0	6g	MTR-1018308	M47*3.0	6g	MTR-1018330	M49*0.5	6g	MTR-1018352	M52*0.75	6g


# Metric Thread Ring Gauge



Other Classes Available:  
6h/-0.03/Left-Hand, etc.

Code	Size	Class	Code	Size	Class	Code	Size	Class	Code	Size	Class
MTR-1018353	M52*0.5	6g	MTR-1018375	M56*5.5	6g	MTR-1018397	M58*0.5	6g	MTR-1018419	M61*0.5	6g
MTR-1018354	M53*3.0	6g	MTR-1018376	M56*4.0	6g	MTR-1018398	M59*3.0	6g	MTR-1018420	M62*3.0	6g
MTR-1018355	M53*2.0	6g	MTR-1018377	M56*3.0	6g	MTR-1018399	M59*2.0	6g	MTR-1018421	M62*2.0	6g
MTR-1018356	M53*1.5	6g	MTR-1018378	M56*2.0	6g	MTR-1018400	M59*1.5	6g	MTR-1018422	M62*1.5	6g
MTR-1018357	M53*1.25	6g	MTR-1018379	M56*1.5	6g	MTR-1018401	M59*1.25	6g	MTR-1018423	M62*1.0	6g
MTR-1018358	M53*1.0	6g	MTR-1018380	M56*1.25	6g	MTR-1018402	M59*1.0	6g	MTR-1018424	M62*0.75	6g
MTR-1018359	M53*0.75	6g	MTR-1018381	M56*1.0	6g	MTR-1018403	M59*0.75	6g	MTR-1018425	M62*0.5	6g
MTR-1018360	M53*0.5	6g	MTR-1018382	M56*0.75	6g	MTR-1018404	M59*0.5	6g	MTR-1018426	M63*3.0	6g
MTR-1018361	M54*3.0	6g	MTR-1018383	M56*0.5	6g	MTR-1018405	M60*5.5	6g	MTR-1018427	M63*2.0	6g
MTR-1018362	M54*2.0	6g	MTR-1018384	M57*3.0	6g	MTR-1018406	M60*4.0	6g	MTR-1018428	M63*1.5	6g
MTR-1018363	M54*1.5	6g	MTR-1018385	M57*2.0	6g	MTR-1018407	M60*3.0	6g	MTR-1018429	M63*1.0	6g
MTR-1018364	M54*1.25	6g	MTR-1018386	M57*1.5	6g	MTR-1018408	M60*2.0	6g	MTR-1018430	M63*0.75	6g
MTR-1018365	M54*1.0	6g	MTR-1018387	M57*1.25	6g	MTR-1018409	M60*1.5	6g	MTR-1018431	M63*0.5	6g
MTR-1018366	M54*0.75	6g	MTR-1018388	M57*1.0	6g	MTR-1018410	M60*1.25	6g	MTR-1018432	M64*6.0	6g
MTR-1018367	M54*0.5	6g	MTR-1018389	M57*0.75	6g	MTR-1018411	M60*1.0	6g	MTR-1018433	M64*4.0	6g
MTR-1018368	M55*3.0	6g	MTR-1018390	M57*0.5	6g	MTR-1018412	M60*0.75	6g	MTR-1018434	M64*3.0	6g
MTR-1018369	M55*2.0	6g	MTR-1018391	M58*3.0	6g	MTR-1018413	M60*0.5	6g	MTR-1018435	M64*2.0	6g
MTR-1018370	M55*1.5	6g	MTR-1018392	M58*2.0	6g	MTR-1018414	M61*3.0	6g	MTR-1018436	M64*1.5	6g
MTR-1018371	M55*1.25	6g	MTR-1018393	M58*1.5	6g	MTR-1018415	M61*2.0	6g	MTR-1018437	M64*1.0	6g
MTR-1018372	M55*1.0	6g	MTR-1018394	M58*1.25	6g	MTR-1018416	M61*1.5	6g	MTR-1018438	M64*0.75	6g
MTR-1018373	M55*0.75	6g	MTR-1018395	M58*1.0	6g	MTR-1018417	M61*1.0	6g	MTR-1018439	M64*0.5	6g
MTR-1018374	M55*0.5	6g	MTR-1018396	M58*0.75	6g	MTR-1018418	M61*0.75	6g	MTR-1018440	M65*3.0	6g


## Metric Thread Ring Gauge



Other Classes Available:  
6h/-0.03/Left-Hand, etc.

Code	Size	Class	Code	Size	Class	Code	Size	Class	Code	Size	Class
MTR-1018441	M65*2.0	6g	MTR-1018463	M68*1.0	6g	MTR-1018485	M72*4.0	6g	MTR-1018507	M75*1.0	6g
MTR-1018442	M65*1.5	6g	MTR-1018464	M68*0.75	6g	MTR-1018486	M72*3.0	6g	MTR-1018508	M75*0.75	6g
MTR-1018443	M65*1.0	6g	MTR-1018465	M68*0.5	6g	MTR-1018487	M72*2.0	6g	MTR-1018509	M75*0.5	6g
MTR-1018444	M65*0.75	6g	MTR-1018466	M69*3.0	6g	MTR-1018488	M72*1.5	6g	MTR-1018510	M76*6.0	6g
MTR-1018445	M65*0.5	6g	MTR-1018467	M69*2.0	6g	MTR-1018489	M72*1.0	6g	MTR-1018511	M76*4.0	6g
MTR-1018446	M66*3.0	6g	MTR-1018468	M69*1.5	6g	MTR-1018490	M72*0.75	6g	MTR-1018512	M76*3.0	6g
MTR-1018447	M66*2.0	6g	MTR-1018469	M69*1.0	6g	MTR-1018491	M72*0.5	6g	MTR-1018513	M76*2.0	6g
MTR-1018448	M66*1.5	6g	MTR-1018470	M69*0.75	6g	MTR-1018492	M73*3.0	6g	MTR-1018514	M76*1.5	6g
MTR-1018449	M66*1.0	6g	MTR-1018471	M69*0.5	6g	MTR-1018493	M73*2.0	6g	MTR-1018515	M76*1.0	6g
MTR-1018450	M66*0.75	6g	MTR-1018472	M70*3.0	6g	MTR-1018494	M73*1.5	6g	MTR-1018516	M76*0.75	6g
MTR-1018451	M66*0.5	6g	MTR-1018473	M70*2.0	6g	MTR-1018495	M73*1.0	6g	MTR-1018517	M76*0.5	6g
MTR-1018452	M67*3.0	6g	MTR-1018474	M70*1.5	6g	MTR-1018496	M73*0.75	6g	MTR-1018518	M77*3.0	6g
MTR-1018453	M67*2.0	6g	MTR-1018475	M70*1.0	6g	MTR-1018497	M73*0.5	6g	MTR-1018519	M77*2.0	6g
MTR-1018454	M67*1.5	6g	MTR-1018476	M70*0.75	6g	MTR-1018498	M74*3.0	6g	MTR-1018520	M77*1.5	6g
MTR-1018455	M67*1.0	6g	MTR-1018477	M70*0.5	6g	MTR-1018499	M74*2.0	6g	MTR-1018521	M77*1.0	6g
MTR-1018456	M67*0.75	6g	MTR-1018478	M71*3.0	6g	MTR-1018500	M74*1.5	6g	MTR-1018522	M77*0.75	6g
MTR-1018457	M67*0.5	6g	MTR-1018479	M71*2.0	6g	MTR-1018501	M74*1.0	6g	MTR-1018523	M77*0.5	6g
MTR-1018458	M68*6.0	6g	MTR-1018480	M71*1.5	6g	MTR-1018502	M74*0.75	6g	MTR-1018524	M78*3.0	6g
MTR-1018459	M68*4.0	6g	MTR-1018481	M71*1.0	6g	MTR-1018503	M74*0.5	6g	MTR-1018525	M78*2.0	6g
MTR-1018460	M68*3.0	6g	MTR-1018482	M71*0.75	6g	MTR-1018504	M75*3.0	6g	MTR-1018526	M78*1.5	6g
MTR-1018461	M68*2.0	6g	MTR-1018483	M71*0.5	6g	MTR-1018505	M75*2.0	6g	MTR-1018527	M78*1.0	6g
MTR-1018462	M68*1.5	6g	MTR-1018484	M72*6.0	6g	MTR-1018506	M75*1.5	6g	MTR-1018528	M78*0.75	6g


## Metric Thread Ring Gauge



Other Classes Available:  
6h/-0.03/Left-Hand, etc.

Code	Size	Class	Code	Size	Class	Code	Size	Class	Code	Size	Class
MTR-1018529	M78*0.5	6g	MTR-1018551	M82*2.0	6g	MTR-1018573	M85*1.0	6g	MTR-1018595	M89*2.0	6g
MTR-1018530	M79*3.0	6g	MTR-1018552	M82*1.5	6g	MTR-1018574	M85*0.75	6g	MTR-1018596	M89*1.5	6g
MTR-1018531	M79*2.0	6g	MTR-1018553	M82*1.0	6g	MTR-1018575	M85*0.5	6g	MTR-1018597	M89*1.0	6g
MTR-1018532	M79*1.5	6g	MTR-1018554	M82*0.75	6g	MTR-1018576	M86*3.0	6g	MTR-1018598	M89*0.75	6g
MTR-1018533	M79*1.0	6g	MTR-1018555	M82*0.5	6g	MTR-1018577	M86*2.0	6g	MTR-1018599	M89*0.5	6g
MTR-1018534	M79*0.75	6g	MTR-1018556	M83*3.0	6g	MTR-1018578	M86*1.5	6g	MTR-1018600	M90*6.0	6g
MTR-1018535	M79*0.5	6g	MTR-1018557	M83*2.0	6g	MTR-1018579	M86*1.0	6g	MTR-1018601	M90*4.0	6g
MTR-1018536	M80*6.0	6g	MTR-1018558	M83*1.5	6g	MTR-1018580	M86*0.75	6g	MTR-1018602	M90*3.0	6g
MTR-1018537	M80*4.0	6g	MTR-1018559	M83*1.0	6g	MTR-1018581	M86*0.5	6g	MTR-1018603	M90*2.0	6g
MTR-1018538	M80*3.0	6g	MTR-1018560	M83*0.75	6g	MTR-1018582	M87*3.0	6g	MTR-1018604	M90*1.5	6g
MTR-1018539	M80*2.0	6g	MTR-1018561	M83*0.5	6g	MTR-1018583	M87*2.0	6g	MTR-1018605	M90*1.0	6g
MTR-1018540	M80*1.5	6g	MTR-1018562	M84*3.0	6g	MTR-1018584	M87*1.5	6g	MTR-1018606	M90*0.75	6g
MTR-1018541	M80*1.0	6g	MTR-1018563	M84*2.0	6g	MTR-1018585	M87*1.0	6g	MTR-1018607	M90*0.5	6g
MTR-1018542	M80*0.75	6g	MTR-1018564	M84*1.5	6g	MTR-1018586	M87*0.75	6g	MTR-1018608	M91*3.0	6g
MTR-1018543	M80*0.5	6g	MTR-1018565	M84*1.0	6g	MTR-1018587	M87*0.5	6g	MTR-1018609	M91*2.0	6g
MTR-1018544	M81*3.0	6g	MTR-1018566	M84*0.75	6g	MTR-1018588	M88*3.0	6g	MTR-1018610	M91*1.5	6g
MTR-1018545	M81*2.0	6g	MTR-1018567	M84*0.5	6g	MTR-1018589	M88*2.0	6g	MTR-1018611	M91*1.0	6g
MTR-1018546	M81*1.5	6g	MTR-1018568	M85*6.0	6g	MTR-1018590	M88*1.5	6g	MTR-1018612	M91*0.75	6g
MTR-1018547	M81*1.0	6g	MTR-1018569	M85*4.0	6g	MTR-1018591	M88*1.0	6g	MTR-1018613	M91*0.5	6g
MTR-1018548	M81*0.75	6g	MTR-1018570	M85*3.0	6g	MTR-1018592	M88*0.75	6g	MTR-1018614	M92*3.0	6g
MTR-1018549	M81*0.5	6g	MTR-1018571	M85*2.0	6g	MTR-1018593	M88*0.5	6g	MTR-1018615	M92*2.0	6g
MTR-1018550	M82*3.0	6g	MTR-1018572	M85*1.5	6g	MTR-1018594	M89*3.0	6g	MTR-1018616	M92*1.5	6g


## Metric Thread Ring Gauge



Other Classes Available:  
6h/-0.03/Left-Hand, etc.

Code	Size	Class	Code	Size	Class	Code	Size	Class	Code	Size	Class
MTR-1018617	M92*1.0	6g	MTR-1018639	M95*0.5	6g	MTR-1018661	M99*1.0	6g	MTR-1018683	M115*4	6g
MTR-1018618	M92*0.75	6g	MTR-1018640	M96*3.0	6g	MTR-1018662	M99*0.75	6g	MTR-1018684	M115*3	6g
MTR-1018619	M92*0.5	6g	MTR-1018641	M96*2.0	6g	MTR-1018663	M99*0.5	6g	MTR-1018685	M115*2	6g
MTR-1018620	M93*3.0	6g	MTR-1018642	M96*1.5	6g	MTR-1018664	M100*6.0	6g	MTR-1018686	M115*1.5	6g
MTR-1018621	M93*2.0	6g	MTR-1018643	M96*1.0	6g	MTR-1018665	M100*4.0	6g	MTR-1018687	M120*6	6g
MTR-1018622	M93*1.5	6g	MTR-1018644	M96*0.75	6g	MTR-1018666	M100*3.0	6g	MTR-1018688	M120*4	6g
MTR-1018623	M93*1.0	6g	MTR-1018645	M96*0.5	6g	MTR-1018667	M100*2.0	6g	MTR-1018689	M120*3	6g
MTR-1018624	M93*0.75	6g	MTR-1018646	M97*3.0	6g	MTR-1018668	M100*1.5	6g	MTR-1018690	M120*2	6g
MTR-1018625	M93*0.5	6g	MTR-1018647	M97*2.0	6g	MTR-1018669	M100*1.0	6g	MTR-1018691	M120*1.5	6g
MTR-1018626	M94*3.0	6g	MTR-1018648	M97*1.5	6g	MTR-1018670	M100*0.75	6g	MTR-1018692	M125*6	6g
MTR-1018627	M94*2.0	6g	MTR-1018649	M97*1.0	6g	MTR-1018671	M100*0.5	6g	MTR-1018693	M125*4	6g
MTR-1018628	M94*1.5	6g	MTR-1018650	M97*0.75	6g	MTR-1018672	M105*6	6g	MTR-1018694	M125*3	6g
MTR-1018629	M94*1.0	6g	MTR-1018651	M97*0.5	6g	MTR-1018673	M105*4	6g	MTR-1018695	M125*2	6g
MTR-1018630	M94*0.75	6g	MTR-1018652	M98*3.0	6g	MTR-1018674	M105*3	6g	MTR-1018696	M125*1.5	6g
MTR-1018631	M94*0.5	6g	MTR-1018653	M98*2.0	6g	MTR-1018675	M105*2	6g	MTR-1018697	M130*6	6g
MTR-1018632	M95*6.0	6g	MTR-1018654	M98*1.5	6g	MTR-1018676	M105*1.5	6g	MTR-1018698	M130*4	6g
MTR-1018633	M95*4.0	6g	MTR-1018655	M98*1.0	6g	MTR-1018677	M110*6	6g	MTR-1018699	M130*3	6g
MTR-1018634	M95*3.0	6g	MTR-1018656	M98*0.75	6g	MTR-1018678	M110*4	6g	MTR-1018700	M130*2	6g
MTR-1018635	M95*2.0	6g	MTR-1018657	M98*0.5	6g	MTR-1018679	M110*3	6g	MTR-1018701	M130*1.5	6g
MTR-1018636	M95*1.5	6g	MTR-1018658	M99*3.0	6g	MTR-1018680	M110*2	6g	MTR-1018702	M135*6	6g
MTR-1018637	M95*1.0	6g	MTR-1018659	M99*2.0	6g	MTR-1018681	M110*1.5	6g	MTR-1018703	M135*4	6g
MTR-1018638	M95*0.75	6g	MTR-1018660	M99*1.5	6g	MTR-1018682	M115*6	6g	MTR-1018704	M135*3	6g




## Metric Thread Ring Gauge



Other Classes Available:  
6h/-0.03/Left-Hand, etc.

Code	Size	Class	Code	Size	Class	Code	Size	Class			
MTR-1018705	M135*2	6g	MTR-1018727	M160*6	6g	MTR-1018749	M180*3	6g			
MTR-1018706	M135*1.5	6g	MTR-1018728	M160*4	6g	MTR-1018750	M180*2	6g			
MTR-1018707	M140*6	6g	MTR-1018729	M160*3	6g	MTR-1018751	M180*1.5	6g			
MTR-1018708	M140*4	6g	MTR-1018730	M160*2	6g	MTR-1018752	M190	6g			
MTR-1018709	M140*3	6g	MTR-1018731	M160*1.5	6g	MTR-1018753	M200	6g			
MTR-1018710	M140*2	6g	MTR-1018732	M165*6	6g						
MTR-1018711	M140*1.5	6g	MTR-1018733	M165*4	6g						
MTR-1018712	M145*6	6g	MTR-1018734	M165*3	6g						
MTR-1018713	M145*4	6g	MTR-1018735	M165*2	6g						
MTR-1018714	M145*3	6g	MTR-1018736	M165*1.5	6g						
MTR-1018715	M145*2	6g	MTR-1018737	M170*6	6g						
MTR-1018716	M145*1.5	6g	MTR-1018738	M170*4	6g						
MTR-1018717	M150*6	6g	MTR-1018739	M170*3	6g						
MTR-1018718	M150*4	6g	MTR-1018740	M170*2	6g						
MTR-1018719	M150*3	6g	MTR-1018741	M170*1.5	6g						
MTR-1018720	M150*2	6g	MTR-1018742	M175*6	6g						
MTR-1018721	M150*1.5	6g	MTR-1018743	M175*4	6g						
MTR-1018722	M155*6	6g	MTR-1018744	M175*3	6g						
MTR-1018723	M155*4	6g	MTR-1018745	M175*2	6g						
MTR-1018724	M155*3	6g	MTR-1018746	M175*1.5	6g						
MTR-1018725	M155*2	6g	MTR-1018747	M180*6	6g						
MTR-1018726	M155*1.5	6g	MTR-1018748	M180*4	6g						

# UN Thread Plug Gauge



Other Classes Available:  
3B/+0.03/ST/Left-Hand, etc.




Code	Size	Class
UTP-1019001	0-80 UNF	2B
UTP-1019002	1-64 UNC	2B
UTP-1019003	1-72 UNF	2B
UTP-1019004	2-56 UNC	2B
UTP-1019005	2-64 UNF	2B
UTP-1019006	3-48 UNC	2B
UTP-1019007	3-56 UNF	2B
UTP-1019008	4-40 UNC	2B
UTP-1019009	4-48 UNF	2B
UTP-1019010	5-40 UNC	2B
UTP-1019011	5-44 UNF	2B
UTP-1019012	6-32 UNC	2B
UTP-1019013	6-40 UNF	2B
UTP-1019014	8-32 UNC	2B
UTP-1019015	8-36 UNF	2B
UTP-1019016	10-24 UNC	2B
UTP-1019017	10-32 UNF	2B
UTP-1019018	10-36 UNS	2B
UTP-1019019	12-24 UNC	2B
UTP-1019020	12-28 UNF	2B
UTP-1019021	12-32 UNEF	2B
UTP-1019022	1/4-20 UNC	2B

Code	Size	Class
UTP-1019023	1/4-24 UNS	2B
UTP-1019024	1/4-28 UNF	2B
UTP-1019025	1/4-32UNEF	2B
UTP-1019026	1/4-36UNS	2B
UTP-1019027	1/4-40UN	2B
UTP-1019028	1/4-48UN	2B
UTP-1019029	1/4-56UN	2B
UTP-1019030	1/4-80UN	2B
UTP-1019031	1/4-100UN	2B
UTP-1019032	5/16-18 UNC	2B
UTP-1019033	5/16-20 UN	2B
UTP-1019034	5/16-24 UNF	2B
UTP-1019035	5/16-28 UN	2B
UTP-1019036	5/16-32UNEF	2B
UTP-1019037	5/16-36UN	2B
UTP-1019038	5/16-40UN	2B
UTP-1019039	5/16-48UN	2B
UTP-1019040	5/16-56UN	2B
UTP-1019041	5/16-80UN	2B
UTP-1019042	3/8-16 UNC	2B
UTP-1019043	3/8-18 UNC	2B
UTP-1019044	3/8-20 UN	2B

Code	Size	Class
UTP-1019045	3/8-24 UNF	2B
UTP-1019046	3/8-28 UN	2B
UTP-1019047	3/8-32UNEF	2B
UTP-1019048	3/8-36UN	2B
UTP-1019049	3/8-40UN	2B
UTP-1019050	3/8-48UN	2B
UTP-1019051	3/8-56UN	2B
UTP-1019052	3/8-80UN	2B
UTP-1019053	7/16-14 UNC	2B
UTP-1019054	7/16-16 UN	2B
UTP-1019055	7/16-18 UNS	2B
UTP-1019056	7/16-20 UNF	2B
UTP-1019057	7/16-24 UNS	2B
UTP-1019058	7/16-28UNEF	2B
UTP-1019059	7/16-32 UN	2B
UTP-1019060	1/2-13 UNC	2B
UTP-1019061	1/2-14 UNF	2B
UTP-1019062	1/2-16 UN	2B
UTP-1019063	1/2-18 UNC	2B
UTP-1019064	1/2-20 UNF	2B
UTP-1019065	1/2-24 UNF	2B
UTP-1019066	1/2-28UNEF	2B

Code	Size	Class
UTP-1019067	1/2-32 UN	2B
UTP-1019068	1/2-36UN	2B
UTP-1019069	1/2-40UN	2B
UTP-1019070	1/2-48UN	2B
UTP-1019071	1/2-56UN	2B
UTP-1019072	1/2-80UN	2B
UTP-1019073	9/16-12 UNC	2B
UTP-1019074	9/16-14 UNC	2B
UTP-1019075	9/16-16 UN	2B
UTP-1019076	9/16-18 UNF	2B
UTP-1019077	9/16-20 UN	2B
UTP-1019078	9/16-24UNEF	2B
UTP-1019079	9/16-28 UN	2B
UTP-1019080	9/16-32 UN	2B
UTP-1019081	5/8-11 UNC	2B
UTP-1019082	5/8-12 UN	2B
UTP-1019083	5/8-14 UNC	2B
UTP-1019084	5/8-16 UN	2B
UTP-1019085	5/8-18 UNF	2B
UTP-1019086	5/8-20 UN	2B
UTP-1019087	5/8-24UNEF	2B
UTP-1019088	5/8-28 UN	2B

# UN Thread Plug Gauge



Other Classes Available:  
3B/+0.03/ST/Left-Hand, etc.




Code	Size	Class
UTP-1019089	5/8-32 UN	2B
UTP-1019090	11/16-12 UN	2B
UTP-1019091	11/16-16 UN	2B
UTP-1019092	11/16-20 UN	2B
UTP-1019093	11/16-24UNEF	2B
UTP-1019094	11/16-28 UN	2B
UTP-1019095	11/16-32 UN	2B
UTP-1019096	3/4-10 UNC	2B
UTP-1019097	3/4-12 UN	2B
UTP-1019098	3/4-14 UNS	2B
UTP-1019099	3/4-16 UNF	2B
UTP-1019100	3/4-18 UNS	2B
UTP-1019101	3/4-20UNEF	2B
UTP-1019102	3/4-24 UNS	2B
UTP-1019103	3/4-28 UN	2B
UTP-1019104	3/4-32 UN	2B
UTP-1019105	13/16-12 UN	2B
UTP-1019106	13/16-16 UN	2B
UTP-1019107	13/16-20UNEF	2B
UTP-1019108	13/16-28 UN	2B
UTP-1019109	13/16-32 UN	2B
UTP-1019110	7/8-9 UNC	2B

Code	Size	Class
UTP-1019111	7/8-12 UN	2B
UTP-1019112	7/8-14 UNF	2B
UTP-1019113	7/8-16 UN	2B
UTP-1019114	7/8-18 UNS	2B
UTP-1019115	7/8-20UNEF	2B
UTP-1019116	7/8-24 UNS	2B
UTP-1019117	7/8-28 UN	2B
UTP-1019118	7/8-32 UN	2B
UTP-1019119	15/16-12 UN	2B
UTP-1019120	15/16-16 UN	2B
UTP-1019121	15/16-20UNEF	2B
UTP-1019122	15/16-28 UN	2B
UTP-1019123	15/16-32 UN	2B
UTP-1019124	1-8 UNC	2B
UTP-1019125	1-10 UNC	2B
UTP-1019126	1-12 UNF	2B
UTP-1019127	1-14 UNS	2B
UTP-1019128	1-16 UN	2B
UTP-1019129	1-18 UNS	2B
UTP-1019130	1-20UNEF	2B
UTP-1019131	1-28 UN	2B
UTP-1019132	1-32 UN	2B

Code	Size	Class
UTP-1019133	1 1/16-8 UN	2B
UTP-1019134	1 1/16-12 UN	2B
UTP-1019135	1 1/16-16 UN	2B
UTP-1019136	1 1/16-18UNEF	2B
UTP-1019137	1 1/16-20 UN	2B
UTP-1019138	1 1/16-28 UN	2B
UTP-1019139	1 1/8-7 UNC	2B
UTP-1019140	1 1/8-8 UN	2B
UTP-1019141	1 1/8-10 UNC	2B
UTP-1019142	1 1/8-12 UNF	2B
UTP-1019143	1 1/8-14 UN	2B
UTP-1019144	1 1/8-16 UN	2B
UTP-1019145	1 1/8-18UNEF	2B
UTP-1019146	1 1/8-20 UN	2B
UTP-1019147	1 1/8-24 UNS	2B
UTP-1019148	1 1/8-28 UN	2B
UTP-1019149	1 3/16-8 UN	2B
UTP-1019150	1 3/16-12 UN	2B
UTP-1019151	1 3/16-16 UN	2B
UTP-1019152	1 3/16-18UNEF	2B
UTP-1019153	1 3/16-20 UN	2B
UTP-1019154	1 3/16-28 UN	2B

Code	Size	Class
UTP-1019155	1 1/4-7 UNC	2B
UTP-1019156	1 1/4-8 UN	2B
UTP-1019157	1 1/4-10 UNS	2B
UTP-1019158	1 1/4-12 UNF	2B
UTP-1019159	1 1/4-14 UNF	2B
UTP-1019160	1 1/4-16 UN	2B
UTP-1019161	1 1/4-18UNEF	2B
UTP-1019162	1 1/4-20 UN	2B
UTP-1019163	1 1/4-24 UNS	2B
UTP-1019164	1 1/4-28 UNS	2B
UTP-1019165	1 5/16-8 UN	2B
UTP-1019166	1 5/16-12 UNS	2B
UTP-1019167	1 5/16-16 UN	2B
UTP-1019168	1 5/16-18UNEF	2B
UTP-1019169	1 5/16-20 UN	2B
UTP-1019170	1 5/16-28 UN	2B
UTP-1019171	1 3/8-6 UNC	2B
UTP-1019172	1 3/8-8 UN	2B
UTP-1019173	1 3/8-10 UN	2B
UTP-1019174	1 3/8-12 UNF	2B
UTP-1019175	1 3/8-14 UN	2B
UTP-1019176	1 3/8-16 UN	2B

# UN Thread Plug Gauge



Other Classes Available:  
3B/+0.03/ST/Left-Hand, etc.




Code	Size	Class
UTP-1019177	1 3/8-18UNEF	2B
UTP-1019178	1 3/8-20 UN	2B
UTP-1019179	1 3/8-24 UN	2B
UTP-1019180	1 3/8-28 UN	2B
UTP-1019181	1 7/16-6 UN	2B
UTP-1019182	1 7/16-8 UN	2B
UTP-1019183	1 7/16-12 UN	2B
UTP-1019184	1 7/16-16 UN	2B
UTP-1019185	1 7/16-18UNEF	2B
UTP-1019186	1 7/16-20 UN	2B
UTP-1019187	1 7/16-28 UN	2B
UTP-1019188	1 1/2-6 UNC	2B
UTP-1019189	1 1/2-8 UN	2B
UTP-1019190	1 1/2-10 UNS	2B
UTP-1019191	1 1/2-12 UNF	2B
UTP-1019192	1 1/2-16 UN	2B
UTP-1019193	1 1/2-18UNEF	2B
UTP-1019194	1 1/2-20 UN	2B
UTP-1019195	1 1/2-24 UN	2B
UTP-1019196	1 1/2-28 UN	2B
UTP-1019197	1 9/16-6 UN	2B
UTP-1019198	1 9/16-8 UN	2B

Code	Size	Class
UTP-1019199	1 9/16-12 UN	2B
UTP-1019200	1 9/16-16 UN	2B
UTP-1019201	1 9/16-18UNEF	2B
UTP-1019202	1 9/16-20 UN	2B
UTP-1019203	1 5/8-6 UN	2B
UTP-1019204	1 5/8-8 UN	2B
UTP-1019205	1 5/8-10 UN	2B
UTP-1019206	1 5/8-12 UN	2B
UTP-1019207	1 5/8-14 UN	2B
UTP-1019208	1 5/8-16 UN	2B
UTP-1019209	1 5/8-18UNEF	2B
UTP-1019210	1 5/8-20 UN	2B
UTP-1019211	1 5/8-24 UN	2B
UTP-1019212	1 11/16-6 UN	2B
UTP-1019213	1 11/16-8 UN	2B
UTP-1019214	1 11/16-12 UN	2B
UTP-1019215	1 11/16-16 UN	2B
UTP-1019216	1 11/16-18UNEF	2B
UTP-1019217	1 11/16-20 UN	2B
UTP-1019218	1 3/4-5 UNC	2B
UTP-1019219	1 3/4-6 UN	2B
UTP-1019220	1 3/4-8 UN	2B

Code	Size	Class
UTP-1019221	1 3/4-10UNEF	2B
UTP-1019222	1 3/4-12 UN	2B
UTP-1019223	1 3/4-14 UN	2B
UTP-1019224	1 3/4-16 UN	2B
UTP-1019225	1 3/4-20 UN	2B
UTP-1019226	1 13/16-6 UN	2B
UTP-1019227	1 13/16-8 UN	2B
UTP-1019228	1 13/16-12 UN	2B
UTP-1019229	1 13/16-16 UN	2B
UTP-1019230	1 13/16-20 UN	2B
UTP-1019231	1 7/8-6 UN	2B
UTP-1019232	1 7/8-8 UN	2B
UTP-1019233	1 7/8-10 UN	2B
UTP-1019234	1 7/8-12 UN	2B
UTP-1019235	1 7/8-14 UN	2B
UTP-1019236	1 7/8-16 UN	2B
UTP-1019237	1 7/8-18 UN	2B
UTP-1019238	1 7/8-20 UN	2B
UTP-1019239	1 15/16-6 UN	2B
UTP-1019240	1 15/16-8 UN	2B
UTP-1019241	1 15/16-12 UN	2B
UTP-1019242	1 15/16-16 UN	2B

Code	Size	Class
UTP-1019243	1 15/16-20 UN	2B
UTP-1019244	2-4.5 UNC	2B
UTP-1019245	2-6 UN	2B
UTP-1019246	2-8 UN	2B
UTP-1019247	2-10 UN	2B
UTP-1019248	2-12 UN	2B
UTP-1019249	2-14 UN	2B
UTP-1019250	2-16 UN	2B
UTP-1019251	2-18 UN	2B
UTP-1019252	2-20 UN	2B
UTP-1019253	2-1/8-6 UN	2B
UTP-1019254	2-1/8-8 UN	2B
UTP-1019255	2-1/8-12 UN	2B
UTP-1019256	2-1/8-16 UN	2B
UTP-1019257	2-1/8-20 UN	2B
UTP-1019258	2-1/4-4.5UNC	2B
UTP-1019259	2-1/4-6UN	2B
UTP-1019260	2-1/4-8UN	2B
UTP-1019261	2-1/4-10UN	2B
UTP-1019262	2-1/4-12UN	2B
UTP-1019263	2-1/4-14UN	2B
UTP-1019264	2-1/4-16UN	2B

# UN Thread Plug Gauge




Other Classes Available:  
3B/+0.03/ST/Left-Hand, etc.

Code	Size	Class
UTP-1019265	2-1/4-18UN	2B
UTP-1019266	2-1/4-20UN	2B
UTP-1019267	2-3/8-6UN	2B
UTP-1019268	2-3/8-8UN	2B
UTP-1019269	2-3/8-12UN	2B
UTP-1019270	2-3/8-16UN	2B
UTP-1019271	2-3/8-20UN	2B
UTP-1019272	2-1/2-4UN	2B
UTP-1019273	2-1/2-6UN	2B
UTP-1019274	2-1/2-8UN	2B
UTP-1019275	2-1/2-12UN	2B
UTP-1019276	2-1/2-16UN	2B
UTP-1019277	2-1/2-20UN	2B
UTP-1019278	2-5/8-6UN	2B
UTP-1019279	2-5/8-8UN	2B
UTP-1019280	2-5/8-12UN	2B
UTP-1019281	2-5/8-16UN	2B
UTP-1019282	2-5/8-20UN	2B
UTP-1019283	2-3/4-4UN	2B
UTP-1019284	2-3/4-6UN	2B
UTP-1019285	2-3/4-8UN	2B
UTP-1019286	2-3/4-12UN	2B

Code	Size	Class
UTP-1019287	2-3/4-16UN	2B
UTP-1019288	2-3/4-20UN	2B
UTP-1019289	2-7/8-4UN	2B
UTP-1019290	2-7/8-6UN	2B
UTP-1019291	2-7/8-8UN	2B
UTP-1019292	2-7/8-12UN	2B
UTP-1019293	2-7/8-16UN	2B
UTP-1019294	2-7/8-20UN	2B
UTP-1019295	3-4UN	2B
UTP-1019296	3-6UN	2B
UTP-1019297	3-8UN	2B
UTP-1019298	3-10UNS	2B
UTP-1019299	3-12UN	2B
UTP-1019300	3-14UNS	2B
UTP-1019301	3-16UN	2B
UTP-1019302	3-20UN	2B
UTP-1019303	3-1/8-4UN	2B
UTP-1019304	3-1/8-6UN	2B
UTP-1019305	3-1/8-8UN	2B
UTP-1019306	3-1/8-12UN	2B
UTP-1019307	3-1/8-16UN	2B
UTP-1019308	3-1/4-4UNC	2B

Code	Size	Class
UTP-1019309	3-1/4-6UN	2B
UTP-1019310	3-1/4-8UN	2B
UTP-1019311	3-1/4-10UN	2B
UTP-1019312	3-1/4-12UN	2B
UTP-1019313	3-1/4-14UN	2B
UTP-1019314	3-1/4-16UN	2B
UTP-1019315	3-3/8-4UN	2B
UTP-1019316	3-3/8-6UN	2B


# UN Thread Ring Gauge



Other Classes Available:  
3A/-0.03/Left-Hand, etc.

Code	Size	Class	Code	Size	Class	Code	Size	Class	Code	Size	Class
UTR-1020001	0-80 UNF	2A	UTR-1020023	1/4-24 UNS	2A	UTR-1020045	3/8-24 UNF	2A	UTR-1020067	1/2-32 UN	2A
UTR-1020002	1-64 UNC	2A	UTR-1020024	1/4-28 UNF	2A	UTR-1020046	3/8-28 UN	2A	UTR-1020068	1/2-36UN	2A
UTR-1020003	1-72 UNF	2A	UTR-1020025	1/4-32UNEF	2A	UTR-1020047	3/8-32UNEF	2A	UTR-1020069	1/2-40UN	2A
UTR-1020004	2-56 UNC	2A	UTR-1020026	1/4-36UNS	2A	UTR-1020048	3/8-36UN	2A	UTR-1020070	1/2-48UN	2A
UTR-1020005	2-64 UNF	2A	UTR-1020027	1/4-40UN	2A	UTR-1020049	3/8-40UN	2A	UTR-1020071	1/2-56UN	2A
UTR-1020006	3-48 UNC	2A	UTR-1020028	1/4-48UN	2A	UTR-1020050	3/8-48UN	2A	UTR-1020072	1/2-80UN	2A
UTR-1020007	3-56 UNF	2A	UTR-1020029	1/4-56UN	2A	UTR-1020051	3/8-56UN	2A	UTR-1020073	9/16-12 UNC	2A
UTR-1020008	4-40 UNC	2A	UTR-1020030	1/4-80UN	2A	UTR-1020052	3/8-80UN	2A	UTR-1020074	9/16-14 UNC	2A
UTR-1020009	4-48 UNF	2A	UTR-1020031	1/4-100UN	2A	UTR-1020053	7/16-14 UNC	2A	UTR-1020075	9/16-16 UN	2A
UTR-1020010	5-40 UNC	2A	UTR-1020032	5/16-18 UNC	2A	UTR-1020054	7/16-16 UN	2A	UTR-1020076	9/16-18 UNF	2A
UTR-1020011	5-44 UNF	2A	UTR-1020033	5/16-20 UN	2A	UTR-1020055	7/16-18 UNS	2A	UTR-1020077	9/16-20 UN	2A
UTR-1020012	6-32 UNC	2A	UTR-1020034	5/16-24 UNF	2A	UTR-1020056	7/16-20 UNF	2A	UTR-1020078	9/16-24UNEF	2A
UTR-1020013	6-40 UNF	2A	UTR-1020035	5/16-28 UN	2A	UTR-1020057	7/16-24 UNS	2A	UTR-1020079	9/16-28 UN	2A
UTR-1020014	8-32 UNC	2A	UTR-1020036	5/16-32UNEF	2A	UTR-1020058	7/16-28UNEF	2A	UTR-1020080	9/16-32 UN	2A
UTR-1020015	8-36 UNF	2A	UTR-1020037	5/16-36UN	2A	UTR-1020059	7/16-32 UN	2A	UTR-1020081	5/8-11 UNC	2A
UTR-1020016	10-24 UNC	2A	UTR-1020038	5/16-40UN	2A	UTR-1020060	1/2-13 UNC	2A	UTR-1020082	5/8-12 UN	2A
UTR-1020017	10-32 UNF	2A	UTR-1020039	5/16-48UN	2A	UTR-1020061	1/2-14 UNF	2A	UTR-1020083	5/8-14 UNC	2A
UTR-1020018	10-36 UNS	2A	UTR-1020040	5/16-56UN	2A	UTR-1020062	1/2-16 UN	2A	UTR-1020084	5/8-16 UN	2A
UTR-1020019	12-24 UNC	2A	UTR-1020041	5/16-80UN	2A	UTR-1020063	1/2-18 UNC	2A	UTR-1020085	5/8-18 UNF	2A
UTR-1020020	12-28 UNF	2A	UTR-1020042	3/8-16 UNC	2A	UTR-1020064	1/2-20 UNF	2A	UTR-1020086	5/8-20 UN	2A
UTR-1020021	12-32 UNEF	2A	UTR-1020043	3/8-18 UNC	2A	UTR-1020065	1/2-24 UNF	2A	UTR-1020087	5/8-24UNEF	2A
UTR-1020022	1/4-20 UNC	2A	UTR-1020044	3/8-20 UN	2A	UTR-1020066	1/2-28UNEF	2A	UTR-1020088	5/8-28 UN	2A


# UN Thread Ring Gauge



Other Classes Available:  
3A/-0.03/Left-Hand, etc.

Code	Size	Class	Code	Size	Class	Code	Size	Class	Code	Size	Class
UTR-1020089	5/8-32 UN	2A	UTR-1020111	7/8-12 UN	2A	UTR-1020133	1 1/16-8 UN	2A	UTR-1020155	1 1/4-7 UNC	2A
UTR-1020090	11/16-12 UN	2A	UTR-1020112	7/8-14 UNF	2A	UTR-1020134	1 1/16-12 UN	2A	UTR-1020156	1 1/4-8 UN	2A
UTR-1020091	11/16-16 UN	2A	UTR-1020113	7/8-16 UN	2A	UTR-1020135	1 1/16-16 UN	2A	UTR-1020157	1 1/4-10 UNS	2A
UTR-1020092	11/16-20 UN	2A	UTR-1020114	7/8-18 UNS	2A	UTR-1020136	1 1/16-18UNEF	2A	UTR-1020158	1 1/4-12 UNF	2A
UTR-1020093	11/16-24UNEF	2A	UTR-1020115	7/8-20UNEF	2A	UTR-1020137	1 1/16-20 UN	2A	UTR-1020159	1 1/4-14 UNF	2A
UTR-1020094	11/16-28 UN	2A	UTR-1020116	7/8-24 UNS	2A	UTR-1020138	1 1/16-28 UN	2A	UTR-1020160	1 1/4-16 UN	2A
UTR-1020095	11/16-32 UN	2A	UTR-1020117	7/8-28 UN	2A	UTR-1020139	1 1/8-7 UNC	2A	UTR-1020161	1 1/4-18UNEF	2A
UTR-1020096	3/4-10 UNC	2A	UTR-1020118	7/8-32 UN	2A	UTR-1020140	1 1/8-8 UN	2A	UTR-1020162	1 1/4-20 UN	2A
UTR-1020097	3/4-12 UN	2A	UTR-1020119	15/16-12 UN	2A	UTR-1020141	1 1/8-10 UNC	2A	UTR-1020163	1 1/4-24 UNS	2A
UTR-1020098	3/4-14 UNS	2A	UTR-1020120	15/16-16 UN	2A	UTR-1020142	1 1/8-12 UNF	2A	UTR-1020164	1 1/4-28 UNS	2A
UTR-1020099	3/4-16 UNF	2A	UTR-1020121	15/16-20UNEF	2A	UTR-1020143	1 1/8-14 UN	2A	UTR-1020165	1 5/16-8 UN	2A
UTR-1020100	3/4-18 UNS	2A	UTR-1020122	15/16-28 UN	2A	UTR-1020144	1 1/8-16 UN	2A	UTR-1020166	1 5/16-12 UNS	2A
UTR-1020101	3/4-20UNEF	2A	UTR-1020123	15/16-32 UN	2A	UTR-1020145	1 1/8-18UNEF	2A	UTR-1020167	1 5/16-16 UN	2A
UTR-1020102	3/4-24 UNS	2A	UTR-1020124	1-8 UNC	2A	UTR-1020146	1 1/8-20 UN	2A	UTR-1020168	1 5/16-18UNEF	2A
UTR-1020103	3/4-28 UN	2A	UTR-1020125	1-10 UNC	2A	UTR-1020147	1 1/8-24 UNS	2A	UTR-1020169	1 5/16-20 UN	2A
UTR-1020104	3/4-32 UN	2A	UTR-1020126	1-12 UNF	2A	UTR-1020148	1 1/8-28 UN	2A	UTR-1020170	1 5/16-28 UN	2A
UTR-1020105	13/16-12 UN	2A	UTR-1020127	1-14 UNS	2A	UTR-1020149	1 3/16-8 UN	2A	UTR-1020171	1 3/8-6 UNC	2A
UTR-1020106	13/16-16 UN	2A	UTR-1020128	1-16 UN	2A	UTR-1020150	1 3/16-12 UN	2A	UTR-1020172	1 3/8-8 UN	2A
UTR-1020107	13/16-20UNEF	2A	UTR-1020129	1-18 UNS	2A	UTR-1020151	1 3/16-16 UN	2A	UTR-1020173	1 3/8-10 UN	2A
UTR-1020108	13/16-28 UN	2A	UTR-1020130	1-20UNEF	2A	UTR-1020152	1 3/16-18UNEF	2A	UTR-1020174	1 3/8-12 UNF	2A
UTR-1020109	13/16-32 UN	2A	UTR-1020131	1-28 UN	2A	UTR-1020153	1 3/16-20 UN	2A	UTR-1020175	1 3/8-14 UN	2A
UTR-1020110	7/8-9 UNC	2A	UTR-1020132	1-32 UN	2A	UTR-1020154	1 3/16-28 UN	2A	UTR-1020176	1 3/8-16 UN	2A


# UN Thread Ring Gauge



Other Classes Available:  
3A/-0.03/Left-Hand,etc.

Code	Size	Class	Code	Size	Class	Code	Size	Class	Code	Size	Class
UTR-1020177	1 3/8-18UNEF	2A	UTR-1020199	1 9/16-12 UN	2A	UTR-1020221	1 3/4-10UNEF	2A	UTR-1020243	1 15/16-20 UN	2A
UTR-1020178	1 3/8-20 UN	2A	UTR-1020200	1 9/16-16 UN	2A	UTR-1020222	1 3/4-12 UN	2A	UTR-1020244	2-4.5 UNC	2A
UTR-1020179	1 3/8-24 UN	2A	UTR-1020201	1 9/16-18UNEF	2A	UTR-1020223	1 3/4-14 UN	2A	UTR-1020245	2-6 UN	2A
UTR-1020180	1 3/8-28 UN	2A	UTR-1020202	1 9/16-20 UN	2A	UTR-1020224	1 3/4-16 UN	2A	UTR-1020246	2-8 UN	2A
UTR-1020181	1 7/16-6 UN	2A	UTR-1020203	1 5/8-6 UN	2A	UTR-1020225	1 3/4-20 UN	2A	UTR-1020247	2-10 UN	2A
UTR-1020182	1 7/16-8 UN	2A	UTR-1020204	1 5/8-8 UN	2A	UTR-1020226	1 13/16-6 UN	2A	UTR-1020248	2-12 UN	2A
UTR-1020183	1 7/16-12 UN	2A	UTR-1020205	1 5/8-10 UN	2A	UTR-1020227	1 13/16-8 UN	2A	UTR-1020249	2-14 UN	2A
UTR-1020184	1 7/16-16 UN	2A	UTR-1020206	1 5/8-12 UN	2A	UTR-1020228	1 13/16-12 UN	2A	UTR-1020250	2-16 UN	2A
UTR-1020185	1 7/16-18UNEF	2A	UTR-1020207	1 5/8-14 UN	2A	UTR-1020229	1 13/16-16 UN	2A	UTR-1020251	2-18 UN	2A
UTR-1020186	1 7/16-20 UN	2A	UTR-1020208	1 5/8-16 UN	2A	UTR-1020230	1 13/16-20 UN	2A	UTR-1020252	2-20 UN	2A
UTR-1020187	1 7/16-28 UN	2A	UTR-1020209	1 5/8-18UNEF	2A	UTR-1020231	1 7/8-6 UN	2A	UTR-1020253	2-1/8-6 UN	2A
UTR-1020188	1 1/2-6 UNC	2A	UTR-1020210	1 5/8-20 UN	2A	UTR-1020232	1 7/8-8 UN	2A	UTR-1020254	2-1/8-8 UN	2A
UTR-1020189	1 1/2-8 UN	2A	UTR-1020211	1 5/8-24 UN	2A	UTR-1020233	1 7/8-10 UN	2A	UTR-1020255	2-1/8-12 UN	2A
UTR-1020190	1 1/2-10 UNS	2A	UTR-1020212	1 11/16-6 UN	2A	UTR-1020234	1 7/8-12 UN	2A	UTR-1020256	2-1/8-16 UN	2A
UTR-1020191	1 1/2-12 UNF	2A	UTR-1020213	1 11/16-8 UN	2A	UTR-1020235	1 7/8-14 UN	2A	UTR-1020257	2-1/8-20 UN	2A
UTR-1020192	1 1/2-16 UN	2A	UTR-1020214	1 11/16-12 UN	2A	UTR-1020236	1 7/8-16 UN	2A	UTR-1020258	2-1/4-4.5UNC	2A
UTR-1020193	1 1/2-18UNEF	2A	UTR-1020215	1 11/16-16 UN	2A	UTR-1020237	1 7/8-18 UN	2A	UTR-1020259	2-1/4-6UN	2A
UTR-1020194	1 1/2-20 UN	2A	UTR-1020216	1 11/16-18UNEF	2A	UTR-1020238	1 7/8-20 UN	2A	UTR-1020260	2-1/4-8UN	2A
UTR-1020195	1 1/2-24 UN	2A	UTR-1020217	1 11/16-20 UN	2A	UTR-1020239	1 15/16-6 UN	2A	UTR-1020261	2-1/4-10UN	2A
UTR-1020196	1 1/2-28 UN	2A	UTR-1020218	1 3/4-5 UNC	2A	UTR-1020240	1 15/16-8 UN	2A	UTR-1020262	2-1/4-12UN	2A
UTR-1020197	1 9/16-6 UN	2A	UTR-1020219	1 3/4-6 UN	2A	UTR-1020241	1 15/16-12 UN	2A	UTR-1020263	2-1/4-14UN	2A
UTR-1020198	1 9/16-8 UN	2A	UTR-1020220	1 3/4-8 UN	2A	UTR-1020242	1 15/16-16 UN	2A	UTR-1020264	2-1/4-16UN	2A

# UN Thread Ring Gauge



Other Classes Available:  
3A/-0.03/Left-Hand, etc.

Code	Size	Class	Code	Size	Class	Code	Size	Class			
UTR-1020265	2-1/4-18UN	2A	UTR-1020287	2-3/4-16UN	2A	UTR-1020309	3-1/4-6UN	2A			
UTR-1020266	2-1/4-20UN	2A	UTR-1020288	2-3/4-20UN	2A	UTR-1020310	3-1/4-8UN	2A			
UTR-1020267	2-3/8-6UN	2A	UTR-1020289	2-7/8-4UN	2A	UTR-1020311	3-1/4-10UN	2A			
UTR-1020268	2-3/8-8UN	2A	UTR-1020290	2-7/8-6UN	2A	UTR-1020312	3-1/4-12UN	2A			
UTR-1020269	2-3/8-12UN	2A	UTR-1020291	2-7/8-8UN	2A	UTR-1020313	3-1/4-14UN	2A			
UTR-1020270	2-3/8-16UN	2A	UTR-1020292	2-7/8-12UN	2A	UTR-1020314	3-1/4-16UN	2A			
UTR-1020271	2-3/8-20UN	2A	UTR-1020293	2-7/8-16UN	2A	UTR-1020315	3-3/8-4UN	2A			
UTR-1020272	2-1/2-4UN	2A	UTR-1020294	2-7/8-20UN	2A	UTR-1020316	3-3/8-6UN	2A			
UTR-1020273	2-1/2-6UN	2A	UTR-1020295	3-4UN	2A						
UTR-1020274	2-1/2-8UN	2A	UTR-1020296	3-6UN	2A						
UTR-1020275	2-1/2-12UN	2A	UTR-1020297	3-8UN	2A						
UTR-1020276	2-1/2-16UN	2A	UTR-1020298	3-10UNS	2A						
UTR-1020277	2-1/2-20UN	2A	UTR-1020299	3-12UN	2A						
UTR-1020278	2-5/8-6UN	2A	UTR-1020300	3-14UNS	2A						
UTR-1020279	2-5/8-8UN	2A	UTR-1020301	3-16UN	2A						
UTR-1020280	2-5/8-12UN	2A	UTR-1020302	3-20UN	2A						
UTR-1020281	2-5/8-16UN	2A	UTR-1020303	3-1/8-4UN	2A						
UTR-1020282	2-5/8-20UN	2A	UTR-1020304	3-1/8-6UN	2A						
UTR-1020283	2-3/4-4UN	2A	UTR-1020305	3-1/8-8UN	2A						
UTR-1020284	2-3/4-6UN	2A	UTR-1020306	3-1/8-12UN	2A						
UTR-1020285	2-3/4-8UN	2A	UTR-1020307	3-1/8-16UN	2A						
UTR-1020286	2-3/4-12UN	2A	UTR-1020308	3-1/4-4UNC	2A						

# NPT/RC/PT/BSPT/NPTF Thread Plug Gauge



NPT/NPTF: 60° thread angle  
 RC/PT/BSPT: 55° thread angle

Code	Size	Gauge Type	Code	Size	Gauge Type	Code	Size	Gauge Type			
TTP-1021001	NPT 1/16-27	NPT	TTP-1021025	NPT 1 1/2-11	RC	TTP-1021049	BSPT 1/8-28	BSPT	TTP-1021073	NPTF 3/4-14	NPTF-L1
TTP-1021002	NPT 1/8-27	NPT	TTP-1021026	NPT 2-11	RC	TTP-1021050	BSPT 1/4-19	BSPT	TTP-1021074	NPTF 3/4-14	NPTF-L2
TTP-1021003	NPT 1/4-18	NPT	TTP-1021027	NPT 2 1/2-11	RC	TTP-1021051	BSPT 3/8-19	BSPT	TTP-1021075	NPTF 3/4-14	NPTF-L3
TTP-1021004	NPT 3/8-18	NPT	TTP-1021028	NPT 3-11	RC	TTP-1021052	BSPT 1/2-14	BSPT	TTP-1021076	NPTF 1-11.5	NPTF-L1
TTP-1021005	NPT 1/2-14	NPT	TTP-1021029	NPT 3 1/2-11	RC	TTP-1021053	BSPT 3/4-14	BSPT	TTP-1021077	NPTF 1-11.5	NPTF-L2
TTP-1021006	NPT 3/4-14	NPT	TTP-1021030	NPT 4-11	RC	TTP-1021054	BSPT 1-11	BSPT	TTP-1021078	NPTF 1-11.5	NPTF-L3
TTP-1021007	NPT 1-11.5	NPT	TTP-1021031	NPT 5-11	RC	TTP-1021055	BSPT 1 1/4-11	BSPT	TTP-1021079	NPTF 1 1/4-11.5	NPTF-L1
TTP-1021008	NPT 1 1/4-11.5	NPT	TTP-1021032	NPT 6-11	RC	TTP-1021056	BSPT 1 1/2-11	BSPT	TTP-1021080	NPTF 1 1/4-11.5	NPTF-L2
TTP-1021009	NPT 1 1/2-11.5	NPT	TTP-1021033	PT 1/16-28	PT	TTP-1021057	BSPT 2-11	BSPT	TTP-1021081	NPTF 1 1/4-11.5	NPTF-L3
TTP-1021010	NPT 2-11.5	NPT	TTP-1021034	PT 1/8-28	PT	TTP-1021058	NPTF 1/16-27	NPTF-L1	TTP-1021082	NPTF 1 1/2-11.5	NPTF-L1
TTP-1021011	NPT 2 1/2-8	NPT	TTP-1021035	PT 1/4-19	PT	TTP-1021059	NPTF 1/16-27	NPTF-L2	TTP-1021083	NPTF 1 1/2-11.5	NPTF-L2
TTP-1021012	NPT 3-8	NPT	TTP-1021036	PT 3/8-19	PT	TTP-1021060	NPTF 1/16-27	NPTF-L3	TTP-1021084	NPTF 1 1/2-11.5	NPTF-L3
TTP-1021013	NPT 3 1/2-8	NPT	TTP-1021037	PT 1/2-14	PT	TTP-1021061	NPTF 1/8-27	NPTF-L1	TTP-1021085	NPTF 2-11.5	NPTF-L1
TTP-1021014	NPT 4-8	NPT	TTP-1021038	PT 3/4-14	PT	TTP-1021062	NPTF 1/8-27	NPTF-L2	TTP-1021086	NPTF 2-11.5	NPTF-L2
TTP-1021015	NPT 5-8	NPT	TTP-1021039	PT 1-11	PT	TTP-1021063	NPTF 1/8-27	NPTF-L3	TTP-1021087	NPTF 2-11.5	NPTF-L3
TTP-1021016	NPT 6-8	NPT	TTP-1021040	PT 1 1/4-11	PT	TTP-1021064	NPTF 1/4-18	NPTF-L1	TTP-1021088	NPTF 2 1/2-8	NPTF-L1
TTP-1021017	RC 1/16-28	RC	TTP-1021041	PT 1 1/2-11	PT	TTP-1021065	NPTF 1/4-18	NPTF-L2	TTP-1021089	NPTF 2 1/2-8	NPTF-L2
TTP-1021018	RC 1/8-28	RC	TTP-1021042	PT 2-11	PT	TTP-1021066	NPTF 1/4-18	NPTF-L3	TTP-1021090	NPTF 2 1/2-8	NPTF-L3
TTP-1021019	RC 1/4-19	RC	TTP-1021043	PT 2 1/2-11	PT	TTP-1021067	NPTF 3/8-18	NPTF-L1	TTP-1021091	NPTF 3-8	NPTF-L1
TTP-1021020	RC 3/8-19	RC	TTP-1021044	PT 3-11	PT	TTP-1021068	NPTF 3/8-18	NPTF-L2	TTP-1021092	NPTF 3-8	NPTF-L2
TTP-1021021	RC 1/2-14	RC	TTP-1021045	PT 4-11	PT	TTP-1021069	NPTF 3/8-18	NPTF-L3	TTP-1021093	NPTF 3-8	NPTF-L3
TTP-1021022	RC 3/4-14	RC	TTP-1021046	PT 5-11	PT	TTP-1021070	NPTF 1/2-14	NPTF-L1			
TTP-1021023	RC 1-11	RC	TTP-1021047	PT 6-11	PT	TTP-1021071	NPTF 1/2-14	NPTF-L2			
TTP-1021024	NPT 1 1/4-11	RC	TTP-1021048	BSPT 1/16-28	BSPT	TTP-1021072	NPTF 1/2-14	NPTF-L3			

# NPT/RC/PT/BSPT/NPTF Thread Ring Gauge



NPT/NPTF: 60° thread angle  
 RC/PT/BSPT: 55° thread angle

Code	Size	Gauge Type	Code	Size	Gauge Type	Code	Size	Gauge Type			
TTR-1022001	NPT 1/16-27	NPT	TTR-1022025	NPT 1 1/2-11	RC	TTR-1022049	BSPT 1/8-28	BSPT	TTR-1022073	NPTF 3/4-14	NPTF-L1
TTR-1022002	NPT 1/8-27	NPT	TTR-1022026	NPT 2-11	RC	TTR-1022050	BSPT 1/4-19	BSPT	TTR-1022074	NPTF 3/4-14	NPTF-L2
TTR-1022003	NPT 1/4-18	NPT	TTR-1022027	NPT 2 1/2-11	RC	TTR-1022051	BSPT 3/8-19	BSPT	TTR-1022075	NPTF 3/4-14	NPTF-L3
TTR-1022004	NPT 3/8-18	NPT	TTR-1022028	NPT 3-11	RC	TTR-1022052	BSPT 1/2-14	BSPT	TTR-1022076	NPTF 1-11.5	NPTF-L1
TTR-1022005	NPT 1/2-14	NPT	TTR-1022029	NPT 3 1/2-11	RC	TTR-1022053	BSPT 3/4-14	BSPT	TTR-1022077	NPTF 1-11.5	NPTF-L2
TTR-1022006	NPT 3/4-14	NPT	TTR-1022030	NPT 4-11	RC	TTR-1022054	BSPT 1-11	BSPT	TTR-1022078	NPTF 1-11.5	NPTF-L3
TTR-1022007	NPT 1-11.5	NPT	TTR-1022031	NPT 5-11	RC	TTR-1022055	BSPT 1 1/4-11	BSPT	TTR-1022079	NPTF 1 1/4-11.5	NPTF-L1
TTR-1022008	NPT 1 1/4-11.5	NPT	TTR-1022032	NPT 6-11	RC	TTR-1022056	BSPT 1 1/2-11	BSPT	TTR-1022080	NPTF 1 1/4-11.5	NPTF-L2
TTR-1022009	NPT 1 1/2-11.5	NPT	TTR-1022033	PT 1/16-28	PT	TTR-1022057	BSPT 2-11	BSPT	TTR-1022081	NPTF 1 1/4-11.5	NPTF-L3
TTR-1022010	NPT 2-11.5	NPT	TTR-1022034	PT 1/8-28	PT	TTR-1022058	NPTF 1/16-27	NPTF-L1	TTR-1022082	NPTF 1 1/2-11.5	NPTF-L1
TTR-1022011	NPT 2 1/2-8	NPT	TTR-1022035	PT 1/4-19	PT	TTR-1022059	NPTF 1/16-27	NPTF-L2	TTR-1022083	NPTF 1 1/2-11.5	NPTF-L2
TTR-1022012	NPT 3-8	NPT	TTR-1022036	PT 3/8-19	PT	TTR-1022060	NPTF 1/16-27	NPTF-L3	TTR-1022084	NPTF 1 1/2-11.5	NPTF-L3
TTR-1022013	NPT 3 1/2-8	NPT	TTR-1022037	PT 1/2-14	PT	TTR-1022061	NPTF 1/8-27	NPTF-L1	TTR-1022085	NPTF 2-11.5	NPTF-L1
TTR-1022014	NPT 4-8	NPT	TTR-1022038	PT 3/4-14	PT	TTR-1022062	NPTF 1/8-27	NPTF-L2	TTR-1022086	NPTF 2-11.5	NPTF-L2
TTR-1022015	NPT 5-8	NPT	TTR-1022039	PT 1-11	PT	TTR-1022063	NPTF 1/8-27	NPTF-L3	TTR-1022087	NPTF 2-11.5	NPTF-L3
TTR-1022016	NPT 6-8	NPT	TTR-1022040	PT 1 1/4-11	PT	TTR-1022064	NPTF 1/4-18	NPTF-L1	TTR-1022088	NPTF 2 1/2-8	NPTF-L1
TTR-1022017	RC 1/16-28	RC	TTR-1022041	PT 1 1/2-11	PT	TTR-1022065	NPTF 1/4-18	NPTF-L2	TTR-1022089	NPTF 2 1/2-8	NPTF-L2
TTR-1022018	RC 1/8-28	RC	TTR-1022042	PT 2-11	PT	TTR-1022066	NPTF 1/4-18	NPTF-L3	TTR-1022090	NPTF 2 1/2-8	NPTF-L3
TTR-1022019	RC 1/4-19	RC	TTR-1022043	PT 2 1/2-11	PT	TTR-1022067	NPTF 3/8-18	NPTF-L1	TTR-1022091	NPTF 3-8	NPTF-L1
TTR-1022020	RC 3/8-19	RC	TTR-1022044	PT 3-11	PT	TTR-1022068	NPTF 3/8-18	NPTF-L2	TTR-1022092	NPTF 3-8	NPTF-L2
TTR-1022021	RC 1/2-14	RC	TTR-1022045	PT 4-11	PT	TTR-1022069	NPTF 3/8-18	NPTF-L3	TTR-1022093	NPTF 3-8	NPTF-L3
TTR-1022022	RC 3/4-14	RC	TTR-1022046	PT 5-11	PT	TTR-1022070	NPTF 1/2-14	NPTF-L1			
TTR-1022023	RC 1-11	RC	TTR-1022047	PT 6-11	PT	TTR-1022071	NPTF 1/2-14	NPTF-L2			
TTR-1022024	NPT 1 1/4-11	RC	TTR-1022048	BSPT 1/16-28	BSPT	TTR-1022072	NPTF 1/2-14	NPTF-L3			

## NPSM/BSPP/PSP/G/NPSL/PF/PG/NPS Thread Plug Gauge



Code	Size	Gauge Type	Code	Size	Gauge Type	Code	Size	Gauge Type	Code	Size	Gauge Type
STP-1023001	NPSM 1/8-18	NPSM	STP-1023023	BSP 1/2	BSP	STP-1023045	G 2 1/2	G	STP-1023067	PG9	PG
STP-1023002	NPSM 1/4-18	NPSM	STP-1023024	BSP 3/4	BSP	STP-1023046	G 2 3/4	G	STP-1023068	PG11	PG
STP-1023003	NPSM 3/8-14	NPSM	STP-1023025	BSP 1	BSP	STP-1023047	G 3	G	STP-1023069	PG13.5	PG
STP-1023004	NPSM 1/2-14	NPSM	STP-1023026	BSP 1 1/4	BSP	STP-1023048	NPSL 1/8-18	NPSL	STP-1023070	PG16	PG
STP-1023005	NPSM 3/4-11.5	NPSM	STP-1023027	BSP 1 1/2	BSP	STP-1023049	NPSL 1/4-18	NPSL	STP-1023071	PG21	PG
STP-1023006	NPSM 1-11.5	NPSM	STP-1023028	BSP 2	BSP	STP-1023050	NPSL 3/8-14	NPSL	STP-1023072	PG29	PG
STP-1023007	NPSM 1 1/4-11.5	NPSM	STP-1023029	G 1/16	G	STP-1023051	NPSL 1/2-14	NPSL	STP-1023073	PG36	PG
STP-1023008	NPSM 1 1/2-11.5	NPSM	STP-1023030	G 1/8	G	STP-1023052	NPSL 3/4-11.5	NPSL	STP-1023074	PG42	PG
STP-1023009	NPSM 2-8	NPSM	STP-1023031	G 1/4	G	STP-1023053	NPSL 1-11.5	NPSL	STP-1023075	PG48	PG
STP-1023010	BSPP 1/16-42	BSPP	STP-1023032	G 3/8	G	STP-1023054	NPSL 1 1/4-11.5	NPSL	STP-1023076	NPS 1/8-18	NPS
STP-1023011	BSPP 1/8-42	BSPP	STP-1023033	G 1/2	G	STP-1023055	NPSL 1 1/2-11.5	NPSL	STP-1023077	NPS 1/4-18	NPS
STP-1023012	BSPP 1/4-42	BSPP	STP-1023034	G 5/8	G	STP-1023056	NPSL 2-8	NPSL	STP-1023078	NPS 3/8-14	NPS
STP-1023013	BSPP 3/8	BSPP	STP-1023035	G 3/4	G	STP-1023057	PF 1/8	PF	STP-1023079	NPS 1/2-14	NPS
STP-1023014	BSPP 1/2	BSPP	STP-1023036	G 7/8	G	STP-1023058	PF 1/4	PF	STP-1023080	NPS 3/4-11.5	NPS
STP-1023015	BSPP 3/4	BSPP	STP-1023037	G 1	G	STP-1023059	PF 3/8	PF	STP-1023081	NPS 1-11.5	NPS
STP-1023016	BSPP 1	BSPP	STP-1023038	G 1 1/8	G	STP-1023060	PF 1/2	PF	STP-1023082	NPS 1 1/4-11.5	NPS
STP-1023017	BSPP 1 1/4	BSPP	STP-1023039	G 1 1/4	G	STP-1023061	PF 3/4	PF	STP-1023083	NPS 1 1/2-11.5	NPS
STP-1023018	BSPP 1 1/2	BSPP	STP-1023040	G 1 3/8	G	STP-1023062	PF 1	PF	STP-1023084	NPS 2-8	NPS
STP-1023019	BSPP 2	BSPP	STP-1023041	G 1 1/2	G	STP-1023063	PF 1 1/4	PF			
STP-1023020	BSP 1/8	BSP	STP-1023042	G 1 3/4	G	STP-1023064	PF 1 1/2	PF			
STP-1023021	BSP 1/4	BSP	STP-1023043	G 2	G	STP-1023065	PF 2	PF			
STP-1023022	BSP 3/8	BSP	STP-1023044	G 2 1/4	G	STP-1023066	PG7	PG			

## RP/BSW/Tyre Valve/Optical/Bicycle Thread Plug Gauge



Code	Size	Gauge Type	Code	Size	Gauge Type	Code	Size	Gauge Type			
STP-1023085	RP 1/8	RP	STP-1023107	5V1	Tyre Valve	STP-1023129	BC3/8-26 LH	Bicycle			
STP-1023086	RP 1/4	RP	STP-1023108	6V1	Tyre Valve	STP-1023130	BC9/16-20 LH	Bicycle			
STP-1023087	RP 3/8	RP	STP-1023109	8V1	Tyre Valve	STP-1023131	BC1-24 LH	Bicycle			
STP-1023088	RP 1/2	RP	STP-1023110	9V1	Tyre Valve	STP-1023132	BC1.000-24 LH	Bicycle			
STP-1023089	RP 3/4	RP	STP-1023111	10V1	Tyre Valve	STP-1023133	BC1 1/8-26 LH	Bicycle			
STP-1023090	RP 1	RP	STP-1023112	12V1	Tyre Valve	STP-1023134	BC1.375-24 LH	Bicycle			
STP-1023091	RP 1 1/4	RP	STP-1023113	0.535-40 (SM05)	Optical	STP-1023135	BC1.375-24 LH	Bicycle			
STP-1023092	RP 1 1/2	RP	STP-1023114	1.035-40 (SM1)	Optical						
STP-1023093	RP 2	RP	STP-1023115	1.535-40 (SM1.5)	Optical						
STP-1023094	BSW1/8-40	BSW	STP-1023116	2.035-40 (SM2)	Optical						
STP-1023095	BSW5/32-32	BSW	STP-1023117	3.035-40 (SM3)	Optical						
STP-1023096	BSW3/16-24	BSW	STP-1023118	1-32 (C-Mount)	Optical						
STP-1023097	BSW1/4-20	BSW	STP-1023119	0.8-36 (RMS)	Optical						
STP-1023098	BSW5/16-18	BSW	STP-1023120	4/5-36 (RMS)	Optical						
STP-1023099	BSW3/8-16	BSW	STP-1023121	M26x0.706	Optical						
STP-1023100	BSW7/16-14	BSW	STP-1023122	BC3/8-26	Bicycle						
STP-1023101	BSW1/2-12	BSW	STP-1023123	BC9/16-20	Bicycle						
STP-1023102	BSW9/16-12	BSW	STP-1023124	BC1-24	Bicycle						
STP-1023103	BSW5/8-11	BSW	STP-1023125	BC1.000-24	Bicycle						
STP-1023104	BSW3/4-10	BSW	STP-1023126	BC1 1/8-26	Bicycle						
STP-1023105	BSW 7/8-9	BSW	STP-1023127	BC1.375-24	Bicycle						
STP-1023106	BSW 1-8	BSW	STP-1023128	BC1.375-24	Bicycle						

# NPSM/BSPP/PSP/G/NPSL/PF/PG/NPS Thread Ring Gauge



Code	Size	Gauge Type	Code	Size	Gauge Type	Code	Size	Gauge Type	Code	Size	Gauge Type
STR-1024001	NPSM 1/8-18	NPSM	STR-1024023	BSP 1/2	BSP	STR-1024045	G 2 1/2	G	STR-1024067	PG9	PG
STR-1024002	NPSM 1/4-18	NPSM	STR-1024024	BSP 3/4	BSP	STR-1024046	G 2 3/4	G	STR-1024068	PG11	PG
STR-1024003	NPSM 3/8-14	NPSM	STR-1024025	BSP 1	BSP	STR-1024047	G 3	G	STR-1024069	PG13.5	PG
STR-1024004	NPSM 1/2-14	NPSM	STR-1024026	BSP 1 1/4	BSP	STR-1024048	NPSL 1/8-18	NPSL	STR-1024070	PG16	PG
STR-1024005	NPSM 3/4-11.5	NPSM	STR-1024027	BSP 1 1/2	BSP	STR-1024049	NPSL 1/4-18	NPSL	STR-1024071	PG21	PG
STR-1024006	NPSM 1-11.5	NPSM	STR-1024028	BSP 2	BSP	STR-1024050	NPSL 3/8-14	NPSL	STR-1024072	PG29	PG
STR-1024007	NPSM 1 1/4-11.5	NPSM	STR-1024029	G 1/16	G	STR-1024051	NPSL 1/2-14	NPSL	STR-1024073	PG36	PG
STR-1024008	NPSM 1 1/2-11.5	NPSM	STR-1024030	G 1/8	G	STR-1024052	NPSL 3/4-11.5	NPSL	STR-1024074	PG42	PG
STR-1024009	NPSM 2-8	NPSM	STR-1024031	G 1/4	G	STR-1024053	NPSL 1-11.5	NPSL	STR-1024075	PG48	PG
STR-1024010	BSPP 1/16-42	BSPP	STR-1024032	G 3/8	G	STR-1024054	NPSL 1 1/4-11.5	NPSL	STR-1024076	NPS 1/8-18	NPS
STR-1024011	BSPP 1/8-42	BSPP	STR-1024033	G 1/2	G	STR-1024055	NPSL 1 1/2-11.5	NPSL	STR-1024077	NPS 1/4-18	NPS
STR-1024012	BSPP 1/4-42	BSPP	STR-1024034	G 5/8	G	STR-1024056	NPSL 2-8	NPSL	STR-1024078	NPS 3/8-14	NPS
STR-1024013	BSPP 3/8	BSPP	STR-1024035	G 3/4	G	STR-1024057	PF 1/8	PF	STR-1024079	NPS 1/2-14	NPS
STR-1024014	BSPP 1/2	BSPP	STR-1024036	G 7/8	G	STR-1024058	PF 1/4	PF	STR-1024080	NPS 3/4-11.5	NPS
STR-1024015	BSPP 3/4	BSPP	STR-1024037	G 1	G	STR-1024059	PF 3/8	PF	STR-1024081	NPS 1-11.5	NPS
STR-1024016	BSPP 1	BSPP	STR-1024038	G 1 1/8	G	STR-1024060	PF 1/2	PF	STR-1024082	NPS 1 1/4-11.5	NPS
STR-1024017	BSPP 1 1/4	BSPP	STR-1024039	G 1 1/4	G	STR-1024061	PF 3/4	PF	STR-1024083	NPS 1 1/2-11.5	NPS
STR-1024018	BSPP 1 1/2	BSPP	STR-1024040	G 1 3/8	G	STR-1024062	PF 1	PF	STR-1024084	NPS 2-8	NPS
STR-1024019	BSPP 2	BSPP	STR-1024041	G 1 1/2	G	STR-1024063	PF 1 1/4	PF			
STR-1024020	BSP 1/8	BSP	STR-1024042	G 1 3/4	G	STR-1024064	PF 1 1/2	PF			
STR-1024021	BSP 1/4	BSP	STR-1024043	G 2	G	STR-1024065	PF 2	PF			
STR-1024022	BSP 3/8	BSP	STR-1024044	G 2 1/4	G	STR-1024066	PG7	PG			

## RP/BSW/Tyre Valve/Optical/Bicycle Thread Ring Gauge



Code	Size	Gauge Type	Code	Size	Gauge Type	Code	Size	Gauge Type			
STR-1024085	RP 1/8	RP	STR-1024107	5V1	Tyre Valve	STR-1024129	BC3/8-26 LH	Bicycle			
STR-1024086	RP 1/4	RP	STR-1024108	6V1	Tyre Valve	STR-1024130	BC9/16-20 LH	Bicycle			
STR-1024087	RP 3/8	RP	STR-1024109	8V1	Tyre Valve	STR-1024131	BC1-24 LH	Bicycle			
STR-1024088	RP 1/2	RP	STR-1024110	9V1	Tyre Valve	STR-1024132	BC1.000-24 LH	Bicycle			
STR-1024089	RP 3/4	RP	STR-1024111	10V1	Tyre Valve	STR-1024133	BC1 1/8-26 LH	Bicycle			
STR-1024090	RP 1	RP	STR-1024112	12V1	Tyre Valve	STR-1024134	BC1.375-24 LH	Bicycle			
STR-1024091	RP 1 1/4	RP	STR-1024113	0.535-40 (SM05)	Optical	STR-1024135	BC1.375-24 LH	Bicycle			
STR-1024092	RP 1 1/2	RP	STR-1024114	1.035-40 (SM1)	Optical						
STR-1024093	RP 2	RP	STR-1024115	1.535-40 (SM1.5)	Optical						
STR-1024094	BSW1/8-40	BSW	STR-1024116	2.035-40 (SM2)	Optical						
STR-1024095	BSW5/32-32	BSW	STR-1024117	3.035-40 (SM3)	Optical						
STR-1024096	BSW3/16-24	BSW	STR-1024118	1-32 (C-Mount)	Optical						
STR-1024097	BSW1/4-20	BSW	STR-1024119	0.8-36 (RMS)	Optical						
STR-1024098	BSW5/16-18	BSW	STR-1024120	4/5-36 (RMS)	Optical						
STR-1024099	BSW3/8-16	BSW	STR-1024121	M26×0.706	Optical						
STR-1024100	BSW7/16-14	BSW	STR-1024122	BC3/8-26	Bicycle						
STR-1024101	BSW1/2-12	BSW	STR-1024123	BC9/16-20	Bicycle						
STR-1024102	BSW9/16-12	BSW	STR-1024124	BC1-24	Bicycle						
STR-1024103	BSW5/8-11	BSW	STR-1024125	BC1.000-24	Bicycle						
STR-1024104	BSW3/4-10	BSW	STR-1024126	BC1 1/8-26	Bicycle						
STR-1024105	BSW 7/8-9	BSW	STR-1024127	BC1.375-24	Bicycle						
STR-1024106	BSW 1-8	BSW	STR-1024128	BC1.375-24	Bicycle						

# Plain Plug Gauge

Tolerance Options: H7, H8, H9

Material Options:

GCr15, Industrial Ceramic, Tungsten Carbide



Code	Material	Size	Class
PLG-3010002	GCr15	2mm	H7
PLG-3010003	GCr15	3mm	H7
PLG-3010004	GCr15	4mm	H7
PLG-3010005	GCr15	5mm	H7
PLG-3010006	GCr15	6mm	H7
PLG-3010007	GCr15	7mm	H7
PLG-3010008	GCr15	8mm	H7
PLG-3010009	GCr15	9mm	H7
PLG-3010010	GCr15	10mm	H7
PLG-3010011	GCr15	11mm	H7
PLG-3010012	GCr15	12mm	H7
PLG-3010013	GCr15	13mm	H7
PLG-3010014	GCr15	14mm	H7
PLG-3010015	GCr15	15mm	H7
PLG-3010016	GCr15	16mm	H7
PLG-3010017	GCr15	17mm	H7
PLG-3010018	GCr15	18mm	H7
PLG-3010019	GCr15	19mm	H7
PLG-3010020	GCr15	20mm	H7
PLG-3010021	GCr15	21mm	H7
PLG-3010022	GCr15	22mm	H7
PLG-3010023	GCr15	23mm	H7

Code	Material	Size	Class
PLG-3010024	GCr15	24mm	H7
PLG-3010025	GCr15	25mm	H7
PLG-3010026	GCr15	26mm	H7
PLG-3010027	GCr15	27mm	H7
PLG-3010028	GCr15	28mm	H7
PLG-3010029	GCr15	29mm	H7
PLG-3010030	GCr15	30mm	H7
PLG-3010031	GCr15	31mm	H7
PLG-3010032	GCr15	32mm	H7
PLG-3010033	GCr15	33mm	H7
PLG-3010034	GCr15	34mm	H7
PLG-3010035	GCr15	35mm	H7
PLG-3010036	GCr15	36mm	H7
PLG-3010037	GCr15	37mm	H7
PLG-3010038	GCr15	38mm	H7
PLG-3010039	GCr15	39mm	H7
PLG-3010040	GCr15	40mm	H7
PLG-3010041	GCr15	41mm	H7
PLG-3010042	GCr15	42mm	H7
PLG-3010043	GCr15	43mm	H7
PLG-3010044	GCr15	44mm	H7
PLG-3010045	GCr15	45mm	H7

Code	Material	Size	Class
PLG-3010046	GCr15	46mm	H7
PLG-3010047	GCr15	47mm	H7
PLG-3010048	GCr15	48mm	H7
PLG-3010049	GCr15	49mm	H7
PLG-3010050	GCr15	50mm	H7
PLG-3010051	GCr15	51mm	H7
PLG-3010052	GCr15	52mm	H7
PLG-3010053	GCr15	53mm	H7
PLG-3010054	GCr15	54mm	H7
PLG-3010055	GCr15	55mm	H7
PLG-3010056	GCr15	56mm	H7
PLG-3010057	GCr15	57mm	H7
PLG-3010058	GCr15	58mm	H7
PLG-3010059	GCr15	59mm	H7
PLG-3010060	GCr15	60mm	H7
PLG-3010061	GCr15	61mm	H7
PLG-3010062	GCr15	62mm	H7
PLG-3010063	GCr15	63mm	H7
PLG-3010064	GCr15	64mm	H7
PLG-3010065	GCr15	65mm	H7
PLG-3010066	GCr15	66mm	H7
PLG-3010067	GCr15	67mm	H7

# Plain Plug Gauge

Tolerance Options: H7, H8, H9

Material Options:

GCr15, Industrial Ceramic, Tungsten Carbide



Code	Material	Size	Class	Code	Material	Size	Class	Code	Material	Size	Class
PLG-3010068	GCr15	68mm	H7	PLG-3010090	GCr15	90mm	H7	PLG-3010112	GCr15	112mm	H7
PLG-3010069	GCr15	69mm	H7	PLG-3010091	GCr15	91mm	H7	PLG-3010113	GCr15	113mm	H7
PLG-3010070	GCr15	70mm	H7	PLG-3010092	GCr15	92mm	H7	PLG-3010114	GCr15	114mm	H7
PLG-3010071	GCr15	71mm	H7	PLG-3010093	GCr15	93mm	H7	PLG-3010115	GCr15	115mm	H7
PLG-3010072	GCr15	72mm	H7	PLG-3010094	GCr15	94mm	H7	PLG-3010116	GCr15	116mm	H7
PLG-3010073	GCr15	73mm	H7	PLG-3010095	GCr15	95mm	H7	PLG-3010117	GCr15	117mm	H7
PLG-3010074	GCr15	74mm	H7	PLG-3010096	GCr15	96mm	H7	PLG-3010118	GCr15	118mm	H7
PLG-3010075	GCr15	75mm	H7	PLG-3010097	GCr15	97mm	H7	PLG-3010119	GCr15	119mm	H7
PLG-3010076	GCr15	76mm	H7	PLG-3010098	GCr15	98mm	H7	PLG-3010120	GCr15	120mm	H7
PLG-3010077	GCr15	77mm	H7	PLG-3010099	GCr15	99mm	H7	PLG-3010121	GCr15	121mm	H7
PLG-3010078	GCr15	78mm	H7	PLG-3010100	GCr15	100mm	H7	PLG-3010122	GCr15	122mm	H7
PLG-3010079	GCr15	79mm	H7	PLG-3010101	GCr15	101mm	H7	PLG-3010123	GCr15	123mm	H7
PLG-3010080	GCr15	80mm	H7	PLG-3010102	GCr15	102mm	H7	PLG-3010124	GCr15	124mm	H7
PLG-3010081	GCr15	81mm	H7	PLG-3010103	GCr15	103mm	H7	PLG-3010125	GCr15	125mm	H7
PLG-3010082	GCr15	82mm	H7	PLG-3010104	GCr15	104mm	H7	PLG-3010126	GCr15	126mm	H7
PLG-3010083	GCr15	83mm	H7	PLG-3010105	GCr15	105mm	H7	PLG-3010127	GCr15	127mm	H7
PLG-3010084	GCr15	84mm	H7	PLG-3010106	GCr15	106mm	H7	PLG-3010128	GCr15	128mm	H7
PLG-3010085	GCr15	85mm	H7	PLG-3010107	GCr15	107mm	H7	PLG-3010129	GCr15	129mm	H7
PLG-3010086	GCr15	86mm	H7	PLG-3010108	GCr15	108mm	H7	PLG-3010130	GCr15	130mm	H7
PLG-3010087	GCr15	87mm	H7	PLG-3010109	GCr15	109mm	H7	PLG-3010131	GCr15	131mm	H7
PLG-3010088	GCr15	88mm	H7	PLG-3010110	GCr15	110mm	H7	PLG-3010132	GCr15	132mm	H7
PLG-3010089	GCr15	89mm	H7	PLG-3010111	GCr15	111mm	H7	PLG-3010133	GCr15	133mm	H7

## Plain Plug Gauge

Tolerance Options: H7, H8, H9

Material Options:

GCr15, Industrial Ceramic, Tungsten Carbide



Code	Material	Size	Class	Code	Material	Size	Class	Code	Material	Size	Class
PLG-3010134	GCr15	134mm	H7	PLG-3010156	GCr15	156mm	H7	PLG-3010178	GCr15	178mm	H7
PLG-3010135	GCr15	135mm	H7	PLG-3010157	GCr15	157mm	H7	PLG-3010179	GCr15	179mm	H7
PLG-3010136	GCr15	136mm	H7	PLG-3010158	GCr15	158mm	H7	PLG-3010180	GCr15	180mm	H7
PLG-3010137	GCr15	137mm	H7	PLG-3010159	GCr15	159mm	H7	PLG-3010181	GCr15	181mm	H7
PLG-3010138	GCr15	138mm	H7	PLG-3010160	GCr15	160mm	H7	PLG-3010182	GCr15	182mm	H7
PLG-3010139	GCr15	139mm	H7	PLG-3010161	GCr15	161mm	H7	PLG-3010183	GCr15	183mm	H7
PLG-3010140	GCr15	140mm	H7	PLG-3010162	GCr15	162mm	H7	PLG-3010184	GCr15	184mm	H7
PLG-3010141	GCr15	141mm	H7	PLG-3010163	GCr15	163mm	H7	PLG-3010185	GCr15	185mm	H7
PLG-3010142	GCr15	142mm	H7	PLG-3010164	GCr15	164mm	H7	PLG-3010186	GCr15	186mm	H7
PLG-3010143	GCr15	143mm	H7	PLG-3010165	GCr15	165mm	H7	PLG-3010187	GCr15	187mm	H7
PLG-3010144	GCr15	144mm	H7	PLG-3010166	GCr15	166mm	H7	PLG-3010188	GCr15	188mm	H7
PLG-3010145	GCr15	145mm	H7	PLG-3010167	GCr15	167mm	H7	PLG-3010189	GCr15	189mm	H7
PLG-3010146	GCr15	146mm	H7	PLG-3010168	GCr15	168mm	H7	PLG-3010190	GCr15	190mm	H7
PLG-3010147	GCr15	147mm	H7	PLG-3010169	GCr15	169mm	H7	PLG-3010191	GCr15	191mm	H7
PLG-3010148	GCr15	148mm	H7	PLG-3010170	GCr15	170mm	H7	PLG-3010192	GCr15	192mm	H7
PLG-3010149	GCr15	149mm	H7	PLG-3010171	GCr15	171mm	H7	PLG-3010193	GCr15	193mm	H7
PLG-3010150	GCr15	150mm	H7	PLG-3010172	GCr15	172mm	H7	PLG-3010194	GCr15	194mm	H7
PLG-3010151	GCr15	151mm	H7	PLG-3010173	GCr15	173mm	H7	PLG-3010195	GCr15	195mm	H7
PLG-3010152	GCr15	152mm	H7	PLG-3010174	GCr15	174mm	H7	PLG-3010196	GCr15	196mm	H7
PLG-3010153	GCr15	153mm	H7	PLG-3010175	GCr15	175mm	H7	PLG-3010197	GCr15	197mm	H7
PLG-3010154	GCr15	154mm	H7	PLG-3010176	GCr15	176mm	H7	PLG-3010198	GCr15	198mm	H7
PLG-3010155	GCr15	155mm	H7	PLG-3010177	GCr15	177mm	H7	PLG-3010199	GCr15	199mm	H7

## Plain Ring Gauge Tolerance Classes

Metric tolerance grades: K, 0, 1  
 Imperial tolerance grades: X, Y, Z  
 Material Options:  
 GCr15, Industrial Ceramic, Tungsten Carbide



### Metric Grade

Grade K				Grade 0				Grade 1			
Diameter	Accuracy	Roundness	Size Difference	Diameter	Accuracy	Roundness	Size Difference	Diameter	Accuracy	Roundness	Size Difference
≥1.00mm - 50.00mm	±0.5μm	0.5μm	±1.0μm	≥1.00mm - 50.00mm	±1.0μm	1.0μm	±2.0μm	≥1.00mm - 50.00mm	±2.0μm	2.0μm	±2.0μm
≥50.00mm - 100.00mm	±1.0μm	1.0μm	±1.0μm	≥50.00mm - 100.00mm	±1.5μm	1.5μm	±2.0μm	≥50.00mm - 100.00mm	±3.0μm	3.0μm	±3.0μm
≥100.00mm - 150.00mm	±1.5μm	1.5μm	±2.0μm	≥100.00mm - 150.00mm	±2.0μm	2.0μm	±3.0μm	≥100.00mm - 150.00mm	±4.0μm	4.0μm	±4.0μm
≥150.00mm - 200.00mm	±2.0μm	2.0μm	±2.0μm	≥150.00mm - 200.00mm	±3.0μm	3.0μm	±4.0μm	≥150.00mm - 200.00mm	±5.0μm	5.0μm	±5.0μm
				≥200.00mm - 300.00mm	±4.0μm	4.0μm	±6.0μm	≥200.00mm - 300.00mm	±6μm	6.0μm	±8.0μm

### Inch Class

Class X				Class Y				Class Z			
Diameter	Accuracy	Roundness	Size Difference	Diameter	Accuracy	Roundness	Size Difference	Diameter	Accuracy	Roundness	Size Difference
> 0.04"-0.825"	40μin	20μin	±40μin	> 0.04"-0.825"	70μin	35μin	±80μin	> 0.04"-0.825"	100μin	50μin	±80μin
> 0.825"-1.510"	60μin	30μin	±40μin	> 0.825"-1.510"	90μin	45μin	±80μin	> 0.825"-1.510"	120μin	60μin	±80μin
> 1.510"-2.510"	80μin	40μin	±80μin	> 1.510"-2.510"	120μin	60μin	±80μin	> 1.510"-2.510"	160μin	80μin	±80μin
> 2.510"-4.510"	100μin	50μin	±80μin	> 2.510"-4.510"	150μin	75μin	±80μin	> 2.510"-4.510"	200μin	100μin	±80μin
> 4.510"-6.510"	130μin	65μin	±80μin	> 4.510"-6.510"	190μin	95μin	±120μin	> 4.510"-6.510"	250μin	125μin	±120μin
> 6.510"-9.010"	160μin	80μin	±120μin	> 6.510"-9.010"	240μin	120μin	±120μin	> 6.510"-9.010"	320μin	160μin	±120μin
> 9.010"-12.010"	200μin	100μin	±120μin	> 9.010"-12.010"	300μin	150μin	±120μin	> 9.010"-12.010"	400μin	200μin	±160μin

# Plain Ring Gauge

Metric & imperial types available  
 Metric tolerance grades: K, 0, 1  
 Imperial tolerance grades: X, Y, Z  
 Material Options: GCr15, Industrial Ceramic, Tungsten Carbide



Code	Material	Size	Grade
PRG-4010001	GCr15	1mm	0
PRG-4010002	GCr15	2mm	0
PRG-4010003	GCr15	3mm	0
PRG-4010004	GCr15	4mm	0
PRG-4010005	GCr15	5mm	0
PRG-4010006	GCr15	6mm	0
PRG-4010007	GCr15	7mm	0
PRG-4010008	GCr15	8mm	0
PRG-4010009	GCr15	9mm	0
PRG-4010010	GCr15	10mm	0
PRG-4010011	GCr15	11mm	0
PRG-4010012	GCr15	12mm	0
PRG-4010013	GCr15	13mm	0
PRG-4010014	GCr15	14mm	0
PRG-4010015	GCr15	15mm	0
PRG-4010016	GCr15	16mm	0
PRG-4010017	GCr15	17mm	0
PRG-4010018	GCr15	18mm	0
PRG-4010019	GCr15	19mm	0
PRG-4010020	GCr15	20mm	0
PRG-4010021	GCr15	21mm	0
PRG-4010022	GCr15	22mm	0

Code	Material	Size	Grade
PRG-4010023	GCr15	23mm	0
PRG-4010024	GCr15	24mm	0
PRG-4010025	GCr15	25mm	0
PRG-4010026	GCr15	26mm	0
PRG-4010027	GCr15	27mm	0
PRG-4010028	GCr15	28mm	0
PRG-4010029	GCr15	29mm	0
PRG-4010030	GCr15	30mm	0
PRG-4010031	GCr15	31mm	0
PRG-4010032	GCr15	32mm	0
PRG-4010033	GCr15	33mm	0
PRG-4010034	GCr15	34mm	0
PRG-4010035	GCr15	35mm	0
PRG-4010036	GCr15	36mm	0
PRG-4010037	GCr15	37mm	0
PRG-4010038	GCr15	38mm	0
PRG-4010039	GCr15	39mm	0
PRG-4010040	GCr15	40mm	0
PRG-4010041	GCr15	41mm	0
PRG-4010042	GCr15	42mm	0
PRG-4010043	GCr15	43mm	0
PRG-4010044	GCr15	44mm	0

Code	Material	Size	Grade
PRG-4010045	GCr15	45mm	0
PRG-4010046	GCr15	46mm	0
PRG-4010047	GCr15	47mm	0
PRG-4010048	GCr15	48mm	0
PRG-4010049	GCr15	49mm	0
PRG-4010050	GCr15	50mm	0
PRG-4010051	GCr15	51mm	0
PRG-4010052	GCr15	52mm	0
PRG-4010053	GCr15	53mm	0
PRG-4010054	GCr15	54mm	0
PRG-4010055	GCr15	55mm	0
PRG-4010056	GCr15	56mm	0
PRG-4010057	GCr15	57mm	0
PRG-4010058	GCr15	58mm	0
PRG-4010059	GCr15	59mm	0
PRG-4010060	GCr15	60mm	0
PRG-4010061	GCr15	61mm	0
PRG-4010062	GCr15	62mm	0
PRG-4010063	GCr15	63mm	0
PRG-4010064	GCr15	64mm	0
PRG-4010065	GCr15	65mm	0
PRG-4010066	GCr15	66mm	0

# Plain Ring Gauge

Metric & imperial types available  
 Metric tolerance grades: K, 0, 1  
 Imperial tolerance grades: X, Y, Z  
 Material Options: GCr15, Industrial Ceramic, Tungsten Carbide



Code	Material	Size	Grade	Code	Material	Size	Grade	Code	Material	Size	Grade
PRG-4010067	GCr15	67mm	0	PRG-4010089	GCr15	89mm	0	PRG-4010111	GCr15	111mm	0
PRG-4010068	GCr15	68mm	0	PRG-4010090	GCr15	90mm	0	PRG-4010112	GCr15	112mm	0
PRG-4010069	GCr15	69mm	0	PRG-4010091	GCr15	91mm	0	PRG-4010113	GCr15	113mm	0
PRG-4010070	GCr15	70mm	0	PRG-4010092	GCr15	92mm	0	PRG-4010114	GCr15	114mm	0
PRG-4010071	GCr15	71mm	0	PRG-4010093	GCr15	93mm	0	PRG-4010115	GCr15	115mm	0
PRG-4010072	GCr15	72mm	0	PRG-4010094	GCr15	94mm	0	PRG-4010116	GCr15	116mm	0
PRG-4010073	GCr15	73mm	0	PRG-4010095	GCr15	95mm	0	PRG-4010117	GCr15	117mm	0
PRG-4010074	GCr15	74mm	0	PRG-4010096	GCr15	96mm	0	PRG-4010118	GCr15	118mm	0
PRG-4010075	GCr15	75mm	0	PRG-4010097	GCr15	97mm	0	PRG-4010119	GCr15	119mm	0
PRG-4010076	GCr15	76mm	0	PRG-4010098	GCr15	98mm	0	PRG-4010120	GCr15	120mm	0
PRG-4010077	GCr15	77mm	0	PRG-4010099	GCr15	99mm	0	PRG-4010121	GCr15	121mm	0
PRG-4010078	GCr15	78mm	0	PRG-4010100	GCr15	100mm	0	PRG-4010122	GCr15	122mm	0
PRG-4010079	GCr15	79mm	0	PRG-4010101	GCr15	101mm	0	PRG-4010123	GCr15	123mm	0
PRG-4010080	GCr15	80mm	0	PRG-4010102	GCr15	102mm	0	PRG-4010124	GCr15	124mm	0
PRG-4010081	GCr15	81mm	0	PRG-4010103	GCr15	103mm	0	PRG-4010125	GCr15	125mm	0
PRG-4010082	GCr15	82mm	0	PRG-4010104	GCr15	104mm	0	PRG-4010126	GCr15	126mm	0
PRG-4010083	GCr15	83mm	0	PRG-4010105	GCr15	105mm	0	PRG-4010127	GCr15	127mm	0
PRG-4010084	GCr15	84mm	0	PRG-4010106	GCr15	106mm	0	PRG-4010128	GCr15	128mm	0
PRG-4010085	GCr15	85mm	0	PRG-4010107	GCr15	107mm	0	PRG-4010129	GCr15	129mm	0
PRG-4010086	GCr15	86mm	0	PRG-4010108	GCr15	108mm	0	PRG-4010130	GCr15	130mm	0
PRG-4010087	GCr15	87mm	0	PRG-4010109	GCr15	109mm	0	PRG-4010131	GCr15	131mm	0
PRG-4010088	GCr15	88mm	0	PRG-4010110	GCr15	110mm	0	PRG-4010132	GCr15	132mm	0

# Plain Ring Gauge

Metric & imperial types available  
 Metric tolerance grades: K, 0, 1  
 Imperial tolerance grades: X, Y, Z  
 Material Options: GCr15, Industrial Ceramic, Tungsten Carbide



Code	Material	Size	Grade	Code	Material	Size	Grade	Code	Material	Size	Grade
PRG-4010133	GCr15	133mm	0	PRG-4010155	GCr15	155mm	0	PRG-4010177	GCr15	177mm	0
PRG-4010134	GCr15	134mm	0	PRG-4010156	GCr15	156mm	0	PRG-4010178	GCr15	178mm	0
PRG-4010135	GCr15	135mm	0	PRG-4010157	GCr15	157mm	0	PRG-4010179	GCr15	179mm	0
PRG-4010136	GCr15	136mm	0	PRG-4010158	GCr15	158mm	0	PRG-4010180	GCr15	180mm	0
PRG-4010137	GCr15	137mm	0	PRG-4010159	GCr15	159mm	0	PRG-4010181	GCr15	181mm	0
PRG-4010138	GCr15	138mm	0	PRG-4010160	GCr15	160mm	0	PRG-4010182	GCr15	182mm	0
PRG-4010139	GCr15	139mm	0	PRG-4010161	GCr15	161mm	0	PRG-4010183	GCr15	183mm	0
PRG-4010140	GCr15	140mm	0	PRG-4010162	GCr15	162mm	0	PRG-4010184	GCr15	184mm	0
PRG-4010141	GCr15	141mm	0	PRG-4010163	GCr15	163mm	0	PRG-4010185	GCr15	185mm	0
PRG-4010142	GCr15	142mm	0	PRG-4010164	GCr15	164mm	0	PRG-4010186	GCr15	186mm	0
PRG-4010143	GCr15	143mm	0	PRG-4010165	GCr15	165mm	0	PRG-4010187	GCr15	187mm	0
PRG-4010144	GCr15	144mm	0	PRG-4010166	GCr15	166mm	0	PRG-4010188	GCr15	188mm	0
PRG-4010145	GCr15	145mm	0	PRG-4010167	GCr15	167mm	0	PRG-4010189	GCr15	189mm	0
PRG-4010146	GCr15	146mm	0	PRG-4010168	GCr15	168mm	0	PRG-4010190	GCr15	190mm	0
PRG-4010147	GCr15	147mm	0	PRG-4010169	GCr15	169mm	0	PRG-4010191	GCr15	191mm	0
PRG-4010148	GCr15	148mm	0	PRG-4010170	GCr15	170mm	0	PRG-4010192	GCr15	192mm	0
PRG-4010149	GCr15	149mm	0	PRG-4010171	GCr15	171mm	0	PRG-4010193	GCr15	193mm	0
PRG-4010150	GCr15	150mm	0	PRG-4010172	GCr15	172mm	0	PRG-4010194	GCr15	194mm	0
PRG-4010151	GCr15	151mm	0	PRG-4010173	GCr15	173mm	0	PRG-4010195	GCr15	195mm	0
PRG-4010152	GCr15	152mm	0	PRG-4010174	GCr15	174mm	0	PRG-4010196	GCr15	196mm	0
PRG-4010153	GCr15	153mm	0	PRG-4010175	GCr15	175mm	0	PRG-4010197	GCr15	197mm	0
PRG-4010154	GCr15	154mm	0	PRG-4010176	GCr15	176mm	0	PRG-4010198	GCr15	198mm	0

# Plain Ring Gauge

Metric & imperial types available  
 Metric tolerance grades: K, 0, 1  
 Imperial tolerance grades: X, Y, Z  
 Material Options: GCr15, Industrial Ceramic, Tungsten Carbide



Code	Material	Size	Grade	Code	Material	Size	Grade	Code	Material	Size	Grade
PRG-4010199	GCr15	199mm	0	PRG-4010221	GCr15	221mm	0	PRG-4010243	GCr15	243mm	0
PRG-4010200	GCr15	200mm	0	PRG-4010222	GCr15	222mm	0	PRG-4010244	GCr15	244mm	0
PRG-4010201	GCr15	201mm	0	PRG-4010223	GCr15	223mm	0	PRG-4010245	GCr15	245mm	0
PRG-4010202	GCr15	202mm	0	PRG-4010224	GCr15	224mm	0	PRG-4010246	GCr15	246mm	0
PRG-4010203	GCr15	203mm	0	PRG-4010225	GCr15	225mm	0	PRG-4010247	GCr15	247mm	0
PRG-4010204	GCr15	204mm	0	PRG-4010226	GCr15	226mm	0	PRG-4010248	GCr15	248mm	0
PRG-4010205	GCr15	205mm	0	PRG-4010227	GCr15	227mm	0	PRG-4010249	GCr15	249mm	0
PRG-4010206	GCr15	206mm	0	PRG-4010228	GCr15	228mm	0	PRG-4010250	GCr15	250mm	0
PRG-4010207	GCr15	207mm	0	PRG-4010229	GCr15	229mm	0	PRG-4010251	GCr15	251mm	0
PRG-4010208	GCr15	208mm	0	PRG-4010230	GCr15	230mm	0	PRG-4010252	GCr15	252mm	0
PRG-4010209	GCr15	209mm	0	PRG-4010231	GCr15	231mm	0	PRG-4010253	GCr15	253mm	0
PRG-4010210	GCr15	210mm	0	PRG-4010232	GCr15	232mm	0	PRG-4010254	GCr15	254mm	0
PRG-4010211	GCr15	211mm	0	PRG-4010233	GCr15	233mm	0	PRG-4010255	GCr15	255mm	0
PRG-4010212	GCr15	212mm	0	PRG-4010234	GCr15	234mm	0	PRG-4010256	GCr15	256mm	0
PRG-4010213	GCr15	213mm	0	PRG-4010235	GCr15	235mm	0	PRG-4010257	GCr15	257mm	0
PRG-4010214	GCr15	214mm	0	PRG-4010236	GCr15	236mm	0	PRG-4010258	GCr15	258mm	0
PRG-4010215	GCr15	215mm	0	PRG-4010237	GCr15	237mm	0	PRG-4010259	GCr15	259mm	0
PRG-4010216	GCr15	216mm	0	PRG-4010238	GCr15	238mm	0	PRG-4010260	GCr15	260mm	0
PRG-4010217	GCr15	217mm	0	PRG-4010239	GCr15	239mm	0	PRG-4010261	GCr15	261mm	0
PRG-4010218	GCr15	218mm	0	PRG-4010240	GCr15	240mm	0	PRG-4010262	GCr15	262mm	0
PRG-4010219	GCr15	219mm	0	PRG-4010241	GCr15	241mm	0	PRG-4010263	GCr15	263mm	0
PRG-4010220	GCr15	220mm	0	PRG-4010242	GCr15	242mm	0	PRG-4010264	GCr15	264mm	0

# Plain Ring Gauge

Metric & imperial types available  
 Metric tolerance grades: K, 0, 1  
 Imperial tolerance grades: X, Y, Z  
 Material Options: GCr15, Industrial Ceramic, Tungsten Carbide



Code	Material	Size	Grade	Code	Material	Size	Grade	Code	Material	Size	Grade
PRG-4010265	GCr15	265mm	0	PRG-4010287	GCr15	287mm	0	PRG-4010345	GCr15	345mm	0
PRG-4010266	GCr15	266mm	0	PRG-4010288	GCr15	288mm	0	PRG-4010350	GCr15	350mm	0
PRG-4010267	GCr15	267mm	0	PRG-4010289	GCr15	289mm	0	PRG-4010355	GCr15	355mm	0
PRG-4010268	GCr15	268mm	0	PRG-4010290	GCr15	290mm	0	PRG-4010360	GCr15	360mm	0
PRG-4010269	GCr15	269mm	0	PRG-4010291	GCr15	291mm	0	PRG-4010365	GCr15	365mm	0
PRG-4010270	GCr15	270mm	0	PRG-4010292	GCr15	292mm	0	PRG-4010370	GCr15	370mm	0
PRG-4010271	GCr15	271mm	0	PRG-4010293	GCr15	293mm	0	PRG-4010375	GCr15	375mm	0
PRG-4010272	GCr15	272mm	0	PRG-4010294	GCr15	294mm	0	PRG-4010380	GCr15	380mm	0
PRG-4010273	GCr15	273mm	0	PRG-4010295	GCr15	295mm	0	PRG-4010385	GCr15	385mm	0
PRG-4010274	GCr15	274mm	0	PRG-4010296	GCr15	296mm	0	PRG-4010390	GCr15	390mm	0
PRG-4010275	GCr15	275mm	0	PRG-4010297	GCr15	297mm	0	PRG-4010395	GCr15	395mm	0
PRG-4010276	GCr15	276mm	0	PRG-4010298	GCr15	298mm	0	PRG-4010400	GCr15	400mm	0
PRG-4010277	GCr15	277mm	0	PRG-4010299	GCr15	299mm	0	PRG-4010405	GCr15	405mm	0
PRG-4010278	GCr15	278mm	0	PRG-4010300	GCr15	300mm	0	PRG-4010410	GCr15	410mm	0
PRG-4010279	GCr15	279mm	0	PRG-4010305	GCr15	305mm	0	PRG-4010415	GCr15	415mm	0
PRG-4010280	GCr15	280mm	0	PRG-4010310	GCr15	310mm	0	PRG-4010420	GCr15	420mm	0
PRG-4010281	GCr15	281mm	0	PRG-4010315	GCr15	315mm	0	PRG-4010425	GCr15	425mm	0
PRG-4010282	GCr15	282mm	0	PRG-4010320	GCr15	320mm	0	PRG-4010430	GCr15	430mm	0
PRG-4010283	GCr15	283mm	0	PRG-4010325	GCr15	325mm	0	PRG-4010435	GCr15	435mm	0
PRG-4010284	GCr15	284mm	0	PRG-4010330	GCr15	330mm	0	PRG-4010440	GCr15	440mm	0
PRG-4010285	GCr15	285mm	0	PRG-4010335	GCr15	335mm	0	PRG-4010445	GCr15	445mm	0
PRG-4010286	GCr15	286mm	0	PRG-4010340	GCr15	340mm	0	PRG-4010450	GCr15	450mm	0

## Ceramic Dial Gauge Base

Code	Model Type	Material of Measuring Surface	Dimension of Measuring Surface	Height	Accuracy
700-LPC100100		Industrial Ceramics	100mmX100mm (4"X 4")	220mm (8.6")	< 1μm
700-LPC80		Industrial Ceramics	Diameter: 80mm (3.2")	220mm (8.6")	< 1μm
700-LPCW100100		Industrial Ceramics	100mmX100mm (4"X 4")	220mm (8.6")	< 1μm
700-LPC150150		Industrial Ceramics	150mmX150mm (6"X 6")	280mm (11.2")	< 1μm
700-LPC100150		Industrial Ceramics	100mmX150mm (4"X 6")	220mm (8.6")	< 1μm




## INTERNAL LABORATORY & SERVICES

Our factory owns a full-equipped professional in-house laboratory with ultra-high measuring precision up to 0.01μm.

For customized products and standard gauges such as gauge blocks, we can provide internal laboratory test reports as per customers' requirements.




CMM



Roundness Tester



Laser Micrometer



Universal Length Measuring Instrument

## OFFICIAL THIRD-PARTY CALIBRATION CERTIFICATES


For official authoritative calibration certificates, we offer a paid third-party testing service that takes around 7 working days. We issue ILAC-MRA/CNAS accredited laboratory calibration certificates with China national accreditation and international mutual recognition for calibration, and official reports will be delivered alongside shipments. See official certificate examples below:







China Accreditation, International Mutual Recognition, Calibration.










CALIBRATION. CNAS L13179.



Customization Items	Custom Specifications	Custom Case Images
<b>Custom Non-Standard &amp; Special-Shaped Jigs, Inspection Fixtures, Measuring Tools &amp; Gauges</b>	<ol style="list-style-type: none"> <li>1. Custom Metric &amp; Inch Sizes Available</li> <li>2. Optional Materials: Industrial Ceramic, HSS, Carbide ( Tungsten Steel )</li> <li>3. Optional Precision: <math>\pm 1\mu\text{m}/\pm 2\mu\text{m}/\pm 5\mu\text{m}</math></li> <li>4. Custom Special Shapes per Drawings</li> <li>5. Lead Time: 3-5 days standard, 6-15 days complex</li> <li>6. NDAs offered for all custom products as requested.</li> </ol>	
<b>Custom Gauge Blocks</b>	<ol style="list-style-type: none"> <li>1. Custom Metric &amp; Inch Sizes Available</li> <li>2. Optional Materials: Industrial Ceramic, HSS, Carbide ( Tungsten Steel )</li> <li>3. Optional Precision: <math>\pm 0.5\mu\text{m}/\pm 1\mu\text{m}/\pm 2\mu\text{m}/\pm 5\mu\text{m}/\pm 10\mu\text{m}</math></li> <li>4. Custom Special Shapes per Drawings</li> <li>5. Custom gauge blocks in any size (e.g. 20.212mm)</li> <li>6. Lead Time: 3-5 days standard, 6-12 days complex</li> </ol>	
<b>Custom Pin Gauge</b>	<ol style="list-style-type: none"> <li>1. Custom Metric &amp; Inch Sizes Available</li> <li>2. Optional Materials: Industrial Ceramic, Gcr15, Carbide ( Tungsten Steel )</li> <li>3. Optional Precision: <math>\pm 0.25\mu\text{m}/\pm 0.5\mu\text{m}/\pm 1\mu\text{m}/\pm 2\mu\text{m}/\pm 5\mu\text{m}</math></li> <li>4. Custom Special Shapes per Drawings</li> <li>5. Custom Pin gauge in any size (e.g. 5.012mm)</li> <li>6. Extended/shortened versions</li> <li>7. Sets with any spacing</li> <li>8. Lead Time: 2-4 days standard, 5-10 days complex</li> </ol>	
<b>Custom Concentricity Gage</b>	<ol style="list-style-type: none"> <li>1. Optional motor drive; universal 100–240V AC input, 12V DC 5.0A stable output, Two-speed adjustable motor, forward/reverse rotation supported</li> <li>2. Custom accessories by workpiece diameter &amp; length</li> <li>3. Vertical &amp; universal holders for lever indicators optional</li> <li>4. Custom rollers available</li> <li>5. Multiple lever indicator holders customizable</li> </ol>	

Customization Items	Custom Specifications	Custom Case Images
<b>Custom Thread Plug/Ring Gauge</b>	<ol style="list-style-type: none"> <li>1. Custom Full Range Thread Plug &amp; Ring Gauges</li> <li>2. Custom Special Shapes per Drawings</li> <li>3. For custom special-size threads, kindly supply major diameter, pitch diameter, minor diameter and thread form.</li> <li>4. Lead Time: 7-10 days standard</li> </ol>	
<b>Custom Plain Plug Gauge</b>	<ol style="list-style-type: none"> <li>1. Custom Metric &amp; Inch Sizes Available</li> <li>2. Optional Materials: Industrial Ceramic, Gcr15, Carbide ( Tungsten Steel )</li> <li>3. Optional Precision: <math>\pm 0.25\mu\text{m}/\pm 0.5\mu\text{m}/\pm 1\mu\text{m}/\pm 2\mu\text{m}/\pm 5\mu\text{m}</math></li> <li>4. Custom Special Shapes per Drawings</li> <li>5. Upon provision of GO and NOGO dimension values, custom go-no-go gauges of any specification are available.</li> <li>6. Lead Time: 3-4 days standard, 5-10 days complex</li> </ol>	
<b>Custom Plain Ring Gauge</b>	<ol style="list-style-type: none"> <li>1. Custom Metric &amp; Inch Sizes Available</li> <li>2. Optional Materials: Industrial Ceramic, Gcr15, Carbide ( Tungsten Steel )</li> <li>3. Optional Precision: <math>\pm 0.5\mu\text{m}/\pm 1\mu\text{m}/\pm 2\mu\text{m}/\pm 5\mu\text{m}</math></li> <li>4. Custom Special Shapes per Drawings</li> <li>5. Custom Plain Ring Gauge in any size (e.g. 10.015mm)</li> <li>6. Lead Time: 3-4 days standard, 5-10 days complex</li> </ol>	
<b>Custom Check Masters</b>	<ol style="list-style-type: none"> <li>1. Custom Metric &amp; Inch Sizes Available</li> <li>2. Optional Materials: Industrial Ceramic, HSS, Carbide ( Tungsten Steel )</li> <li>3. Optional Precision: <math>\pm 1\mu\text{m}/\pm 2\mu\text{m}/\pm 4\mu\text{m}/\pm 8\mu\text{m}</math></li> <li>4. Custom Special Shapes per Drawings</li> <li>5. We can supply step gage with special length and increments.</li> <li>6. Lead Time: 10-25 days standard, 25-45 days complex</li> </ol>	

Customization Items	Custom Specifications	Custom Case Images
<b>Custom Thread Perpendicularity Gauge</b>	<ol style="list-style-type: none"> <li>1. Custom options: Custom manufacturing for metric, American, British and other full-series threads.</li> <li>2. Custom Special Shapes per Drawings</li> <li>3. Material: GCr15 bearing steel</li> <li>4. Application: Checks perpendicularity, concentricity and depth of threaded holes for position accuracy. Used with feeler gauges.</li> <li>5. Lead Time: 7-10 days standard</li> </ol>	
<b>Custom Thread Location Pin Gauge</b>	<ol style="list-style-type: none"> <li>1. Custom options: Custom manufacturing for metric, American, British and other full-series threads.</li> <li>2. Custom Special Shapes per Drawings</li> <li>3. Material: GCr15 bearing steel</li> <li>4. Application: CMM thread locating pin, calibrates position and concentricity of threaded holes to establish workpiece coordinate datum.</li> <li>5. Lead Time: 7-10 days standard</li> </ol>	
<b>Custom Spline Plug/Ring Gauge</b>	<ol style="list-style-type: none"> <li>1. Usage: Spline go/no-go plug &amp; ring gauges for internal and external spline inspection.</li> <li>2. Types &amp; Standards: Rectangular and involute splines, complying with DIN5480, DIN5481, DIN5482, GB3478, JIS D2001, ANSI92.1/92.2, SAEJ498B, BS3550. Non-standard gauges are available.</li> <li>3. Customization: Tooth count, module, pressure angle and dimensions made to order.</li> <li>4. Material: GCr15 steel, heat-treated, high wear resistance &amp; stable precision.</li> <li>5. Lead Time: 3-5 days standard, 6-12 days complex</li> </ol>	
<b>Custom Keyway Go-NoGo Gauge</b>	<ol style="list-style-type: none"> <li>1. Custom Metric &amp; Inch Sizes Available</li> <li>2. Optional Materials: Industrial Ceramic, HSS, Carbide ( Tungsten Steel )</li> <li>3. Optional Precision: <math>\pm 1\mu\text{m}/\pm 2\mu\text{m}/\pm 5\mu\text{m}</math></li> <li>4. Custom Special Shapes per Drawings</li> <li>5. Application: Keyway plug gauges for key slot width tolerance inspection.</li> <li>6. Lead Time: 3-5 days standard, 6-15 days complex</li> </ol>	

Customization Items	Custom Specifications	Custom Case Images
<p><b>Custom Go-NoGo Snap Gauge</b></p>	<ol style="list-style-type: none"> <li>1. Custom Metric &amp; Inch Sizes Available</li> <li>2. Optional Materials: Industrial Ceramic, Gcr15, Carbide ( Tungsten Steel )</li> <li>1. Usage: C &amp; U type snap gauges, check shaft outer diameter tolerance.</li> <li>2. Custom Special Shapes per Drawings</li> <li>3. Optional Precision: <math>\pm 1\mu\text{m}/\pm 2\mu\text{m}/\pm 5\mu\text{m}</math></li> <li>4. Lead Time: 7-10 days standard</li> </ol>	
<p><b>Custom Torx Go-NoGo Plug Gauge</b></p>	<ol style="list-style-type: none"> <li>1. Usage: Torx go/no-go plug gauges for internal torx slot dimension inspection.</li> <li>2. Full sizes T4-T100 in stock.</li> <li>3. Custom: Special anti-theft slots, depth and shoulder sizes available.</li> <li>4. Custom Special Shapes per Drawings</li> <li>5. Optional Materials: Gcr15, Carbide ( Tungsten Steel )</li> <li>6. Lead Time: 3-5 days standard, 6-10 days complex</li> </ol>	
<p><b>Custom Taper Plug/Ring Gauge</b></p>	<ol style="list-style-type: none"> <li>1. Usage: Taper plug gauges and ring gauges, inspect taper and fit dimension of tapered holes and shafts.</li> <li>2. Standard tapers: 1:5, 1:6, 1:8, 1:10, 1:20 and all Morse tapers.</li> <li>3. Customization: Non-standard taper, diameter and shoulder size made per drawing.</li> <li>4. Optional Materials: Gcr15, Carbide ( Tungsten Steel )</li> <li>5. Lead Time: 3-5 days standard, 6-10 days complex</li> </ol>	



World Standard Certification Center Inc.

**WSC**  
**ISO9001**



Management System  
CNAS C068-Q

CERTIFIED MANAGEMENT SYSTEM | ISO 9001:2015

# MANUFACTURING & QUALITY EXCELLENCE

**Dongguan Dayou Precision Tools Co., Ltd.**

Website: [www.liport-gage.com](http://www.liport-gage.com)

WhatsApp: +86 151 7889 4053 Email: [info@liport-gage.com](mailto:info@liport-gage.com)

© 2026 CATALOG